DOOR KEYS
2019



KEYLINE

Innovators by design | Since 1770

A BIANCHI 1770 GROUP COMPANY

INTO THE WORLD OF KEY DUPLICATION

KEYLINE
A BIANCHI 1770 GROUP COMPANY

DOOR KEYS 2019

BIANCHI 1770 GROUP
Innovators by design \ Since 1770

INDEX / INDICE

Door Keys 2019

p	VI	Key reader
	VIII	Key cutting machines / Duplicatrici
	XL	Keyline TV
	XLI	Customized keys / Chiavi personalizzate
	XLII	Special keys / Chiavi speciali
	XLIV	Keycenter
	XLVI	Symbols / Simbologie
	XLVII	Terminology / Terminologia

p	1	Cylinder keys / Chiavi cilindro
	127	Cylinder keys - Slim Series / Chiavi cilindro - Slim Series
	131	Cruciform keys / Chiavi a croce
	137	Mail box keys / Chiavi per casellari postali
	139	Double bit and pump keys keys / Chiavi a doppia mappa e pompa
	167	Cadorine keys / Chiavi Cadorine
	181	Cold forged keys & Italian Style / Chiavi patent & Italian Style
	191	Index / Indice

Copyright by Keyline-Italy

INTRO

Door Keys 2019

Technology has found its way to beauty. Step by step, Research and Development have led us to a new concept, which we named *The Art of Duplication* and which summarises our determination to consider each and every tool as an object that can express the full talent of its user. And that can improve their world. Making it easier, more effective, more beautiful.

This is true for **Door Keys 2019**, the new residential catalogue. Our history as locksmiths started almost 250 years ago, and we are still passionately working to improve our keys. From Cadorine keys to the most sophisticated top security systems, Keyline marks the development of a rapidly evolving world, thus becoming the ideal partner for every kind of supply.

Its complete range of mechanical and electronic key cutting machines with proprietary software provides professionals, from hardware stores to DIY centres, from specialised locksmiths to large key cutting centres and the OEM market, with reliable, fast and precise tools for all needs. Next generation models create unprecedented work dynamics, taking the usual Keyline high quality to new levels of efficiency and usability.

Door Keys 2019 is part of the Keyline evolution towards a smarter world.
A corporate history that dates back to 1770 and that has been growing day by day to improve the work of professional locksmiths and key cutters in all sectors.

Massimo Bianchi, Keyline General Director

La tecnologia ha trovato la strada per la bellezza. La ricerca e lo sviluppo, passo dopo passo, ci hanno portati a una nuova concezione: l'abbiamo chiamata *Arte della Duplicazione* e sintetizza il nostro impegno nel fare di ogni strumento un oggetto in grado di esprimere tutto il talento di chi lo userà. E di rendere migliore il suo mondo. Più semplice, più efficace, più bello.

Così è per **Door Keys 2019**, il nuovo catalogo per il settore residenziale. La nostra storia è iniziata con le chiavi, quasi 250 anni fa, e ancora oggi le miglioriamo con la stessa passione. Dalle chiavi cadorine ai più sofisticati sistemi per l'alta sicurezza, Keyline segna lo sviluppo di un mondo in rapida evoluzione, diventando il partner ideale per ogni tipo di fornitura.

La gamma completa di duplicatrici meccaniche ed elettroniche con software originale dà ai professionisti strumenti affidabili, veloci e precisi per ogni esigenza, dalle ferramenta ai centri DIY, dagli specialisti serraturieri fino ai grandi centri di duplicazione e al mercato OEM. I modelli di ultima generazione creano inedite dinamiche di lavoro, portando l'alta qualità Keyline verso nuovi livelli di usabilità ed efficienza.

Door Keys 2019 è parte dell'evoluzione Keyline per un mondo più smart.
Una storia nata nel 1770 e cresciuta ogni giorno migliorando in ogni ambito il lavoro degli specialisti.

Massimo Bianchi, Keyline General Director

Powered by

LIGER OS

CAMILLO BIANCHI

For edge cut and dimple keys / Per chiavi piatte e punzonate

- STURDY, RAPID AND PRECISE
- DATABASES DIFFERENT BY REGION
- INTUITIVE INTERFACE
- CUSTOMIZED DATABASE SET-UP WITH SELF ACQUISITION FUNCTION*
- SOFTWARE UPDATES

PATENT GRANTED KEY LIGHTING CHAMBER ITALY

- SOLIDO, RAPIDO E PRECISO
- DIFFERENTI DATABASE PER AREA GEOGRAFICA
- INTERFACCIA INTUITIVA
- CREAZIONE DATABASE PERSONALIZZATO TRAMITE FUNZIONE DI AUTO-APPRENDIMENTO*
- AGGIORNAMENTI SOFTWARE

BREVETTO CAMERA ILLUMINAZIONE CHIAVE ITALIA

*Function to be requested in addition to Camillo Bianchi Reader.
* Funzione da richiedere in aggiunta al Camillo Bianchi Reader.

Door keys

Car keys

Copyright by Keyline-Italy

TECHNICAL FEATURES

Voltage	12V - 24W
External Connections	1 USB; 1 LAN
Dimensions	Width: 150 mm / Depth: 300 mm (330 mm with cables) / Height: 300 mm
Weight	4.5 kg

CARATTERISTICHE TECNICHE

Tensione Elettrica	12V - 24W
Connessioni Esterne	1 USB; 1 LAN
Dimensioni	Larghezza: 150 mm / Profondità: 300 mm (330 mm con cavi) / Altezza: 300 mm
Peso	4,5 kg

Powered by

LIGER OS

NINJA TOTAL

For edge cut, laser and dimple keys / Per chiavi piatte, laser e punzonate

- ALL-IN ONE SOLUTION, WITH A DOUBLE CUTTING STATION
- HIGH-SPEED KEY CUTTING
- INDUSTRIAL CONSOLE WITH THE KEYLINE LIGER SOFTWARE
- HEAD ENGRAVING FUNCTION WITH C25 OPTIONAL CLAMP
- PATENTED AND RELIABLE TECHNOLOGY

PATENT GRANTED DOUBLE CUTTING STATION IT/CHINA

PATENT PENDING READING GROUP ITALY

- SOLUZIONE ALL-IN ONE, CON DOPPIA STAZIONE DI TAGLIO
- ALTA VELOCITÀ NEL TAGLIO CHIAVI
- CONSOLE INDUSTRIALE CON SOFTWARE LIGER KEYLINE
- FUNZIONE GRAVATURA TESTE CON MORSETTO OPZIONALE C25
- TECNOLOGIA AFFIDABILE E BREVETTATA

BREVETTO DOPPIA STAZIONE DI TAGLIO IT/CINA

DOMANDA BREVETTO GRUPPO LETTURA ITALIA

Door keys

Car keys

Copyright by Keyline-Italy



TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz	
Electronic Equipment	Mainboard with ARM Cortex A8 CPU, 256 MB RAM, NAND 1 GB memory, high resolution axes control	
External Connections	1 USB port; 1 LAN port	
Lighting	2 led strips - lighted cutting bay	
Movements/Axes	3 stepper motor-operated axes	
	EDGE CUT KEY SIDE	**DIMPLE KEY AND LASER KEY SIDE**
Key Reading/Decoding System	Mechanical tracer with linear sensor	Electric contact
Clamps	4 faces (supplementary clamps are available for specific markets)	C30 / A02 / A03
Gauge	Automatic gauge unlock through the movement of the axes	
Motor	Asynchronous, 0.18 KW	DC electronic motor
Cutter	In Widia ø 63 mm	In Widia
Cutter Speed	1500-3000 rpm (variable speed according to the programmes)	13000 rpm
Absorption	250W (35W in stand-by)	
Dimensions	Width: 340 mm / Depth: 415 mm / Height: 300 mm	
Weight	30 Kg	

CONSOLE X TECHNICAL FEATURES

Power Supply	DC 24V (fed by the key cutting machine)
User Interface	7” industrial colour touch screen, 16:10, resolution 800x480 px, integrated CPU

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz	
Dotazione Elettronica	Mainboard con CPU ARM Cortex A8, 256 MB RAM, memoria NAND 1 GB, controllo assi ad alta risoluzione	
Connessioni Esterne	1 porta USB; 1 LAN	
Illuminazione	Area di lavoro illuminata con 2 strisce led	
Movimenti/Assi	3 assi pilotati da motori passo passo	
	LATO CHIAVI PIATTE	**LATO CHIAVI PUNZONATE E LASER**
Sistema di Lettura/ Decodifica Chiave	Tastatore meccanico con sensore lineare	Contatto elettrico
Morsetti	4 facce (sono disponibili ulteriori morsetti per mercati specifici)	C30 / A02 / A03
Calibro	Sblocco calibro automatico tramite movimento assi	
Motore	Asincrono 0,18 KW	Elettronico DC
Fresa	In Widia ø 63 mm	In Widia
Velocità Fresa	1500-3000 rpm (velocità variabile a seconda dei programmi)	13000 rpm
Assorbimento	250W (35W in stand-by)	
Dimensioni	Larghezza: 340 mm / Profondità: 415 mm / Altezza: 300 mm	
Peso	30 Kg	

CARATTERISTICHE TECNICHE CONSOLE X

Alimentazione	DC 24V (alimentata dalla duplicatrice)
Interfaccia Utente	Schermo touch screen industriale a colori, 7”, 16:10, risoluzione 800x480 px, CPU incorporato

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

Powered by

LIGER OS

NINJA

For edge cut and cruciform keys / Per chiavi piatte e a croce

- ELECTRONIC AND AUTOMATIC
- COMPACT DESIGN
- INTERACTIVE INTERFACE
- MULTIPLE CUTTING SPEEDS
- UNLIMITED DATABASE WITH ON BOARD CROSS REFERENCE
- HERMETIC CUTTING BAY

- ELETTRONICA E AUTOMATICA
- DESIGN COMPATTO
- INTERFACCIA INTERATTIVA
- VELOCITÀ DI TAGLIO MULTIPLE
- DATABASE ILLIMITATO CON COMPARATIVO A BORDO
- AREA DI TAGLIO ERMETICA

Door keys

Car keys

Copyright by Keyline-Italy



TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz
Electronic Equipment	Mainboard with ARM Cortex A8 CPU, 256 MB RAM, NAND 1 GB memory, high resolution axes control
External Connections	1 USB port; 1 LAN port
Key Reading/Decoding System	Electric contact
Lighting	LED - lighted cutting bay
Movements/Axes	2 stepper motor-operated axes
Clamps	4 faces (supplementary clamps are available for specific markets)
Gauge	Automatic gauge unlock through the movement of the axes
Motor	Asynchronous, 0.18 KW
Cutter	In Widia ø 63 mm
Cutter Speed	1500-3000 rpm (variable speed according to the programmes)
Absorption	250W (35W in stand-by)
Dimensions	Width: 340 mm / Depth: 415 mm / Height: 300 mm
Weight	20 Kg

CONSOLE X TECHNICAL FEATURES

Power Supply	DC 24V (fed by the key cutting machine)
User Interface	7” industrial colour touch screen, 16:10, resolution 800x480 px, integrated CPU

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz
Dotazione elettronica	Mainboard con CPU ARM Cortex A8, 256 MB RAM, memoria NAND 1 GB, controllo assi ad alta risoluzione
Connessioni esterne	1 porta USB; 1 LAN
Sistema di Lettura/Decodifica Chiave	Contatto elettrico
Illuminazione	Area di lavoro illuminata a LED
Movimenti/Assi	2 assi pilotati da motori passo passo
Morsetti	4 facce (sono disponibili ulteriori morsetti per mercati specifici)
Calibro	Sblocco calibro automatico tramite movimento assi
Motore	Asincrono 0,18 KW
Fresa	In Widia ø 63 mm
Velocità Fresa	1500-3000 rpm (velocità variabile a seconda dei programmi)
Assorbimento	250W (35W in stand-by)
Dimensioni	Larghezza: 340 mm / Profondità: 415 mm / Altezza: 300 mm
Peso	20 Kg

CARATTERISTICHE TECNICHE CONSOLE X

Alimentazione	DC 24V (alimentata dalla duplicatrice)
Interfaccia Utente	Schermo touch screen industriale a colori, 7”, 16:10, risoluzione 800x480 px, CPU incorporato

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

Powered by

LIGER OS

DEZMO

For edge cut and cruciform keys / Per chiavi piatte e a croce

- OPTICAL READING
- INTERACTIVE INTERFACE
- MULTIPLE CUTTING SPEEDS
- UNLIMITED DATABASE WITH ON BOARD CROSS REFERENCE
- CARD MAKER
- UNIVERSAL ELECTRONIC FEEDER (INDEPENDENT)



- LETTURA OTTICA
- INTERFACCIA INTERATTIVA
- VELOCITÀ DI TAGLIO MULTIPLE
- DATABASE ILLIMITATO CON COMPARATIVO A BORDO
- CARD MAKER
- CARICATORE UNIVERSALE ELETTRONICO (INDIPENDENTE)

Door keys

Car keys

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz
User Interface	7” industrial color touch screen, 16:10, resolution 800x480 px, VGA
Electronic Equipment	Mainboard with 600 MHz CPU GEODE, 512 MB RAM, static memory on 4 GB compact flash, high resolution axes control
External Connections	2 USB ports; 1 LAN /Ethernet port; 1 VGA socket
Key Reading/Decoding System	Static reading from digital image (Optical + CCD)
Movements/Axes	2 stepper motor-operated axes
Clamps	4-faces (electronic identification of the cutting side in Dezmo Open and Dezmo Advance)
Gauge	Automatic in Dezmo Open and Dezmo Advance
Motor	Brushless
Cutter	In Widia ø 80 mm
Cutter Speed	2000-3000 rpm (variable speed according to the programmes)
Absorption	Dezmo basic: 400W (75W in stand-by); Dezmo Advance: 400W (100W in stand-by)
Dimensions	Width: 525 mm / Depth: 500 mm / Height: 450 mm
Weight	45 Kg

FEEDER TECHNICAL FEATURES

Feeder Insertion	Can be integrated in Dezmo Open
Feeder Activated by	Electric motors
Key Installation in the Feeder	No tags (only stacker adjustment)
Key Thickness	Min 1.8 mm - Max 4.0 mm
Length and Width of the Blade	Length: Min 20 - Max 40 mm; Width: Min 6 - Max 10 mm
Length and Width of the Head	Length: Min 15 - Max 40 mm; Width: Min 15 - Max 42 mm
Number of Keys in the Stacker	60 (2.2 mm - thickness)
Key Positioning	Automatic positioning on A or B side according to key dimensions
Total Dimensions of the Machine with its Feeder	Width: 885 mm / Depth: 500 mm / Height: 450 mm
Weight	20 Kg

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz
Interfaccia Utente	Schermo touchscreen industriale a colori, 7”, 16:10, risoluzione 800x480 px, VGA
Dotazione Elettronica	Mainboard con CPU GEODE a 600 MHz, 512 MB RAM, memoria statica su compact flash 4 GB, controllo assi ad alta risoluzione
Connessioni Esterne	2 porte USB; 1 porta LAN/Ethernet; 1 porta VGA
Sistema di Lettura/Decodifica Chiave	Lettura statica da immagine digitale (Ottica+CCD)
Movimenti/Assi	2 assi pilotati da motori passo passo
Morsetti	4 facce (riconoscimento elettronico del lato di taglio in Dezmo Open e Dezmo Advance)
Calibro	Automatico in Dezmo Open e Dezmo Advance
Motore	Brushless
Fresa	In Widia ø 80 mm
Velocità Fresa	2000-3000 rpm (velocità variabile a seconda dei programmi)
Assorbimento	Dezmo base: 400W (75W in stand-by); Dezmo Advance: 400W (100W in stand-by)
Dimensioni	Larghezza: 525 mm / Profondità: 500 mm / Altezza: 450 mm
Peso	45 Kg

CARATTERISTICHE TECNICHE CARICATORE

Applicazione del Caricatore	Integrabile con Dezmo Open
Caricatore attivato da	Motori elettrici
Installazione delle Chiavi nel Caricatore	No piastrine (solo regolazione dell’impilatore)
Spessore Chiavi	Min 1,8 mm - Max 4,0 mm
Lunghezza e Larghezza della Canna	Lunghezza: Min 20 - Max 40 mm; Larghezza: Min 6 - Max 10 mm
Lunghezza e Larghezza della Testa	Lunghezza: Min 15 - Max 40 mm; Larghezza: Min 15 - Max 42 mm
Numero di Chiavi nell’Impilatore	60 (2,2 mm - spessore)
Posizionamento Chiave	Posizionamento automatico sul lato A o B a seconda delle dimensioni della chiave
Dimensioni Totali della Macchina con Caricatore	Larghezza: 885 mm / Profondità: 500 mm / Altezza: 450 mm
Peso	20 Kg

Dezmo is available in three versions:

- **Dezmo** – stand alone version;
- **Dezmo open** – equipped for the installation of the robotized feeder;
- **Dezmo advance** – version with an integrated robotized feeder.

Dezmo è disponibile in tre versioni:

- **Dezmo** – versione stand alone;
- **Dezmo open** – predisposta per l’installazione del caricatore robotizzato;
- **Dezmo advance** – versione integrata con caricatore robotizzato.

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

Powered by

LIGER OS

NINJA LASER

For edge cut, laser and cruciform keys / Per chiavi piatte, laser e a croce

- COMPACT DESIGN
- INTERACTIVE INTERFACE
- UNLIMITED DATABASE WITH ON BOARD CROSS REFERENCE
- DOUBLE CUTTER FOR EDGE CUT AND LASER KEYS

PATENT GRANTED DOUBLE CUTTING STATION IT/CHINA

- DESIGN COMPATTO
- INTERFACCIA INTERATTIVA
- DATABASE ILLIMITATO CON COMPARATIVO A BORDO
- DOPPIA FRESA PER CHIAVI PIATTE E LASER

BREVETTO DOPPIA STAZIONE DI TAGLIO IT/CINA

Door keys

Car keys

Ford

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz	
Electronic Equipment	Mainboard with ARM Cortex A8 CPU, 256 MB RAM, NAND 1 GB memory, high resolution axes control	
External Connections	1 USB port; 1 LAN port	
Key Reading / Decoding System	Electric contact	
Lighting	LED - lighted cutting bay	
Movements/Axes	2 stepper motor-operated axes	
	EDGE CUT KEY SIDE	**LASER KEY SIDE**
Clamps	4 faces (supplementary clamps are available for specific markets)	Clamp AC (clamps A, B, C, D, H, V are available)
Gauge	Automatic gauge unlock through the movement of the axes	
Motor	Asynchronous, 0.18 kW	DC electronic motor
Cutter	In Widia ø 63 mm	In Widia ø 2.5 mm
Cutter Speed	1500-3000 rpm (variable speed according to the programmes)	6000 rpm
Absorption	250W (35W in stand-by)	
Dimensions	Width: 340 mm / Depth: 415 mm / Height: 300 mm	
Weight	20 Kg	
CONSOLE X TECHNICAL FEATURES		
Power Supply	DC 24V (fed by the key cutting machine)	
User Interface	7” industrial colour touch screen, 16:10, resolution 800x480 px, integrated CPU	

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz	
Dotazione Elettronica	Mainboard con CPU ARM Cortex A8, 256 MB RAM, memoria NAND 1 GB, controllo assi ad alta risoluzione	
Connessioni Esterne	1 porta USB; 1 LAN	
Sistema di Lettura/Decodifica Chiave	Contatto elettrico	
Illuminazione	Area di lavoro illuminata a LED	
Movimenti/Assi	2 assi pilotati da motori passo passo	
	LATO CHIAVI PIATTE	**LATO CHIAVI LASER**
Morsetti	4 facce (sono disponibili ulteriori morsetti per mercati specifici)	Morsetto AC (sono disponibili i morsetti A, B, C, D, H, V)
Calibro	Sblocco calibro automatico tramite movimento assi	
Motore	Asincrono 0,18 kW	Elettronico DC
Fresa	In Widia ø 63 mm	In Widia ø 2,5 mm
Velocità Fresa	1500-3000 rpm (velocità variabile a seconda dei programmi)	6000 rpm
Assorbimento	250W (35W in stand-by)	
Dimensioni	Larghezza: 340 mm / Profondità: 415 mm / Altezza: 300 mm	
Peso	20 Kg	
CARATTERISTICHE TECNICHE CONSOLE X		
Alimentazione	DC 24V (alimentata dalla duplicatrice)	
Interfaccia Utente	Schermo touch screen industriale a colori, 7”, 16:10, risoluzione 800x480 px, CPU incorporato	

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

Powered by

LIGER OS

NINJA VORTEX

For laser and dimple keys / Per chiavi laser e punzonate

- COMPACT DESIGN
- INTERACTIVE INTERFACE
- UNLIMITED DATABASE WITH ON BOARD CROSS REFERENCE
- HIGH DECODE AND CUT SPEED
- GRAPHIC ENGRAVING ON KEY HEADS

- DESIGN COMPATTO
- INTERFACCIA INTERATTIVA
- DATABASE ILLIMITATO CON COMPARATIVO A BORDO
- ALTA VELOCITÀ DI DECODIFICA E TAGLIO
- INCISIONE GRAFICA SULLE TESTE

Door keys

Car keys

Ford

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz
Electronic Equipment	Mainboard with ARM Cortex A8 CPU, 256 MB RAM, NAND 1 GB memory, high resolution axes control
External Connections	1 USB port; 1 LAN port
Key Reading/Decoding System	Electric contact
Lighting	LED - lighted cutting bay
Movements/Axes	3 stepper motor-operated axes
Clamps	Standard equipment includes 4 basic clamps: A01, A02, A03 for laser-type car keys; C01 for dimple keys; other models available upon request
Motor	DC electronic motor
Cutter	Equipment with the following Widia cutters: 1 pc. blade ø 4 mm, 90° cutting edge 0.4 mm (for dimple keys); 1 pc. blade ø 4 mm, cutting edge ø 2.5 mm (for car keys); other models available upon request
Cutter Speed	13000 rpm
Absorption	250W (35W in stand-by)
Dimensions	Width: 340 mm / Depth: 415 mm / Height: 300 mm
Weight	19 Kg

CONSOLE X TECHNICAL FEATURES

Power Supply	DC 24V (fed by the key cutting machine)
User Interface	7” industrial colour touch screen, 16:10, resolution 800x480 px, integrated CPU

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz
Dotazione Elettronica	Mainboard con CPU ARM Cortex A8, 256 MB RAM, memoria NAND 1 GB, controllo assi ad alta risoluzione
Connessioni Esterne	1 porta USB; 1 LAN
Sistema di Lettura/Decodifica Chiave	Contatto elettrico
Illuminazione	Area di lavoro illuminata a LED
Movimenti/Assi	3 assi pilotati da motori passo passo
Morsetti	Dotazione di 4 morsetti base: A01, A02, A03 per chiavi auto tipo laser; C01 per chiavi punzonate; altri modelli a richiesta
Motore	Elettronico DC
Fresa	Dotazione delle seguenti frese in Widia: 1 pz gambo ø 4 mm, taglienti a 90° base 0,4 mm (per chiavi punzonate); 1 pz gambo ø 4 mm, taglienti ø 2,5 mm (per chiavi auto); altri modelli a richiesta
Velocità Fresa	13000 rpm
Assorbimento	250W (35W in stand-by)
Dimensioni	Larghezza: 340 mm / Profondità: 415 mm / Altezza: 300 mm
Peso	19 Kg

CARATTERISTICHE TECNICHE CONSOLE X

Alimentazione	DC 24V (alimentata dalla duplicatrice)
Interfaccia Utente	Schermo touch screen industriale a colori, 7”, 16:10, risoluzione 800x480 px, CPU incorporato

VERSA

For laser and dimple keys / Per chiavi laser e punzonate

- HERMETIC CUTTING BAY
- INTERACTIVE INTERFACE
- MULTIPLE CUTTING SPEEDS
- UNLIMITED DATABASE WITH CODES AND TECHNICAL PARAMETERS
- STANDARD CLAMP COVERING THE 70% OF INSERTED SYSTEMS
- GRAPHIC ENGRAVING ON KEY HEADS

- AREA DI LAVORO ERMETICA
- INTERFACCIA INTERATTIVA
- VELOCITÀ DI TAGLIO MULTIPLE
- DATABASE ILLIMITATO CON CODICI E PARAMETRI TECNICI DI DUPLICAZIONE
- MORSETTO STANDARD CON COPERTURA DEL 70% DEI SISTEMI INSERITI
- INCISIONE GRAFICA SULLE TESTE

Door keys

Car keys

Copyright by Keyline-Italy



TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz
User Interface	7” industrial color touch screen, 16:10, resolution 800x480 px, VGA
Electronic Equipment	Mainboard with 600 MHz CPU GEODE, 512 MB RAM, static memory on 4 GB compact flash, high resolution axes control
External Connections	2 USB ports, 1 LAN /Ethernet port; 1 RS232 serial port (9 pin); 1 VGA socket (for touch screen / std video display)
Key Reading/Decoding System	Electric contact
Movements/Axes	3 axes, guided by stepper motors through linear moves, interpolated through high precision ball screws
Clamps	Standard equipment includes 4 basic clamps: A01, A02, A03 for laser-type car keys; C01 master for dimple keys and bow etching; supplementary models available upon request
Motor	Brushless
Cutter	Equipment with the following Widia cutters: 1 pc. blade ø 4 mm, cutting edge ø 2.5 mm (for car keys); 1 pc. blade ø 4 mm, 90° cutting edge 0.4 mm (for cylinder keys); other models available upon request
Cutter Speed	28000 rpm
Absorption	230W
Dimensions	Width: 500 mm / Depth: 430 mm / Height: 375 mm
Color Available	Red / Silver
Weight	37 Kg

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz
Interfaccia Utente	Schermo touchscreen industriale a colori, 7”, 16:10, risoluzione 800x480 px, VGA
Dotazione Elettronica	Mainboard con CPU GEODE a 600 MHz, 512 MB RAM, memoria statica su compact flash 4 GB, controllo assi ad alta risoluzione
Connessioni Esterne	2 Porte USB; 1 Porta Seriale RS232 (9 pin); 1 Porta LAN / Ethernet; 1 Presa VGA (per display - touch screen / std video)
Sistema di Lettura/Decodifica Chiave	Contatto elettrico
Movimenti/Assi	3 assi pilotati da motori passo passo su movimenti lineari interpolati tramite viti a ricircolo di sfere di alta precisione
Morsetti	Dotazione di 4 morsetti base: A01, A02, A03 per chiavi auto tipo laser; C01 master per chiavi punzonate ed incisione testa; altri modelli a richiesta
Motore	Brushless
Fresa	Dotazione delle seguenti frese in Widia: 1 pz gambo ø 4 mm, taglienti ø 2,5 mm (per chiavi auto); 1 pz gambo ø 4 mm, taglienti a 90° base 0,4 mm (per chiavi cilindro); altri modelli a richiesta
Velocità Fresa	28000 rpm
Assorbimento	230W
Dimensioni	Larghezza: 500 mm / Profondità: 430 mm / Altezza: 375 mm
Colori disponibili	Rosso / Argento
Peso	37 Kg

Powered by

LIGER OS

SIGMA PRO

For bit and pump keys / Per chiavi a mappa e a pompa

- OPTICAL READING
- HYPERFAST DUPLICATION
- INTERACTIVE INTERFACE
- READING AREA SEPARATED FROM THE CUTTING BAY
- CARD MAKER
- EASY-TO-UPDATE AND ADVANCED SOFTWARE TOOLS

- LETTURA OTTICA
- DUPLICAZIONE ULTRARAPIDA
- INTERFACCIA INTERATTIVA
- VANO DI LETTURA SEPARATO DAL TAGLIO
- CARD MAKER
- STRUMENTI SOFTWARE AVANZATI FACILMENTE AGGIORNABILI

Door keys

Car keys

Ford and Jaguar
Ford e Jaguar

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	AC 100-240 V, 50-60 Hz
User Interface	7” industrial color touch screen, 16:10, resolution 800x480 px, VGA
Electronic Equipment	Mainboard with 600 MHz CPU GEODE, 512 MB RAM, static memory on 4 GB compact flash, high resolution axes control
External Connections	1 USB 2.0 port; 1 RS485 serial port; 1 Ethernet port; 1 VGA port
Key Reading/Decoding System	Static reading from digital image (Optical + CCD)
Lighting	LED-lighted cutting bay
Movements/Axes	3 axes guided by stepper motors
Clamps	Equipment in relation to specific markets
Motor	Brushless
Cutter	In Widia ø 100x1.25 mm
Cutter Speed	900-1800 rpm (variable speed according to the programmes)
Absorption	500W (70W in stand-by)
Dimensions	Width: 500 mm / Depth: 440 mm / Height: 450 mm (600 mm when the housing is open)
Weight	45 Kg

CARATTERISTICHE TECNICHE

Alimentazione	AC 100-240 V, 50-60 Hz
Interfaccia Utente	Schermo touchscreen industriale a colori, 7”, 16:10, risoluzione 800x480 px, VGA
Dotazione Elettronica	Mainboard con CPU GEODE a 600 MHz, 512 MB RAM, memoria statica su compact flash 4 GB, controllo assi ad alta risoluzione
Connessioni Esterne	1 Porta USB 2.0; 1 Porta seriale RS485; 1 Porta Ethernet; 1 Porta VGA
Sistema di Lettura/Decodifica Chiave	Lettura statica da immagine digitale (Ottica + CCD)
Illuminazione	Area di lavoro illuminata a LED
Movimenti/Assi	3 assi pilotati da motori passo passo
Morsetti	Dotazione in relazione ai mercati specifici
Motore	Brushless
Fresa	In Widia ø 100x1,25 mm
Velocità Fresa	900-1800 rpm (velocità variabile a seconda dei programmi)
Assorbimento	500W (70W in stand-by)
Dimensioni	Larghezza: 500 mm / Profondità: 440 mm / Altezza: 450 mm (600 mm a carter aperto)
Peso	45 Kg





Copyright by Keyline-Italy

CARAT

For edge cut and cruciform keys / Per chiavi piatte e a croce

- CARRIAGE AND GAUGE UNLOCK BUTTON
- EASY SELECTION OF CLAMP SIDE
- CLAMPS LOCKING WITH ERGONOMIC HANDLE
- LAMP CONTROLLED BY AN INDEPENDENT SWITCH

- PULSANTE SGANCIO CARRELLO E SGANCIO CALIBRO
- FACILE SELEZIONE DEL LATO MORSETTO
- CHIUSURA MORSETTI CON MANOPOLA ERGONOMICA
- LAMPADA CONTROLLATA DA INTERRUTTORE INDIPENDENTE

Door keys

Car keys

with adaptor
con adattatore

Copyright by Keyline-Italy

TECHNICAL FEATURES

VERSION	Carat Duo	Carat Quattro	Carat Quattro W
Power Supply	230V 50Hz / 110V 60Hz / 100V 50-60 Hz		
Lighting	Neon		
Movements/Axes	2 axes		
Clamps	2/4 faces; supplementary versions for specific markets are available		
Tracer	Hardened with regulation nuts		
Motor	Asynchronous, single speed, 0.25 Kw		
Cutter	HSS ø 80 mm		In Widia ø 80 mm
Cutter Speed	640 rpm		1400 rpm
Brush	Tynex		
Dimensions	Width: 400 mm / Depth: 460 mm / Height: 270 mm (without lamp); 440 mm (with lamp)		
Weight	25 Kg		

CARATTERISTICHE TECNICHE

VERSIONE	Carat Duo	Carat Quattro	Carat Quattro W
Alimentazione	230V 50Hz / 110V 60Hz / 100V 50-60 Hz		
Illuminazione	Neon		
Movimenti/Assi	2 assi		
Morsetti	2/4 facce; sono disponibili ulteriori versioni per mercati specifici		
Tastatore	Temprato con ghiera di regolazione		
Motore	Asincrono, singola velocità, 0,25 Kw		
Fresa	HSS ø 80 mm		Widia ø 80 mm
Velocità Fresa	640 rpm		1400 rpm
Spazzola	Tynex		
Dimensioni	Larghezza: 400 mm / Profondità: 460 mm / Altezza: 270 mm (senza lampada); 440 mm (con lampada)		
Peso	25 Kg		

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

NINJA DARK

For edge cut and cruciform keys / Per chiavi piatte e a croce

- AUTOMATIC
- COMPACT DESIGN
- QUICK COPY IN A SINGLE STEP
- MICROMETRIC SYSTEM OF CALIBRATION
- OPTIONAL CONSOLE FOR ADVANCED FUNCTIONS

- AUTOMATICA
- DESIGN COMPATTO
- COPIA VELOCE IN UN SOLO PASSAGGIO
- SISTEMA MICROMETRICO DI TARATURA
- CONSOLE INTEGRABILE PER FUNZIONI AVANZATE

Door keys

Car keys

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	90-130V 50-60Hz / 220-240V 50-60Hz
Electronic Equipment	High resolution axes control
External Connections	1 RS232 serial port
Lighting	LED - lighted cutting bay
Movements/Axes	2 stepper motor-operated axes
Clamps	4 faces; supplementary clamps are available for specific markets
Gauge	Automatic gauge unlock through the movement of the axes
Tracer	Hardened
Motor	Asynchronous; 0.18KW
Cutter	In Widia ø 63 mm
Cutter Speed	2000 rpm
Absorption	250W (15W in stand-by)
Dimensions	Width: 340 mm / Depth: 415 mm / Height: 300 mm
Weight	20 Kg

CARATTERISTICHE TECNICHE

Alimentazione	90-130V 50-60Hz / 220-240V 50-60Hz
Dotazione Elettronica	Controllo assi ad alta risoluzione
Connessioni Esterne	1 porta seriale RS232
Illuminazione	Area di lavoro illuminata a LED
Movimenti/Assi	2 assi pilotati da motori passo passo
Morsetti	4 facce; sono disponibili ulteriori morsetti per mercati specifici
Calibro	Sblocco calibro automatico tramite movimento assi
Tastatore	Temprato
Motore	Asincrono 0,18 KW
Fresa	In Widia ø 63 mm
Velocità Fresa	2000 rpm
Assorbimento	250W (15W in stand-by)
Dimensioni	Larghezza: 340 mm / Profondità: 415 mm / Altezza: 300 mm
Peso	20 Kg

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

EASY

For edge cut and cruciform keys / Per chiavi piatte e a croce

- REVERSIBLE CLAMPS
- INDEPENDENT SWITCH FOR THE BRUSH
- CARRIAGE SAFETY MICROSWITCH

- MORSETTI REVERSIBILI
- INTERRUTTORE INDIPENDENTE DELLA SPAZZOLA
- MICROINTERRUTTORE DI SICUREZZA SUL CARRELLO

Door keys

Car keys

with adaptor
con adattatore

TECHNICAL FEATURES

VERSION	Easy	Easy Quattro
Power Supply	230V 50Hz / 110V 60Hz	
Movements/Axes	2 axes	
Clamps	2 faces	4 faces
Tracer	Hardened	
Motor	Asynchronous one speed	
Cutter	HSS 80x5x16 mm	
Cutter Speed	700 rpm	
Brush	Tynex	
Absorption	200W	
Dimensions	Width: 370 mm / Depth: 370 mm / Height: 240 mm	
Weight	19 Kg	

CARATTERISTICHE TECNICHE

VERSIONE	Easy	Easy Quattro
Alimentazione	230V 50Hz / 110V 60Hz	
Movimenti/Assi	2 assi	
Morsetti	2 facce	4 facce
Tastatore	Temprato	
Motore	Asincrono a una velocità	
Fresa	HSS 80x5x16 mm	
Velocità Fresa	700 rpm	
Spazzola	Tynex	
Assorbimento	200W	
Dimensioni	Larghezza: 370 mm / Profondità: 370 mm / Altezza: 240 mm	
Peso	19 Kg	

Copyright by Keyline-Italy

T-REX | T-REX PLUS | T-REX ADVANCE

For laser, dimple and tubular keys / Per chiavi laser, punzonate e tubolari

- INNOVATIVE CLAMPS WITH 3 CLAMPING SYSTEMS FOR KEYS
- INTUITIVE LED PANEL THAT FACILITATES OPERATIONS ON THE MACHINE
- NON-GLARE WORKING PLATFORM LIGHTING, TO WORK SAFELY
- STRONG AND ERGONOMIC STRUCTURE, FLUID MOVEMENTS
- VARIABLE ANGLE TILTING CLAMP (AVAILABLE FOR T-REX PLUS AND ADVANCE VERSION)
- PATENTED TECHNOLOGY FOR THE MOTORIZED TOOL POSITIONING SYSTEM*

- INNOVATIVI MORSETTI CON 3 SISTEMI DI TENUTA CHIAVI
- PANNELLO A LED INTUITIVO CHE FACILITA LE OPERAZIONI A BORDO MACCHINA
- ILLUMINAZIONE PIANO LAVORO SENZA EFFETTO ABBAGLIAMENTO PER OPERARE IN SICUREZZA
- STRUTTURA ROBUSTA ED ERGONOMICA, MOVIMENTAZIONE FLUIDA
- MORSETTO BASCULANTE A INCLINAZIONE VARIABILE (DISPONIBILE PER T-REX PLUS E ADVANCE)
- TECNOLOGIA BREVETTATA PER SISTEMA DI CAMBIO UTENSILI MOTORIZZATO*

Door keys

Car keys

with adaptor - only Ford keys
con adattatore - solo chiavi Ford

* Only for the T-Rex Advance version
* Solo per la versione T-Rex Advance

Copyright by Keyline-Italy



TECHNICAL FEATURES

MODEL	T-Rex	T-Rex Plus	T-Rex Advance
Power Supply	230V 50Hz / 110V 60Hz / 100V 50-60Hz		
Lighting	Led		
Movements / Axes	3 axes with sliding guides		
Clamps	Fixed with interchangeable tools	Tilting with interchangeable tools	
Motor	Asynchronous; with 0.18kW speed		Asynchronous; with 0.18kW variable speed
Cutter	HSS ø 6 mm		HSS ø 6 mm (optionals in Widia)
Cutter Speed	6,000 rpm		From 6,000 rpm to 12,000 rpm
Tools Positioning	Manual		Motorized
Absorption	200W		300W
Dimensions	Width: 320 mm / Depth: 420 mm (with chip tray 475 mm) / Height: 490 mm		
Weight	24 Kg		25 Kg

CARATTERISTICHE TECNICHE

MODELLO	T-Rex	T-Rex Plus	T-Rex Advance
Alimentazione	230V 50Hz / 110V 60Hz / 100V 50-60Hz		
Illuminazione	Led		
Movimenti / Assi	Su 3 assi con guide e sfere		
Morsetti	Fisso con piastrine intercambiabili	Basculante con piastrine intercambiabili	
Motore	Motore asincrono ad una velocità 0,18kW		Motore asincrono a velocità regolabile 0,18kW
Fresa	HSS ø 6 mm		HSS ø 6 mm (opzionali in Widia)
Velocità fresa	6,000 rpm		Da 6000 rpm a 12000 rpm
Cambio Utensili	Manuale		Motorizzato
Assorbimento	200W		300W
Dimensioni	Larghezza: 320 mm / Profondità: 420 mm (con cassetto raccogli trucioli 475 mm) / Altezza: 490 mm		
Peso	24 Kg		25 Kg

*More versions for specific markets are available.
*Disponibili ulteriori versioni per i mercati specifici.

Copyright by Keyline-Italy

PUNTO

For laser and dimple keys / Per chiavi laser e punzonate

- MILLING CUTTERS AND TRACERS HOLDER
- WIDE AND MOVABLE PROTECTION SHIELD
- VERTICAL SUSPENSIONS

- PORTA FRESE E TASTATORI
- PROTEZIONE AMPIA E MOBILE
- MOLLEGGIO VERTICALE

Door keys

with adaptor
con adattatore

Car keys

with adaptor
con adattatore

with adaptor - only Ford keys
con adattatore - solo chiavi Ford

Copyright by Keyline-Italy





TECHNICAL FEATURES

Power Supply	230V 50Hz / 110V 60Hz
Lighting	Incandescent light bulb 25W
Movements/Axes	3 axes
Clamps	Fixed
Tracer	Hardened
Motor	Asynchronous, single speed
Cutter	HSS Ø 6 mm
Cutter Speed	9000 rpm
Absorption	200W
Dimensions	Width: 220 mm / Depth: 380 mm / Height: 380 mm
Weight	21 Kg

ACCESSORIES

MA	Adaptors for VAG keys
MK45	Adaptors for Kaba 45° keys
MK15	Adaptors for Kaba 15° keys
MK5	Adaptors for Keso 5° keys
MM	Adaptors for Mercedes car keys
MTB	Adaptors for Tibbe keys
MOMAX	Adaptors for Opel and Ford C-Max keys

CARATTERISTICHE TECNICHE

Alimentazione	230V 50Hz / 110V 60Hz
Illuminazione	Lampada a incandescenza 25W
Movimenti/Assi	3 assi
Morsetti	Fissi
Tastatore	Temprato
Motore	Asincrono, singola velocità
Fresa	HSS Ø 6 mm
Velocità Fresa	9000 rpm
Assorbimento	200W
Dimensioni	Larghezza: 220 mm / Profondità: 380 mm / Altezza: 380 mm
Peso	21 Kg

ACCESSORI

MA	Adattatori per chiavi VAG
MK45	Adattatori per chiavi Kaba 45°
MK15	Adattatori per chiavi Kaba 15°
MK5	Adattatori per chiavi Keso 5°
MM	Adattatori per chiavi Mercedes
MTB	Adattatori per chiavi Tibbe
MOMAX	Adattatori per chiavi Opel e Ford C-Max

Copyright by Keyline-Italy

ARCADIA

For tubular keys / Per chiavi tubolari

- WIDE AND MOVABLE PROTECTION SHIELD
- CLAMPS BAY
- COMPATIBLE WITH CLAMPS AVAILABLE ON THE MARKETS

- PROTEZIONE AMPIA E MOBILE
- VANO PORTA MORSETTI
- COMPATIBILE CON MORSETTI PRESENTI NEL MERCATO

Door keys



with KT0 adaptor
con adattatore KT0

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	110V 50Hz / 230V 50Hz
Lighting	LED - lighted cutting bay
Movements/Axes	2 axes
Clamps	More clamps for specific markets are available on demand
Tracer	Hardened
Motor	Asynchronous; 0.15KW
Cutter	HSS ø 5.95 mm
Cutter Speed	2800 rpm
Absorption	200W
Dimensions	Width: 210 mm / Depth: 400 mm / Height: 210 mm
Weight	12.5 Kg

ACCESSORIES

KT0	For Chicago, Meroni, P.C. Cortellezzi keys
KT2	For Progres, Fontaine and Corni keys
KT3	For Progres, Fontaine and Corni keys
KT4	For Vigie Picard keys
KT5	For Laperche keys
KT6	For JPM keys
KT7	For FTH and DAD-Decayeux keys
KT8	For Pollux keys
KT9	For Pollux keys
KT13	For Cavith keys

CARATTERISTICHE TECNICHE

Alimentazione	110V 50Hz / 230V 50Hz
Illuminazione	Area di lavoro illuminata a LED
Movimenti/Assi	2 assi
Morsetti	Morsetti per mercati specifici disponibili su richiesta
Tastatore	Temprato
Motore	Asincrono; 0,15 KW
Fresa	HSS ø 5,95 mm
Velocità Fresa	2800 rpm
Assorbimento	200W
Dimensioni	Larghezza: 210 mm / Profondità: 400 mm / Altezza: 210 mm
Peso	12,5 Kg

ACCESSORI

KT0	Per chiavi Chicago, Meroni, P.C. Cortellezzi
KT2	Per chiavi Progres, Fontaine e Corni
KT3	Per chiavi Progres, Fontaine e Corni
KT4	Per chiavi Vigie Picard
KT5	Per chiavi Laperche
KT6	Per chiavi JPM
KT7	Per chiavi FTH e DAD-Decayeux
KT8	Per chiavi Pollux
KT9	Per chiavi Pollux
KT13	Per chiavi Cavith

Copyright by Keyline-Italy

FALCON

For special keys / Per chiavi speciali

- CLAMP WITH "EASY FIT" LOCKING
- CLAMP WITH 360° ROTATION
- STURDY AND HANDY

- MORSETTO CON CHIUSURA "EASY FIT"
- MORSETTO CON ROTAZIONE A 360°
- STABILE E MANEGGEVOLE

Door keys



Car keys

Ford and Jaguar
Ford e Jaguar

TECHNICAL FEATURES

Power Supply	110V 50Hz / 230V 50Hz
Movements/Axes	2 axes
Clamps	Clamps for specific markets are available on demand
Tracer	Cut by code
Motor	Asynchronous, single speed
Cutter	HSS Ø 80 mm
Cutter Speed	1500 rpm
Brush	Tynex
Absorption	200W
Dimensions	Width: 400 mm / Depth: 370 mm / Height: 230 mm
Weight	17 Kg

ACCESSORIES

01	Clamp for Ford and Jaguar car keys
02	Clamp for Abus keys
03	Clamp for Abloy keys

CARATTERISTICHE TECNICHE

Alimentazione	110V 50Hz / 230V 50Hz
Movimenti/Assi	2 assi
Morsetti	Morsetti per mercati specifici disponibili su richiesta
Tastatore	Taglio a codice
Motore	Asincrono, singola velocità
Fresa	HSS Ø 80 mm
Velocità Fresa	1500 rpm
Spazzola	Tynex
Assorbimento	200W
Dimensioni	Larghezza: 400 mm / Profondità: 370 mm / Altezza: 230 mm
Peso	17 Kg

ACCESSORI

01	Morsetto per chiavi Ford e Jaguar
02	Morsetto per chiavi Abus
03	Morsetto per chiavi Abloy

Copyright by Keyline-Italy

202 | 203

For bit keys and pump keys / Per chiavi a mappa e a pompa

- SELF-CENTERING GRIPS (202)
- CENTERING DEVICES (203)
- STURDY AND SILENT

- GANASCE AUTOCENTRANTI (202)
- CENTRATORI (203)
- SOLIDA E SILENZIOSA

Door keys

Copyright by Keyline-Italy

TECHNICAL FEATURES

MODEL	202	203
Version	Without centering devices	With centering devices
Power Supply	230V 50Hz	
Lighting	Incandescent light bulb 15W	
Movements/Axes	3 axes	
Clamps	Self-centring, made of tempered steel (more clamps are available on request)	Self-centring, made of tempered steel with countertops for female keys
Tracer	Hardened	
Motor	Asynchronous, two speed	
Cutter	HSS ø 80x1.5 mm (more models are available on request)	HSS ø 80x1.5 mm
Cutter Speed	350/700 rpm	
Brush	Tynex	
Absorption	400W	
Dimensions	Width: 380 mm / Depth: 450 mm / Height: 270 mm	
Weight	32 Kg	

CARATTERISTICHE TECNICHE

MODELLO	202	203
Versione	Senza centratori	Con centratori
Alimentazione	230V 50Hz	
Illuminazione	Lampada a incandescenza 15W	
Movimenti/Assi	3 assi	
Morsetti	Autocentranti in acciaio temprato (altri morsetti disponibili su richiesta)	Autocentranti in acciaio temprato con contropunte per chiavi femmina
Tastatore	Temprato	
Motore	Asincrono a due velocità	
Fresa	HSS ø 80x1,5 mm (altri modelli disponibili su richiesta)	HSS ø 80x1,5 mm
Velocità Fresa	350/700 rpm	
Spazzola	Tynex	
Assorbimento	400W	
Dimensioni	Larghezza: 380 mm / Profondità: 450 mm / Altezza: 270 mm	
Peso	32 Kg	

203
Version with centering device
Versione con centratori

Copyright by Keyline-Italy

204

For bit keys and pump keys / Per chiavi a mappa e a pompa

- SELF-CENTERING GRIPS
- MOVEMENT OF THE CARRIAGE ON ROLL GUIDES
- STURDY AND SILENT

- GANASCE AUTOCENTRANTI
- MOVIMENTO DEL CARRELLO SU GUIDE A RULLI
- SOLIDA E SILENZIOSA

Door keys

Copyright by Keyline-Italy







TECHNICAL FEATURES

Power Supply	230V 50Hz
Lighting	Incandescent light bulb 15W
Movements/Axes	On a cross-shaped table, thanks to roller guides
Clamps	For standard/double - bit male and female keys with self - centring tempered steel grips; for pump keys with round and square stem; for vertical cuts
Tracer	Hardened
Motor	Asynchronous, two speed
Cutter	HSS ø 80x1.5 mm
Cutter Speed	350/700 rpm
Absorption	400W
Dimensions	Width: 330 mm / Depth: 530 mm / Height: 390 mm
Weight	44 Kg

CARATTERISTICHE TECNICHE

Alimentazione	230V 50Hz
Illuminazione	Lampada a incandescenza 15W
Movimenti/Assi	Su tavola a croce tramite guide a rulli
Morsetti	Per chiavi mappa, doppia mappa maschio e femmina con ganasce autocentranti in acciaio temprato; per chiavi pompa con gambo sezione rotonda e quadra; per tagli verticali
Tastatore	Temprato
Motore	Asincrono a due velocità
Fresa	HSS ø 80x1,5 mm
Velocità Fresa	350/700 rpm
Assorbimento	400W
Dimensioni	Larghezza: 330 mm / Profondità: 530 mm / Altezza: 390 mm
Peso	44 Kg

206

For bit keys and pump keys / Per chiavi a mappa e a pompa

- HANDY AND PRECISE
- MOVEMENT OF THE CARRIAGE ON ROLL GUIDES
- STURDY AND SILENT

- MANEGGEVOLE E PRECISA
- MOVIMENTO DEL CARRELLO SU GUIDE A RULLI
- SOLIDA E SILENZIOSA

Door keys

Copyright by Keyline-Italy

TECHNICAL FEATURES

Power Supply	230V 50Hz
Movements/Axes	On a cross-shaped table, thanks to roller guides
Clamps	Reversible for round stem and mailbox keys
Tracer	Hardened
Motor	Asynchronous, single speed
Cutter	First cutter: ø 80x1.3 mm Second cutter: ø 25x1.25 mm
Cutter Speed	First cutter: 500 rpm Second cutter: 1500 rpm
Absorption	400W
Dimensions	Width: 330 mm / Depth: 530 mm / Height: 390 mm
Weight	44 Kg

CARATTERISTICHE TECNICHE

Alimentazione	230V 50Hz
Movimenti/Assi	Su tavola a croce tramite guide a rulli
Morsetti	Reversibili per chiavi con gambo sezione rotonda e chiavi per casellari postali
Tastatore	Temprato
Motore	Asincrono singola velocità
Fresa	Prima fresa: ø 80x1,3mm Seconda fresa: ø 25x1,25mm
Velocità Fresa	Prima fresa: 500 rpm Seconda fresa: 1500 rpm
Assorbimento	400W
Dimensioni	Larghezza: 330 mm / Profondità: 530 mm / Altezza: 390 mm
Peso	44 Kg

Copyright by Keyline-Italy

KEYLINE TV

The channel dedicated to locksmiths on the Keyline website /
Sul sito Keyline la televisione dedicata ai locksmiths

It's the TV channel dedicated to Keyline's world, with stories from five continents, interviews and news. All the tutorials of the key cutting machines and the cloning devices are available on a dedicated page.

It's a real online training with lots of videos that show in a clear and precise way all the procedures.

To access Keyline TV you just need to visit the page with the same name on the website or the YouTube channel.

È il canale TV dedicato al mondo Keyline, con servizi dai cinque continenti, interviste e notizie. E sull'apposita pagina, sono disponibili tutti i tutorial delle macchine duplicatrici e dei dispositivi di clonazione.

È una vera e propria formazione online con tantissimi video che mostrano in modo chiaro e preciso tutte le procedure.

Per accedere a Keyline TV basta visitare l'omonima pagina del sito o il canale YouTube.

TUTORIAL

The video archive of key cutting machines and cloning devices tutorials is online

Online la videoteca dei tutorial sulle duplicatrici e sui dispositivi di clonazione

https://www.keyline.it/it/keyline-tv

You Tube



Copyright by Keyline-Italy

CUSTOMIZED KEYS
CHIAVI PERSONALIZZATE

CUSTOMIZATION BY COINING

Customization by coining can be applied to several types of articles:

- Keys with round “A” and “T” heads.
- Keys with wide “D” and “F” heads, appropriate for more complex custom designs, promoting an excellent grip.
- Customized Jazz keys, identified by the “FJ” code, that are characterized by the dimensions of the head and the aesthetic innovation.
- Customized Pop Keys, identified by “FP” code and Rock keys, identified by “RK” code, are immediatly identifiable among other keys, thanks to the different colors of the head.



Any key can be personalized.

“A” HEAD

ABU1-A
ABU11-A
ABU11S-A
ABU1S-A
CA13D-A
CHV2-A
COR6D-A
CS10-A
CS30S-A
EV10-A
EV11-A
EV12-A
EV13-A
EV14-A
EV15-A
EV16-A
EV22S-A
EV5-A
EV69-A
FB35S-A
GG10-A
GG11-A
GG2-A
GG7S-A
JOW12-A
KMT1-A
SAT1-A
ST1S-A
TK1-A
TK10S-A
TOP1S-A
UN5D-A
UN5S-A
WI51S-A
WI59S-A
ZI10-A
ZI10S-A
ZI11-A
ZI11S-A
ZI14-A
ZI2-A
ZI2S-A
ZI51S-A
ZI5S-A

“D” HEAD

CA4D-D
CA5D-D
CA5S-D
UN4D-D
UN4S-D
UN5D-D
UN5S-D
WK5D-D
YET15-D
YET16-D

“F” HEAD

ABU1-F
ABU11-F
ABU11S-F
ADG1S-F
ADG2S-F
AGB5S-F
BA1-F
BB1-F
BD9S-F
BK1-F
CA14S-F
CA4D-F
CA4S-F
CA5D-F
CA5PD-F
CA5S-F
CAS18-F
COR6D-F
CS2-F
CS41-F
CS42-F
DO14-F
DO220-F
DO5-F
EUS1-F
EV10-F
EV5-F
EV69-F
GG2-F
ISE5D-F
K1-F
KV1-F
LE1-F
LI21-F
LI2-F
LI4-F
LI6S-F
LIT1S-F
LIT4-F
LKW5-F
LKW9-F
ME5D-F
OMC5PD-F
PR4SS-F
PR5SS-F
RI3-F
RI18-F
SC40-F
TES5-F
TIN2-F
TIN6B-F
TK10S-F
TK1-F
TOP1S-F
UN4D-F
UN4S-F
UN5D-F
UN5PD-F
UN5PS-F
UN5S-F
UN6D-F
UN6S-F
UN50D-F
UN60D-F
UNKB2-F
VC2-F
VC8-F
VR4D-F
VR5D-F
VR5PD-F
WI1-F
WK4D-F
WK4S-F
WK5D-F
WK5S-F
WY4S-F
WY5S-F
Y1-F
YE10-F
YE12-F
YE51-F
YE4D-F
YE5D-F
YE6D-F
ZI2-F
ZI2S-F
ZN3-F
ZN4-F

“FJ” HEAD

ABU1-FJ
AGB5S-FJ
AS29NN-FJ
AS37HH-FJ
BA1-FJ
BB1-FJ
BK1-FJ
CA4D-FJ
CA4S-FJ
CA5D-FJ
CA5PD-FJ
CA5S-FJ
COR6D-FJ
CS2-FJ
CY2S-FJ
DO220-FJ
FB1-100X-FJ
FB1-110X-FJ
FB1-120X-FJ
FB1-320-FJ
FB2-320-FJ
GG10-FJ
ISE5D-FJ
LI21-FJ
ME5D-FJ
OMC5PD-FJ
PR4SM-FJ
PR4SS-FJ
PR5SS-FJ
RI3-FJ
TES5-FJ
TK1-FJ
UN4D-FJ
UN4S-FJ
UN5D-FJ
UN5PD-FJ
UN5PS-FJ
UN5S-FJ
UN6D-FJ
VC2-FJ
VR4D-FJ
VR5D-FJ
VR5PD-FJ
WY4S-FJ
WY5S-FJ
Y1-FJ
YE4D-FJ
YE51-FJ
YE6D-FJ
ZI2-FJ
ZI2S-FJ
ZN3-FJ
ZN4-FJ

“FP” HEAD

AS29NN-FP
AS37HH-FP
CA4D-FP
CA5D-FP
CA5PD-FP
CA5S-FP
COR6D-FP
CS2-FP
ISE5D-FP
LIT1S-FP
LIT4-FP
OMC5PD-FP
UN4D-FP
UN4S-FP
UN5D-FP
UN5PD-FP
UN5PS-FP
UN5S-FP
UN6D-FP
VR5D-FP
VR5PD-FP
YE5D-FP
YE6D-FP

“T” HEAD

ABU22-T
AGB5S-T
CA4D-T
CA4S-T
CA5D-T
CA5PD-T
CA5S-T
CARL1-T
COR6D-T
CR5PD-T
CS16-T
GG9-T
ISE5D-T
OMC5PD-T
PR4SS-T
PR5SS-T
UN4D-T
UN4S-T
UN5D-T
UN5PD-T
UN5PS-T
UN5S-T
UN6D-T
UN6S-T
VR4D-T
VR4PD-T
VR5D-T
VR5PD-T
WK4D-T
WK4S-T
WK5D-T
WK5S-T
WR2-T
WY4S-T
WY5D-T
WY5S-T
Y1-T
YE3-T
YE3S-T
YE5D-T
YE6D-T

“RK” HEAD

ABU22-T
AGB5S-T
CA4D-T
CA4S-T
CA5D-T
CA5PD-T
CA5S-T
CARL1-T
COR6D-T
CR5PD-T
CS16-T
GG9-T
ISE5D-T
OMC5PD-T
PR4SS-T
PR5SS-T
UN4D-T
UN4S-T
UN5D-T
UN5PD-T
UN5PS-T
UN5S-T
UN6D-T
UN6S-T
VR4D-T
VR4PD-T
VR5D-T
VR5PD-T
WK4D-T
WK4S-T
WK5D-T
WK5S-T
WR2-T
WY4S-T
WY5D-T
WY5S-T
Y1-T
YE3-T
YE3S-T
YE5D-T
YE6D-T

LASER CUSTOMIZATION

Key personalization with laser etching technology offers the advantage of being able to etch one’s name, address, phone number and logo on standard keys, with plastic and Klite heads, even in smaller quantities than those required by the traditional coining technology.

PERSONALIZZAZIONE CON CONIO

La personalizzazione con conio può essere effettuata su diversi tipi di articoli:

- Le chiavi con testa “A” e “T”, caratterizzate dalla forma rotonda.
- Le chiavi con testa “D” e “F”, ampie e adatte a personalizzazioni più complesse, favoriscono un’ottima presa.
- Le chiavi Jazz personalizzate, indicate con “FJ”, che si distinguono per la dimensione della testa e per l’innovazione estetica.
- Le chiavi Pop personalizzate, indicate con “FP” e le chiavi Rock, indicate con “RK”, immediatamente identificabili anche nel mazzo di chiavi chiuso grazie ai diversi colori della testa.

  La personalizzazione è comunque possibile per tutte le chiavi.

PERSONALIZZAZIONE LASER

La personalizzazione delle chiavi con la tecnologia di incisione laser offre il vantaggio di poter avere il proprio nome, indirizzo, numero telefonico e logo su chiavi standard, con testa plastica e Klite, anche su lotti di quantità inferiore rispetto alla tradizionale personalizzazione con conio.

Copyright by Keyline-Italy

FANCY | POP | JAZZ | ROCK | COLOR | KLITE

Colorful, appealing, easy to hold and customizable thanks to a large engraving surface, are the Keyline colored edge cut keys composed of Fancy, Pop, Jazz, Rock, Color and Klite.

Colorate, accattivanti, facili da impugnare e personalizzabili grazie ad ampia superficie di incisione, sono le chiavi piatte colorate Keyline composte dalla gamma Fancy, Pop, Jazz, Rock, Color e Klite.

Fancy are the most eccentric keys of the family and represent a new way of recognizing keys on your key ring. Available in many patterns, designs and colors, they can be completely customized with images of your choice.

Fancy sono le chiavi più eccentriche della famiglia e rappresentano un nuovo modo di riconoscere le chiavi nel mazzo. Disponibili in tante fantasie, disegni e colori, possono essere completamente personalizzate con immagini a vostra scelta.

Pop and Jazz keys are made with a longer neck to ensure functionality, which is important in the cylinders installed with anti-housebreaking systems. They are produced with the "Super Universal" profile, offering greater usage versatility. The head, with colored plastic inserts, perfectly allows customization to distinguish keys in the bunch.
They are available in packs of 50 pieces per color or 100 pieces coming with assorted colors. The available colors are: red, yellow, light blue, orange and green.

Le chiavi Pop e Jazz sono realizzate con il collo più lungo per garantire la perfetta funzionalità nei cilindri anti-effrazione. Il profilo Superuniversale offre una maggiore versatilità d'uso e la testa, con gli inserti in plastica colorata, si adatta ad una perfetta personalizzazione.
Disponibili in confezioni da 50 pezzi con un singolo colore o da 100 pezzi con colori assortiti. I colori disponibili sono: rosso, giallo, azzurro, arancione e verde.

Copyright by Keyline-Italy

Rock are the new arrivals, they are bold and captivating keys. With “Rock&Roll graphics they are available in new bright colors specially chosen by Keyline: lilac, cyclamen, red purple, orange, yellow, lime green, pine green, denim blue, dark blue, black.

Rock, le nuove arrivate sono chiavi grintose e accattivanti. Con una grafica “Rock&Roll” sono disponibili in nuovi sgargianti colori appositamente scelti da Keyline: lilla, ciclamino, rosso porpora, arancione, giallo, verde lime, verde pino, azzurro denim, blu scuro, nero.

Color keys are the classic Keyline colored keys with a practical plastic colored head allowing an immediate identification.
They are available in the most popular profiles and in six sparkling colors: red, yellow, violet, light blue, black and green.

Le chiavi Color sono le classiche chiavi colorate Keyline con una pratica testa in plastica colorata per un’immediata identificazione della chiave.
Sono disponibili nei profili più diffusi ed in sei brillanti colori: rosso, giallo, viola, azzurro, nero e verde.

Klite is the key manufactured with a special alloy of aluminum and titanium. The material features make the key extremely light and durable. Klite is completely colored in the following available colors: red, pink, orange, yellow, green, light blue, blue, violet, black and silver.

Klite è la chiave speciale prodotta in una lega speciale di alluminio e titanio che la rendono leggerissima e soprattutto resistente. Klite è completamente colorata in: rosso, rosa, arancione, giallo, verde, azzurro, blu, viola, nero e argento.

Copyright by Keyline-Italy

KEYCENTER

SINGLE PIECES

KC201	Varnished piece of furniture with 5 drawers
KC101-EU	Hook panel with new led light and EU plug
KC101-USA-JAP	Hook panel with new led light and USA/JAP plug
KC101-AUS	Hook panel with new led light and AUS plug
KC101-UK	Hook panel with new led light and UK plug
KC301	Varnished piece of furniture with a hinged door and a drawer
KC301/S	Varnished piece of furniture with a hinged door and a drawer with lock
KC102	Display window
KC025	Riser for key cutting machines
KC010	Handle with screws
GA070	Single nickel hook 70 mm (box 50 pcs)
GA090	Single nickel hook 90 mm (box 50 pcs)

PEZZI SINGOLI

KC201	Modulo con 5 cassetti
KC101-EU	Pannello ganci con luci a LED e presa EU
KC101-USA-JAP	Pannello ganci con luci a LED e presa USA-JAP
KC101-AUS	Pannello ganci con luci a LED e presa AUS
KC101-UK	Pannello ganci con luci a LED e presa UK
KC301	Modulo con cassetto e anta
KC301/S	Modulo con cassetto e anta con serratura
KC102	Vetrina
KC025	Piattaforma rialzata per duplicatrici
KC010	Maniglia di ricambio con viti
GA070	Gancio nichelato da 70 mm
GA090	Gancio nichelato da 90 mm

Keycenter is the ideal furnishing solution for your shop. Its modular design makes it possible for you to choose your furnishings according to your needs. You can choose between preassembled kits and individual modules: support structures for your key cutting machines, halogen lights to brighten the work area, panels with hooks and cabinets and drawer units to keep your keys and work tools in order.

Keycenter è la soluzione d'arredo ideale per il vostro punto vendita. La sua natura modulabile permette di comporre il vostro mobile sulla base delle vostre esigenze. Potete scegliere tra kit preassemblati o singoli moduli: piani d'appoggio per le vostre duplicatrici, faretti alogeni per illuminare la zona di lavoro, pannelli con ganci e mobili ad ante e con cassetti per ordinare le vostre chiavi e i vostri strumenti di lavoro.

Examples of modularity
Esempi di composizione



To get information on the dimensions, please consult the Keycenter page on the www.keyline.it website
Per essere informati sulle dimensioni, si veda la pagina dei Keycenter sul sito www.keyline.it

Copyright by Keyline-Italy

MODULAR KITS

KC100	**KEYCENTER 1 -** Stock piece of furniture with 4 shelves in the lower part and drilled walls
KC200-EU	**KEYCENTER 2** - Modular kit composed of a piece of furniture with 5 drawers and a hook panel with new led light and EU plug (KC101-EU + KC 201)
KC200-USA-JAP	**KEYCENTER 2 -** Modular kit composed of a piece of furniture with 5 drawers and a hook panel with new led light and USA/JAP plug (KC101-USA-JAP + KC 201)
KC200-AUS	**KEYCENTER 2 -** Modular kit composed of a piece of furniture with 5 drawers and a hook panel with new led light and AUS plug (KC101-AUS + KC 201)
KC200-UK	**KEYCENTER 2 -** Modular kit composed of a piece of furniture with 5 drawers and a hook panel with new led light and UK plug (KC101-UK + KC 201)
KC300-EU	**KEYCENTER 3 -** Modular kit composed of a piece of furniture with a drawer, a hinged door and a hook panel with new led light and EU plug (KC101-EU + KC 301)
KC300-USA-JAP	**KEYCENTER 3 -** Modular kit composed of a piece of furniture with a drawer, a hinged door and a hook panel with new led light and USA/JAP plug (KC101-USA-JAP + KC 301)
KC300-AUS	**KEYCENTER 3 -** Varnished preassembled kit composed of a piece of furniture with a drawer, a hinged door, and a hook panel with new led light and AUS plug (KC101-AUS + KC 301)
KC300-UK	**KEYCENTER 3 -** Modular kit composed of a piece of furniture with a drawer, a hinged door and a hook panel with new led light and UK plug (KC101-UK + KC 301)
KC210	Varnished preassembled kit composed of a piece of furniture with 5 drawers and an upper display window (KC102 + KC201)
KC310	Varnished preassembled kit composed of a piece of furniture with drawer, hinged door and upper display window (KC102 + KC301)

KIT PREASSEMBLATI

KC100	**KEYCENTER 1 -** Modulo di stoccaggio con 4 mensole nella parte inferiore e pareti esterne forate
KC200-EU	**KEYCENTER 2** Kit preassemblato in metallo verniciato composto da modulo con 5 cassetti, pannello ganci con luci a LED e presa EU (KC101-EU + KC 201)
KC200-USA-JAP	**KEYCENTER 2** Kit preassemblato in metallo verniciato composto da modulo con 5 cassetti, pannello ganci con luci a LED e presa USA-JAP (KC101-USA-JAP + KC 201)
KC200-AUS	**KEYCENTER 2** Kit preassemblato in metallo verniciato composto da modulo con 5 cassetti, pannello ganci con luci a LED e presa AUS (KC101-AUS + KC 201)
KC200-UK	**KEYCENTER 2** Kit preassemblato in metallo verniciato composto da modulo con 5 cassetti, pannello ganci con luci a LED e presa UK (KC101-UK + KC 201)
KC300-EU	**KEYCENTER 3** Kit preassemblato in metallo verniciato composto da modulo con cassetto, anta e pannello ganci con luci a LED e presa EU (KC101-EU + KC 301)
KC300-USA-JAP	**KEYCENTER 3** Kit preassemblato in metallo verniciato composto da modulo con cassetto, anta e pannello ganci con luci a LED e presa USA-JAP (KC101-USA-JAP + KC 301)
KC300-AUS	**KEYCENTER 3** Kit preassemblato in metallo verniciato composto da modulo con cassetto, anta e pannello ganci con luci a LED e presa AUS (KC101-AUS + KC 301)
KC300-UK	**KEYCENTER 3** Kit preassemblato in metallo verniciato composto da modulo con cassetto, anta e pannello ganci con luci a LED e presa UK (KC101-UK + KC 301)
KC210	Kit preassemblato composto da modulo con 5 cassetti e vetrina superiore (KC102 + KC201)
KC310	Kit preassemblato composto da modulo con anta e cassetto e vetrina superiore (KC102 + KC301)

To get information on the dimensions, please consult the Keycenter page on the www.keyline.it website
Per essere informati sulle dimensioni, si veda la pagina dei Keycenter sul sito www.keyline.it

SYMBOLS | SIMBOLOGIE

4

Numero spine
Number of pins
Anzahl der Stifte
Pistons
Número de dientes

4

Numero spine piccole
Number of small pins
Anzahl der kleinen Stifte
Petits pistons
Número de dientes pequeños

	C
ACC	K
OTT	F
ALP	FP
ZAM	J
FE	RK
	◖

La tabella a fianco della chiave indica il materiale disponibile a magazzino, altri materiali possono essere utilizzati a richiesta e la disponibilità in altre finiture.

The table near the key indicates the material available and the different finishes. Other materials can be used on demand.

Die Tabelle der Schlüssel gibt das vorrätige Material an und die verschiedenen Legierungen. Andere Materialen können auf Wunsch verwendet werden.

Le tableau à côté de la clé indique le matériel disponible et le différentes finitions. Sur demande, d'autres matériaux peuvent être utilisés.

La tabla junto a la llave indica el material disponible y los diferentes acabados. Bajo pedido, pueden utilizarse otros materiales.

ACC: Acciaio Nichelato
Nickel Steel
Stahl Vernickelt
Acier Nickelé
Acero Niquelado

ALP: Alpacca
Silver nickel
Neusilber
Silver Nickel
Alpaca

FE: Ferro
Iron
Eisen
Fer
Hierro

OTT: Ottone Nichelato
Nickel Brass
Messin Vernickelt
Laiton Nickelé
Latón Niquelado

ZAM: Zama
Zamal
Zamak
Zamac
Zamak

◖ Profilo Dorsato
Back Milled Profile
Rückengefrästes profil
Profil à chillrage dorsal
Perfil Lomeado

C Versione Color
Color Version
Version Color
Version Color
Versión Color

K Versione K-Lite
K-Lite Version
Version K-Lite
Version K-Lite
Versión K-Lite

F Versione Fancy
Fancy Version
Version Fancy
Version Fancy
Versión Fancy

FP Versione Fancy / Pop
Fancy / Pop Version
Version Fancy / Pop
Version Fancy / Pop
Versión Fancy / Pop

J Versione Jazz
Jazz Version
Version Jazz
Version Jazz
Versión Jazz

RK Versione Rock
Rock Version
Version Rock
Version Rock
Versión Rock

Nuova chiave
New key
Neuen Schlüssel
Nouvelle clé
Nueva llave

NEW Nuovo profilo
New profile
Neues profil
Nouveau profile
Nuevo perfil

Tutti i disegni e i dati tecnici presenti sono da considerarsi indicativi.
Keyline si riserva il diritto di apportare tutte le modifiche che ritiene opportune, senza preavviso, al fine di migliorare la qualità dei prodotti.

All drawings and technical data in this catalogue are given purely as an indication.
In line with its continuous product improvement policy,
Keyline reserves the right to make changes without notice.

Bei allen im Katalog aufgeführten Zeichnungen und technischen Daten handelt es sich nur um richtungsweisende Angaben. Keyline behält sich das Recht vor, ohne Voranmeldung alle für die Verbesserung der Produktqualität als angemessen erachteten Änderungen vorzunehmen.

Tous les dessins et données techniques contenus dans le catalogue sont identificatifs.
Keyline se réserve le droit de modifier ses produits, sans préavis, pour en améliorer la qualité.

Todos los planos y los datos técnicos presentes en el catálogo tienen un carácter puramente indicativo.
Keyline se reserva la posibilidad de aportar todas las modificaciones que considere oportunas, sin previo aviso, a fin de mejorar la calidad de los productos.

Copyright by Keyline-Italy

TERMINOLOGY | TERMINOLOGIA

TO FIT: CISA



TO FIT: ISEO



1	2	3	4	5	6	7
Canna	Testa	Collo	Fermo	Punta	Dorso	Profilo Destro
Blade	Head	Neck	Shoulder	Tip	Back	Right Hand Profile
Stange	Kopf	Hals	Anschlag	Spitze	Rücken	Rechtes Profil
Canon	Tête	Cou	Arrêt	Pointe	Dos	Profil Droit
Paletón	Cabeza	Cuello	Tope	Punta	Dorso	Perfil Derecho

8	9	10	11
Profilo Sinistro	Articolo	Mappa	Gambo
Left Hand Profile	Article	Bit	Stem
Linkes Profil	Atikel	Bart	Halm
Profil Gauche	Article	Panneton	Canon
Perfil Izquierdo	Artículo	Mapa	Caña

I disegni delle chiavi sono in scala 1:1.
Per la ricerca è sufficiente sovrapporre esattamente la chiave sul disegno verificando canna e profilo. Tutti i profili sono visti dalla testa.

Drawings of the keys are in 1:1 scale.
To find the right key, just place the key over the drawing and check the section and profile. All profiles are illustrated and seen from the head.

Die Schlüsselzeichnungen sind im Verhältnis 1:1.
Für die Suche ist es ausreichend, den Schlüssel genau auf die Zeichnung zu legen und den Schaft und das Profil zu überprüfen. Alle Profilen sind illustrierte von der Kopf des Schlüssel.

Les dessins des clés sont à l'échelle 1:1. Il suffit, en cas de recherche, de superposer exactement la clé sur le dessin et d'en férifier le canon et le profil. Tout profils sont illustrés et vus de la tête.

Los planos de las llaves se proporcionan en escala 1:1. Para la búsqueda, es suficiente con superponer exactamente la llave sobre el plano, verificando la sección y el perfil.
Todos los perfiles son representados y vistos desde la cabeza de la llave.

Copyright by Keyline-Italy

Keyline keys are manufactured exclusively with **high quality prime materials**:

- OT59 alloy Brass, as used in the watchmaking industry;
- 7075 T6 alloy Aluminum, as used in the aeronautical engineering sector;
- Steel, reliable, durable and smooth for the key cutting operation;
- and Nickel Silver, as used in jewelry manufacturing.

All these materials are particularly suitable for the milling/cutting operations.

Le **chiavi Keyline** sono prodotte esclusivamente con **materie prime di alta qualità**:

- Ottone in lega OT59, usato nel settore dell'orologeria;
- Alluminio in lega 7075 T6, usato nell'industria dell'ingegneria aeronautica;
- Acciaio, affidabile, resistente e liscio per le operazioni di taglio chiave;
- Alpacca, usato nella produzione di gioielli.

Tutti questi materiali sono particolarmente adatti per le operazioni di fresatura e taglio.

Copyright by Keyline-Italy

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI CILINDRO

CYLINDER KEYS

ZYLINDERSCHLÜSSEL

CLÉS POUR SERRURES À CYLINDRE

LLAVES PARA CERRADURAS A CILINDRO

BIANCHI 1770 GROUP

Innovators by design | Since 1770

2

CROSS REFERENCE :

AAA1	
AAA1	-
AB1	
AY1	ABL-1
AB1P	
AY1P	ABL-1P
AB3	
AY30	-
ABS3	
KEY1	AB-8I
ABS3S	
KEY1R	AB-8D
ABU20	
AB50	ABU-23D
ABU21	
-	-
ABU52	
AB15	ABU-27
ABU53	
AB53	ABU-21
SEI5	
-	606-5D
TRE1	
TRE1	333-1D

TO FIT :

333 (IL)
606 (AR)
AAA (IL)
ABLOY (FIN)
ABSA (E)
ABUS (D)
- ARMSTRONG (CS)
- BASI (D)
- BRICARD (F)
- BURG (D)
- CISA (I)
- FTH (F)
- GUARD (CZ)
- GUERVILLE (F)
- JPM (F)
- KALE (TR)
- MASTER (USA)
- RIQUIER (GR)
- TOP (D)
- TRI CIRCLE (RC)
- VIRO (I)
- YALE (GB)

333 (IL)



TRE1

606 (AR)



SEI5

AAA (IL)



AAA1

ABLOY (FIN)



AB1



AB1P



AB3

ABSA (E)



ABS3

NEW ABS3S

ABUS (D)

ABU20



ABU52



ABU21

ABU53

Copyright by
KEYLINE

ABUS (D)



ABUS (D)



ABUS (D)



3

CROSS REFERENCE :

ABU13	
AB13	ABU-12I
ABU17	
AB17	ABU-60
ABU17S	
AB17R	ABU-50
ABU18	
AB18	ABU-25D
ABU2	
AB12	ABU-13
ABU22-T	
AB76	ABU-57D
ABU3	
AB14	ABU-4I
ABU32	
AB52	ABU-20
ABU34	
AB54	-
ABU3S	
AB14R	ABU-4D
ABU41S	
AB41R	-
ABU43	
AB43	ARN-3
ABU43S	
AB43R	ARN-3D
ABU6	
AB2	ABU-42D
ABU8	
AB3	CI-5DP
ABU8S	
AB3R	CI-5IP

TO FIT :

ABUS (D)
- ▶ARMSTRONG (CS)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶BURG (D)
- ▶CISA (I)
- ▶FTH (F)
- ▶GUARD (CZ)
- ▶GUERVILLE (F)
- ▶JPM (F)
- ▶KALE (TR)
- ▶MASTER (USA)
- ▶RIQUIER (GR)
- ▶TOP (D)
- ▶TRI CIRCLE (RC)
- ▶VIRO (I)
- ▶YALE (GB)

Copyright by
KEYLINE

4

CROSS REFERENCE :

ABU1	
AB1	-
ABU10	
AB8	ABU-1D
ABU11	
AB10	ABU-2D
ABU11S	
AB10R	ABU-2I
ABU14S	
AB21R	ABU-55
ABU163	
AB63	ABU-49
ABU19	
AB36	ABU-67D
ABU19S	
AB36R	CI-15
ABU1-FJ	
AB1	-
ABU1S	
AB1R	CI-IL
ABU26	
AB75	ABU-71D
ABU39	
AB19	ABU-51D
ABU59S	
AB55X	-
ABU60S	
AB69X	-
ABU61S	
AB61	ABU-48
ABU63S	
-	-
ABU70D	
AB72	ABU-70D
ABU70S	
AB72R	ABU-70
ABU89	
AB89	ABU-94D
ABU95	
AB95	ABU-86D
ABU96	
-	-
JM1	
JM1	JPM-1D
JM1S	
JM1R	JPM-1I
JM2S	
JM2R	JPM-2I
JM3	
JM3	JPM-4D
JM3S	
JM3R	JPM-4
TOP1S	
TOP1R	ABU14

TO FIT :

ABUS (D)
- ▶ARMSTRONG (CS)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶BURG (D)
- ▶CISA (I)
- ▶FTH (F)
- ▶GUARD (CZ)
- ▶GUERVILLE (F)
- ▶JPM (F)
- ▶KALE (TR)
- ▶MASTER (USA)
- ▶RIQUIER (GR)
- ▶TOP (D)
- ▶TRI CIRCLE (RC)
- ▶VIRO (I)
- ▶YALE (GB)

Copyright by

KEYLINE

ABUS (D)



ABUS (D)



ABUS (D)



ABUS (D)



ABU49



ABU47 ABU74 ABU77



ABU48

ABUS (D)





ABU1S-A

ABU11-A ABU11S-A ABU1-A TOP1S-A

ABUS (D)





ABU11-F ABU11S-F ABU1-F TOP1S-FJ ABU7P

5

CROSS REFERENCE :

ABU11-A	
AB10	ABU-2D
ABU11-F	
AB10	ABU-2D
ABU11S-A	
AB10R	JPM-1I
ABU11S-F	
AB10R	JPM-1I
ABU1-A	
AB1X	ABU-41D
ABU1-F	
AB1	-
ABU1S-A	
AB1RX	ABU-41
ABU47	
AB84	ABU-81
ABU48	
AB48	CI-26
ABU49	
AB62	ABU-34
ABU74	
AB74	-
ABU77	
AB77	-
ABU7P	
AB82RAP	ABU-72.P
TOP1S-A	
TOP1RX	TOP-1
TOP1S-FJ	
TOP1RX	TOP-1

TO FIT :

ABUS (D)
- ▶ARMSTRONG (CS)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶BURG (D)
- ▶CISA (I)
- ▶FTH (F)
- ▶GUARD (CZ)
- ▶GUERVILLE (F)
- ▶JPM (F)
- ▶KALE (TR)
- ▶MASTER (USA)
- ▶RIQUIER (GR)
- ▶TOP (D)
- ▶TRI CIRCLE (RC)
- ▶VIRO (I)
- ▶YALE (GB)

Copyright by
KEYLINE

6

CROSS REFERENCE :

ABU12P	
AB38P	ABU-29P
ABU19-A	
-	-
ABU19S-A	
-	-
ABU30-A	
-	-
ABU35S	
-	-
ABU36	
AB91	-
ABU40	
AB40	ABU-16
ABU57P	
AB57AP	ABU-18DP
ABU57SP	
AB57RAP	ABU-18P
ABU65SP	
AB65RAP	ABU-65P
ABU66SP	
-	-
ABU67SP	
AB58RAP	ABU-35P
ABU68SP	
AB59RAP	ABU-28
AGA6	
AGA6	AGA-10

TO FIT :

ABUS (D)
- ARMSTRONG (CS)
- BASI (D)
- BRICARD (F)
- BURG (D)
- CISA (I)
- FTH (F)
- GUARD (CZ)
- GUERVILLE (F)
- JPM (F)
- KALE (TR)
- MASTER (USA)
- RIQUIER (GR)
- TOP (D)
- TRI CIRCLE (RC)
- VIRO (I)
- YALE (GB)

AGA (E)

ABUS (D)



ABUS (D)



ABUS (D)



AGA (E)



Copyright by
KEYLINE

AGB (I)



AGB (I)



AGB (I)



7

CROSS REFERENCE :

AGB4D	
AGB2	AGB-3D
AGB4S	
AGB2R	AGB-3
AGB5D	
AGB1	AGB-1D
AGB5PD	
AGB3	U-3D
AGB5PS	
AGB3R	U-3I
AGB5S	
AGB1R	AGB-1
AGB5S-F	
AGB1R	AGB-1
AGB5S-FJ	
AGB1R	AGB-1
AGB5S-T	
AGB1R	AGB-1
AGB6	
AGB6	AGB-5
AGB7	
AGB7	AGB-4
AGB8	
AGB8	-
AGB9	
AGB9	-

TO FIT :

AGB (I)

Copyright by
KEYLINE

8

CROSS REFERENCE :

AG1	
MA2R	MQ-1D
AG1S	
MA2	MQ-1I
AGB1	
AGB5	AGB-2
AGU2	
AG2	AG-8D
AGU2S	
AG2R	AG-8I
AGU3	
AG3	AG-10D
AGU3S	
AG3R	AG-10I
AGU4	
AG4	AG-11D
AGU4S	
AG4R	AG-11
AGU5	
AG5	AG-3D
AGU5S	
AG5R	AG-3I
AL5	
AA6	-
AL5S	
AA6R	-

TO FIT :

AGB (I)
AGUEDA (P)
AGUIA (PT)
ALA (I)
►KESO (CH)

AGB (I)



AGUEDA (P)



AGUIA (PT)



AGUIA (PT)

ALA (I)



Copyright by
KEYLINE

ALDRIDGE (GB)



ADG2S



ADG2S-F



ADG1S

ALDRIDGE (GB)



ADG1S-F

ALPHA (I)



ALP4 ALP4S ALP9

ALP9S



ALP2

AMIG (E)



NEW AMG1 NEW AMG3

ANKERSLOT (NL)



AKS4



AKS8



AKS1S

CROSS REFERENCE :

ADG1S	
ASEC2	AL-3
ADG1S-F	
-	-
ADG2S	
ASEC1	AL-2
ADG2S-F	
-	-
AKS1S	
AKR11R	ANK-17
AKS4	
AKR4	ANK-4
AKS8	
AKR8	-
ALP2	
ALP2	ALP-5D
ALP4	
ALP4	ALP-1I
ALP4S	
ALP4R	ALP-1D
ALP9	
ALP9	ALP-2I
ALP9S	
ALP9R	ALP-2D
AMG1	
-	AMG-8D
AMG3	
-	AMG-10D

TO FIT :

ALDRIDGE (GB)
ALPHA (I)
▶FEB (I)
▶LINCE (E)
AMIG (E)
ANKERSLOT (NL)

Copyright by
KEYLINE

10

CROSS REFERENCE :

AKS10	
AKR10	ANK-47D
AKS2	
AKR2	ANK-2
AKS7	
AKR7	ANK-6
APX4	
-	AP-4D
ARM1	
ART1	ARN-1
ARM1S	
ART1R	ARN-2D
AS20	
ASS6	AS-3D
AS20S	
ASS6R	AS-3I
AS28N	
ASS2	AS-N5
AS29MG	
ASS29R	AS-GM5
AS29NN	
ASS44	AS-NN5
AS29W	
ASS7R	AS-W5

TO FIT :

ANKERSLOT (NL)
APEX (RUS)
ARMSTRONG (CS)
ASSA (S)

ANKERSLOT (NL)



AKS2



AKS7



AKS10

APEX (RUS)



APX4

ARMSTRONG (CS)



ARM1 ARM1S

ASSA (S)



AS20 AS20S



N
AS28N



MG NN W
AS29MG AS29NN AS29W

Copyright by
KEYLINE

ASSA (S)



ASSA (S)



ASSA (S)



CROSS REFERENCE :

AS177	
ASS177	-
AS29NN-FJ	
ASS44	AS-NN5
AS29NN-FP	
ASS44	AS-NN5
AS3	
ASS142	AS-5D
AS31HH	
ASS73R	-
AS31HH-FJ	
ASS73R	-
AS31LF	
ASS116R	-
AS34A	
ASS3	AS-A7
AS34E	
ASS40	AS-E7
AS34M	
ASS12R	AS-M7
AS34N	
ASS38	AS-N7
AS34RA	
ASS134	AS-RA7
AS34RB	
ASS135	AS-RB7
AS34RC	
ASS136R	AS-RC7
AS34S	
ASS42	AS-S7
AS35DK	
ASS26	AS-DK7
AS35GM	
ASS30R	AS-GM7
AS35NN	
ASS45R	AS-PP7
AS35W	
ASS8R	AS-W7
AS4	
ASS145	AS-6D
AS5	
ASS144	AS-7D
AS6	
ASS174	-
AS7	
ASS154	AS-14D

TO FIT :

ASSA (S)

Copyright by
KEYLINE

12

CROSS REFERENCE :

AS200S	
-	-
AS37HH	
ASS52R	AS-HH7
AS37HH-FJ	
ASS52R	AS-HH7
AS37HH-FP	
ASS52R	AS-HH7
AS37KF	
ASS91R	AS-KF7
AS37LF	
ASS92R	AS-LF7
AS37MG	
ASS88R	AS-MG7
AS37PG	
ASS103R	AS-PG7
AS37PH	
ASS104	AS-PH7
AS37PT	
ASS105R	AS-PT7
AST1	
AT1	AT1
AV1	
AV1	AV-1D
AV1S	
AV1R	AV-1
AVO1	
AVC1	WM-2D
LKW5PD	
AUS1	-

TO FIT :

ASSA (S)
ASTRA (AUS)
AUSTRAL LOCK (AUS)
AVANGARD (RUS)
AVOCET (GB)

ASSA (S)



ASSA (S)



ASTRA (AUS)



AUSTRAL LOCK (AUS)



AVANGARD (RUS)



AVOCET (GB)



Copyright by
KEYLINE

AXA (NL)



AXA (NL)



AXA (NL)



13

CROSS REFERENCE :

AXA1BP	
-	-
AXA1P	
-	-
AXA2P	
-	-
AXA3P	
AX1P	AX-1P
AXA3SBLP	
-	-
AXA3SBP	
-	-
AXA3SP	
AX1RP	AX-1DP
AXA4P	
ASS96P	AS-21DP
AXA4SP	
ASS96RP	AS-21P
AXA5SP	
-	-
AXA6P	
-	-

TO FIT :

AXA (NL)

Copyright by
KEYLINE

14

CROSS REFERENCE :

AZ10	
AZ10	AZ-17D
AZ10S	
AZ10R	AZ-17
AZ2	
AZ2	AZ-1D
AZ3	
AZ3	AZ-2D
AZ6	
AZ6	AZ-9
AZ7	
AZ7	AZ-14
AZ9	
AZ9	AZ-18D
BB1	
BAB13	BAB-3D
BB1-FJ	
BAB13	BAB-3D
BB1S	
BAB13R	BAB-3
BB4S	
BB4R	ESS-1
BB6S	
BB6R	ESS-3

TO FIT :

AZBE (E)

BAB (D)
▶CORONA (D)
▶ZEISS-IKON (D)

AZBE (E)



AZBE (E)



BAB (D)



Copyright by
KEYLINE

BAB (D)



BB1-F



BB10 BB10S



BB26S-18



NEW BB20S

BAB (D)



NEW BB25S

BASI (D)



BA1



BA1-FJ

BASI (D)



BA1-F



NEW BA7



BA5S



NEW BA6-A

15

CROSS REFERENCE :

BA1	
BAI1	BAI-1D
BA1-F	
BAI1	BAI-1D
BA1-FJ	
BAI1	BAI-1D
BA5S	
BAI5R	BAI-7
BA6-A	
-	-
BA7	
-	-
BB10	
BAB25	BAB-14D
BB10S	
BAB13R	BAB-3
BB1-F	
BAB13	BAB-3D
BB20S	
-	-
BB25S	
-	-
BB26S-18	
BAB26R-18	-

TO FIT :

BAB (D)
▶CORONA (D)
▶ZEISS-IKON (D)
BASI (D)

Copyright by
KEYLINE

16

CROSS REFERENCE :

BA10	
-	-
BA11	
-	-
BA8S	
-	-
BAS3	
BSI1	-
BAS3SM	
-	-
BAS4	
BSI2	-
BAS4SM	
FM2	-
BAS5	
TP1	-
BET1	
FM5	-
BST12	
BES12	BES-15D
MRI2	
-	-

TO FIT :

BASI (D)
BASSI (I)
BERETTA (I)
BEST (USA)

BASI (D)



NEW BA8S



BA10



NEW BA11

BASSI (I)



BAS3

BAS3SM



BAS4



BAS4SM

BASSI (I)



BAS5



MRI2

BERETTA (I)



BET1

BEST (USA)



BST12

Copyright by
KEYLINE

BETA (I)



BE4D BE4S



BE5D BE5S BE5SM

BKS (D)



BK1A BK1SA



BK1 BK1S



BK1-FJ

BKS (D)



BK1-F



BK13



BK2S

CROSS REFERENCE :

BE4D	
BE200	BE-4D
BE4S	
BE201	BE-4I
BE5D	
BE202	BE-5D
BE5S	
BE203	BE-5I
BE5SM	
BE3	BE-1
BK1	
BK1	BK-1D
BK13	
BK13	-
BK1A	
BK1X	BK-6D
BK1-F	
BK1	BK-1D
BK1-FJ	
BK1	BK-1D
BK1S	
BK1R	BK-1I
BK1SA	
-	BK-6I
BK2S	
BK26	-

TO FIT :

BETA (I)
▶CORNI (I)
BKS (D)
▶YALE (GB)

Copyright by
KEYLINE

18

CROSS REFERENCE :

BK10-01	
BK10-01	BK16/1
BK10-05	
BK10-05	BK16/5
BK10-X05	
BK10-05	BK-16/5
BK12S	
BK30	-
BK15	
BK15	BK-7D
BK42-07	
BK20	BK21/7
BK42-19	
BK29	BK21/19
BK48S	
BK48R	BK-22
BK49S	
BK49R	BK-23
BMB3	
BMB3	BMB-1
BMB5	
BMB5	BMB-2
BO2	
BO2	PRE-3
BO2S	
BO2R	BOM-R
BP1S	
-	-
BRA2S	
MAR1	EUB-2

TO FIT :

BKS (D)
▶YALE (GB)
BMB (D)
BOMORO (D)
▶HUWIL (D)
BOULTON (GB)
BRABANTIA (E)

BKS (D)



BK10-01 BK10-05 BK48S

BK49S



NEW BK10-X05

BKS (D)



BK42-19

BK12S BK15 BK42-07

BMB (D)

BMB3



BMB5

BOMORO (D)



BO2 BO2S

BOULTON (GB)



BP1S

BRABANTIA (E)



BRA2S

Copyright by
KEYLINE

BRETER (I)



GIS5PD GIS5PS



GIS6PS

BRICARD (F)



BD10 BD9S



BD9S-FJ

BRICARD (F)



BD9S-F



BD6S

BD5 BD5S BD6



BD11 BD11S

BRICARD (F)



W05

BD20



BD101



BD102

19

CROSS REFERENCE :

BD10	
BD10	BRI-18D
BD101	
BD101	BRI-10
BD102	
BD102	BRI-12
BD11	
BD6	BRI-6D
BD11S	
BD6R	BRI-6I
BD20	
CS115	BR1-26
BD5	
BD4	BRI-3I
BD5S	
BD4R	BRI-3D
BD6	
BD3	BRI-4D
BD6S	
BD3R	BRI-4I
BD9S	
BD9R	BRI-19
BD9S-F	
BD9R	BRI-19
BD9S-FJ	
BD9R	BRI-19
GIS5PD	
SM1R	GIU-1D
GIS5PS	
SM1	GIU-1
GIS6PS	
GS3	-

TO FIT :

BRETER (I)
- ▶GIUSSANI (I)
- ▶ZADI (I)

BRICARD (F)
- ▶ABUS (D)
- ▶CISA (I)
- ▶GUERVILLE (F)
- ▶KWIKSET (USA)
- ▶LOB (PL)

Copyright by
KEYLINE

20

CROSS REFERENCE :

BD110	
BD11X	-
BD13	
BD13	BRI-28
BD14	
BD14X	-
BD16	
BD16	BRI-29
BD21	
BD21	BRI-34
BSS2	
BS2	BSS-1D
BSS4	
BS3	BSS-4D
BSS5S	
BS5R	BSS-2
BSS6S	
BS6R	BSS-3
BUL5	
-	BUL-5D
BUL6	
-	BUL-6D
BUL7	
-	BUL-7D

TO FIT :

BRICARD (F)
- ABUS (D)
- CISA (I)
- GUERVILLE (F)
- KWIKSET (USA)
- LOB (PL)

BSS-SOMBOR (SCG)

BULAT (RUS)

BRICARD (F)



BSS-SOMBOR (SCG)



BULAT (RUS)



Copyright by
KEYLINE

BURG (D)



BURG (D)



BURG (D)



21

CROSS REFERENCE :

BU1	
BUR2	BUR-2D
BU10	
BUR29	BUR-19D
BU10S	
-	-
BU11	
-	BUR-20D
BU12	
BUR27	BUR-33
BU13	
BUR33	-
BU15	
BUR15	BUR-22D
BU1S	
BUR2R	BUR-2I
BU2	
BUR1	BUR-1D
BU23	
BUR23	BUR-14D
BU23S	
BUR23R	BUR-14
BU26	
BUR26	BUR-18D
BU2S	
BUR1R	BUR-1I
BU3	
BUR20	BUR-4D
BU3S	
BUR20R	BUR-4
BU5S	
BUR24R	BUR-9D

TO FIT :

BURG (D)

Copyright by
KEYLINE

22

CROSS REFERENCE :

BU14S	
BUR14R	-
BU16	
-	BUR-3D
BU17	
BUR25	BUR-13D
BU28S	
BUR28R	BUR-31D
BU31	
BUR31	BUR-24
BU31S	
BUR31R	BUR-24D
BU38	
BUR38	BUR-34
BU4	
BUR21	BUR-5D
BU4S	
BUR21R	BUR-5
BU6	
BUR34R	BUR-23D
BU61	
-	-
BUVA3	
BVA3	-
CAB1	
CAB1	CAB1
CAB2S	
CAB2R	CAB2R
DO12	
DM17	DOM-12D

TO FIT :

BURG (D)
BUVA (D)
CAB (I)
▶CAS-CISMA (I)
▶YALE (GB)

BURG (D)



BURG (D)



BURG (D)



BUVA (D)



CAB (I)



Copyright by
KEYLINE

CAF (I)



CAF2

CANTOL (E)





NEW CTO4

NEW CNT1 NEW CNT1S

NEW CNT3S

NEW CNT3

NEW CNT2

CARL F



CARL1-T

CAS-CISMA (I)





CAS1PD CAS3PD CAS2PD CAS4PD CAS4PS

CAS-CISMA (I)



CAS3D



CAS4D



CAS11



CAS10

23

CROSS REFERENCE :

CAF2	
CAF2	-
CARL1-T	
-	-
CAS10	
CIS12	CIS-6D
CAS11	
CIS12	CIS-6D
CAS1PD	
CIS1	CIS-5
CAS2PD	
CIS2	CIS-3
CAS3D	
-	-
CAS3PD	
CIS3	CIS-4
CAS4D	
CIS6	-
CAS4PD	
CIS4	CIS-2
CAS4PS	
CIS4R	-
CNT1	
-	-
CNT1S	
-	-
CNT2	
-	-
CNT3	
-	-
CNT3S	
-	-
CTO4	
-	CTO-4

TO FIT :

CAF (I)
CANTOL (E)
CARL F
CAS-CISMA (I)
▶CAB (I)
▶DOMUS (GR)
▶FTH (F)
▶LAPERCHE (F)
▶SISO (DK)

Copyright by
KEYLINE

CROSS REFERENCE :

CAS18	
SN5R	SOFI-1D
CAS18-F	
-	-
CAS18-FP	
SN5R	-
CAS22D	
-	-
CAS23D	
CIS8	OCA-2D
CAS24D	
CIS11	OCA-1D
CAS30	
-	-
CAS50D	
-	-
CAS5D	
CIS5	CIS-1D
CAX1S	
CAX1R	CSB-1D
CAX2S	
CAX2R	CSB-2D
CAY1	
CYS1	CAY-1D
CEE1S	
CEE1	-

TO FIT :

CAS-CISMA (I)
- ▶CAB (I)
- ▶DOMUS (GR)
- ▶FTH (F)
- ▶LAPERCHE (F)
- ▶SISO (DK)

CASH-BOX (D)

CAYS (E)

CEE (PT)

CAS-CISMA (I)



NEW CAS30



CAS22D CAS23D CAS24D



CAS5D

CAS-CISMA (I)



CAS18



CAS18-F



CAS18-FP

CAS-CISMA (I



CAS50D

CASH-BOX (D)



CAX1S CAX2S

CAYS (E)



NEW CAY1

CEE (PT)



NEW CEE1S

Copyright by
KEYLINE

CEMA (I)



CENTURY (GB)



CES (D)



CES (D)



CES (D)



25

CROSS REFERENCE :

CE1	
CEN1	CENT-1D
CEM1	
CM2	CMA-1
CEM1S	
CM2R	CMA-1D
CS11	
CE6	CE-3D
CS12	
CE12	CE-98D
CS13	
CE7	CE-1D
CS14	
CE8	CE-110
CS15	
-	-
CS16-T	
CE11	CE-89D
CS18	
CE18	-
CS4	
CE4	CE-2D
CS41	
CE41	CE-53D
CS41-F	
CE41	CE-53D

TO FIT :

CEMA (I)

CENTURY (GB)

CES (D)

▶ELZETT (H)

▶NEMEF (NL)

Copyright by

KEYLINE

26

CROSS REFERENCE :

CS10-A	
-	-
CS114	
CE114	-
CS17WPS	
CE17WPS	CE-92D
CS17XPS	
CE17XPS	-
CS2A	
CE2X	CE-7D
CS2-F	
-	-
CS2-FJ	
CE2X	CE-5D
CS2-FP	
CE2X	CE-5D
CS3	
CE1	CE-6D
CS42	
CE127	-
CS42-F	
CE127	-
CS42-FP	
CE127	-

TO FIT :

CES (D)
- ELZETT (H)
- NEMEF (NL)

CES (D)



CES (D)



CES (D)



Copyright by
KEYLINE

CES (D)



CS6-16



NEW CS35-A



NEW CS129-77

CHAVO (GB)



CHV2-A

CHAVO (P)



NEW CHV1 NEW CHV1S

CHUBB (GB)



CHU6

CIFIAL (PT)



NEW CIF1 NEW CIF1S

CILA-GENTILI (I)



CL4

CINA (CN)



CIN1S



CIN3S

27

CROSS REFERENCE :

CHU6	
CHU6	CHU-1D
CHV1	
CHV1	CHA-2D
CHV1S	
CHV1R	CHA-2
CHV2-A	
-	-
CIF1	
CF1	-
CIF1S	
CF1R	CIF-3
CIN1S	
AS1	ASI-1
CIN3S	
RC3R	ALI-1
CL4	
CIL6	CIL-3D
CS129-77	
CE129-77	-
CS35-A	
-	-
CS6-16	
CE22-16	CE-50

TO FIT :

CES (D)
▶ELZETT (H)
▶NEMEF (NL)
CHAVO (GB)
CHAVO (P)
CHUBB (GB)
CIFIAL (PT)
CILA-GENTILI (I)
CINA (CN)

Copyright by
KEYLINE

28

CROSS REFERENCE :

CA10 CS24	LO-3D
CA12 CS16	LO-2D
CA12S CS16R	LO-2I
CA13D CS13	CI-2
CA13S CS13R	CI-2I
CA15D -	-
CA18 MS6	ABU-8D
CA18S CS32R	ABU-8I
CA22 CS22	-
CA26 CS26	ABU9D
CA26S CS26R	ABU-9I
CA2D CS8	CI-22D
CA2S CS8R	-
CA31S CS31R	-
CA3D CS4	CI-46D
CA3S CS4R	-
CA4D CS204	CI-4D
CA4S CS205	CI-4I
CA5D CS206	CI-DL
CA5S CS207	CI-IL
CA8 CS18	LO-1D
CA8S CS18R	LO-1I
CA9 CS9	-
CA9S CS9R	-
CIN5 RC5	CIN-1
CIN5S RC5R	-
CIN6 RC6	CIN-2D
CIN6S RC6R	CIN-2

TO FIT :

CINA (CN)

CISA (I)
- ▶ABUS (D)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶CHAVO (P)
- ▶CITY (F)
- ▶GTV (D)
- ▶IFAM (E)

CINA (CN)



CISA (I)



CISA (I)



CISA (I)



Copyright by
KEYLINE

CISA (I)



CA5D-D



CA5PD-T



CA4D-T



CA5D-T

CISA (I)



CA5PD-F



CA4D-F CA4S-F



CA5D-F CA5S-F

CISA (I)



CA5PD-FJ



CA4D-FJ CA4S-FJ

CA5D-FJ CA5S-FJ CA68-FJ

CROSS REFERENCE :

CA4D-F	
CS204	CI-4D
CA4D-FJ	
CS204	CI-4D
CA4D-T	
CS204	CI-4D
CA4S-F	
CS205	CI-4I
CA4S-FJ	
-	-
CA5D-D	
CS206	CI-DL
CA5D-F	
CS206	CI-DL
CA5D-FJ	
CS206	CI-DL
CA5D-T	
CS206	CI-DL
CA5PD-F	
CS7	CI-5DP
CA5PD-FJ	
CS7	CI-5DP
CA5PD-T	
CS7	CI-5DP
CA5S-F	
CS207	CI-IL
CA5S-FJ	
CS207	CI-IL
CA68-FJ	
CS68	-

TO FIT :

CISA (I)
- ▶ABUS (D)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶CHAVO (P)
- ▶CITY (F)
- ▶GTV (D)
- ▶IFAM (E)

Copyright by
KEYLINE

30

CROSS REFERENCE :

CA17	
CS47	-
CA17S	
CS47R	-
CA40D	
CS120	CI-61D
CA41D	
CS119	CI-51D
CA42D	
-	-
CA44	
-	-
CA4D-FP	
CS204	CI-4D
CA4D-RK	
CS204DZ	CI-4D
CA5D-FP	
CS206	CI-DL
CA5D-RK	
CS206DZ	CI-DL
CA5PD-FP	
CS7	CI-5DP
CA5PD-RK	
CS7DZ	CI-5DP
CA5S-FP	
CS207	CI-IL
CA5S-RK	
CS207	CI-IL

TO FIT :

CISA (I)
- ▶ABUS (D)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶CHAVO (P)
- ▶CITY (F)
- ▶GTV (D)
- ▶IFAM (E)

CISA (I)



CA5PD-FP



CA4D-FP



CA5D-FP CA5S-FP

CISA (I)

NEW CA5PD-RK

NEW CA4D-RK

NEW CA5S-RK NEW CA5D-RK

CISA (I)



CA40D



CA41D CA42D CA44



CA17 CA17S

Copyright by
KEYLINE

CISA (I)



CISA (I)



CISA (I)



31

CROSS REFERENCE :

CA13D-A	
CS13X	CI-2
CA14S-F	
CS14R	CI-63
CA16	
CS46	ABU-17D
CA16S	
CS46R	ABU-17
CA19S	
CS33R	ABU-15
CA35	
-	-
CA43	
-	-
CA4PD	
CS6	CI-4DP
CA4PS	
CS6R	CI-4IP
CA50D	
CS17	CI-1D
CA50S	
CS17R	CI-1I
CA5PD	
CS7	CI-5DP
CA5PS	
CS7R	CI-5IP
CA6D	
CS501	CI-24
CA6S	
CS501R	-
CA83	
-	-
CA85	
CS85	-
CA86S	
-	-
CA87	
CS70	CI-57

TO FIT :

CISA (I)
- ▶ABUS (D)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶CHAVO (P)
- ▶CITY (F)
- ▶GTV (D)
- ▶IFAM (E)

Copyright by
KEYLINE

32

CROSS REFERENCE :

ABU1-A	
AB1X	CI-6D
CA121	
CS121	ESL-1D
CA144	
CS144	-
CA48	
CS48	CI-17
CA4D-M	
-	-
CA4S-M	
-	-
CA55	
CS139	CI-31
CA56	
CS141	CI-35
CA57	
CS145	-
CA5D-FA	
-	-
CA5D-M	
-	-
CA5S-M	
-	-
CA60	
CS146	CI-25
CA62	
CS62	CI-21
CA62P	
CS62P	-
CA65	
CS140	CI-30
CA70	
CS70	CI-57
CA70P	
CS70P	-
CA75P	
CS116P	-
CA91	
-	-

TO FIT :

CISA (I)
- ▶ABUS (D)
- ▶BASI (D)
- ▶BRICARD (F)
- ▶CHAVO (P)
- ▶CITY (F)
- ▶GTV (D)
- ▶IFAM (E)

CISA (I)



CISA (I)



CISA (I)



Copyright by
KEYLINE

CITY (F)



CY1



CY2 CY2S

CY2S-FJ

CLASSIC (I)



CLS1

CLAUSOR (E)



CLA2S

COBRA (I)



COB1

CORBIN (I)



COR4PD

COR80



COR5PD



COR51PD

CROSS REFERENCE :

CLA2S	
CLA2R	BRA-1
CLS1	
-	CLS-1D
COB1	
CBR1	COB-2
COR4PD	
CB4	COR-30
COR51PD	
CB15	COR-27D
COR5PD	
CB3	COR-40
COR80	
CB80	COR-27D
CY1	
CA1	CA-3I
CY2	
CA2R	CA-4D
CY2S	
CA2	CA-4I
CY2S-FJ	
CA2	CA-4I

TO FIT :

CITY (F)
▶CISA (I)
▶FTH (F)
▶ZENITH (F)

CLASSIC (I)

CLAUSOR (E)
▶GIOBERT (I)
▶MICHEL-SEAT (I)

COBRA (I)

CORBIN (I)
▶DOM (D)
▶LITTO (B)
▶NEMEF (NL)
▶OAL (I)

Copyright by
KEYLINE

CROSS REFERENCE :

COR11S	
-	-
COR13	
CB8	COR-29D
COR23S	
CB23R	COR-61
COR27S	
CB27R	COR-8
COR40D	
CB2	-
COR43S	
CB43R	-
COR50D	
CB1	COR-50/60
COR50S	
CB1R	COR-50/60I
COR5D	
CB5	COR-2D
COR68	
CB85	COR-23D
COR78S	
CB78R	COR-48
COR7S	
CB34R	COR-35
COR83	
CB83	-
COR8S	
CB22R	COR-153

TO FIT :

CORBIN (I)
- ▶DOM (D)
- ▶LITTO (B)
- ▶NEMEF (NL)
- ▶OAL (I)

CORBIN (I)



CORBIN (I)



CORBIN (I)



Copyright by
KEYLINE

CORBIN (I)



COR30 COR31



COR10S



COR6D COR6S



COR6D-T

CORBIN (I)



COR6D-A

COR6D-FJ



COR6D-FP

CORBIN (I)

NEW COR6D-RK



COR6D-F



COR87

35

CROSS REFERENCE :

COR10S	
CB44R	COR-223
COR30	
CB30	COR-13D
COR31	
CB31	COR-10
COR6D	
CB6	COR-1D
COR6D-A	
CB6	COR-1D
COR6D-F	
CB6	COR-1D
COR6D-FJ	
CB6	COR-1D
COR6D-FP	
CB6	COR-1D
COR6D-RK	
CB6BZ	COR-1D
COR6D-T	
CB6	COR-1D
COR6S	
CB6R	COR-1I
COR87	
CB87	COR-37

TO FIT :

CORBIN (I)
- ▶DOM (D)
- ▶LITTO (B)
- ▶NEMEF (NL)
- ▶OAL (I)

Copyright by
KEYLINE

36

CROSS REFERENCE :

COR61	
-	COR-11D
COR61S	
-	COR-11
COR97	
-	-
COR97B	
CB97	COR-77
CR4	
CC3	-
CR4S	
CC3R	-
CR5	
CC2	-
CR5PD	
CC1	-
CR5PD-T	
CC1	-
CR5S	
CC2R	-
CR8	
CC8	-
CRN1	
COR1	CO-1D
FOR3	
CP1	FR-8
ZI14-A	
ZE12X	ZE-9D

TO FIT :

CORBIN (I)
- ▶DOM (D)
- ▶LITTO (B)
- ▶NEMEF (NL)
- ▶OAL (I)

CORNI (I)
- ▶BETA (I)

CORONA (D)

CPC (I)

CORBIN (I)



COR97B



COR97



COR61 COR61S

CORNI (I)



CR5PD

CR5PD-T



CR4 CR4S



CR5 CR5S

CORNI (I)



CR8

CORONA (D)



CRN1



ZI14-A

CPC (I)



FOR3

Copyright by
KEYLINE

CR (I)



TIN7

CVL (E)



CV3 CV3S



NEW CVL5

DAF (TR)



DF3 DF3S

DEKABA (BG)



2,50 mm Thickness

DK6B



2,32 mm Thickness

DK6

DELCA (GR)



DL1S DL2

DEXTER (I)



GIS4 GIS4S



DE5D DE5S

DIAMOND (RC)



DIA2

37

CROSS REFERENCE :

CV3	
CVL3	CVL-5D
CV3S	
CVL3R	CVL-5I
CVL5	
CVL5R	CVL-9D
DE5D	
DX1	DX-5D
DE5S	
DX1R	DX-5
DF3	
DF3	DAF-1D
DF3S	
DF3R	DAF-1
DIA2	
DN2	DIA-1
DK6	
DK6	DEK-8
DK6B	
-	-
DL1S	
DLC3	-
DL2	
DLC1R	-
GIS4	
GS4	GIU-2
GIS4S	
GS4R	GIU-2D
TIN7	
-	-

TO FIT :

CR (I)
▶TITAN (SLO)
CVL (E)
DAF (TR)
DEKABA (BG)
DELCA (GR)
DEXTER (I)
DIAMOND (RC)

Copyright by
KEYLINE

38

CROSS REFERENCE :

DO11	
DM10	DOM-11D
DO15	
DM16	DOM-13D
DO20	
DM11	DOM-18D
DO30	
DM128	DOM-39
DO37	
DM37	-
DO39S	
DM39R	DOM-29
DO58	
DM58	DOM-34
DO63	
DM63	DOM-26D
DO8	
DM8	DOM-1D
DO8S	
DM8R	DOM-1I
DO9S	
DM19R	-
DR1	
DIR1R	-
ULK1S	
RUS3R	UL-1

TO FIT :

DIERRE (I)

DIMITROVGRAD (RUS)

DOM (D)
- ▶CORBIN (I)
- ▶HUWIL (D)
- ▶LAPERCHE (F)
- ▶NEMEF (NL)

DIERRE (I)



DR1

DIMITROVGRAD (RUS)



ULK1S

DOM (D)



DO30 DO58



DO63



DO20

DO37 DO9S

DOM (D)



DO15



DO11



DO39S DO8 DO8S

Copyright by

KEYLINE

DOM (D)



DO21

DO12 DO12S



DO5



DO220 DO50S

DOM (D)



DO220-FP



DO110



DO14



DO5A

DOM (D)



DO220-FJ DO5-FJ



DO220-F



DO14-F DO5-F

CROSS REFERENCE :

DO110	
DM110	-
DO12	
BUR32	DOM-12D
DO12S	
DM17R	DOM-12
DO14	
DM14	DOM-2D
DO14-F	
-	-
DO21	
DM25	DOM-7D
DO220	
DM119	DOM-21D
DO220-F	
DM119	DOM-21D
DO220-FJ	
DM119	DOM-21D
DO220-FP	
DM119	DOM-21D
DO5	
DM3	DOM-5D
DO50S	
-	-
DO5A	
DM3X	DOM-20D
DO5-F	
DM3X	DOM-5D
DO5-FJ	
DM3	DOM-20D

TO FIT :

DOM (D)
- ▶CORBIN (I)
- ▶HUWIL (D)
- ▶LAPERCHE (F)
- ▶NEMEF (NL)

Copyright by
KEYLINE

40

CROSS REFERENCE :

DO100	
-	-
DO100X	
DM139	DOM-B1
DO120	
DM120	DOM-22
DO16	
DM15	-
DO24	
DM24	DOM-31
DO27	
-	-
DO60	
-	-
DO60S	
-	-
DS1	
DS6	DO-3
DS2	
DS7	DO-4
EF1	
EF3R	-
EF2S	
EF5R	-
ELZ1	
EL1	ELZ-1D
EMK1	
EMK1	EMK-1

TO FIT :

DOM (D)
- ▶CORBIN (I)
- ▶HUWIL (D)
- ▶LAPERCHE (F)
- ▶NEMEF (NL)

DOMUS (GR)

EFCO (AUS)

ELZETT (H)
- ▶CES (D)

EMKA (F)

DOM (D)



IX5

DO100X



DO100 DO120 DO24



DO16

DOM (D)



NEW DO27



NEW DO60 NEW DO60S

DOMUS (GR)



DS1 DS2

EFCO (AUS)



EF1



EF2S

ELZETT (H)



ELZ1

EMKA (F)



EMK1

Copyright by

KEYLINE

ERA (GB)



ERA1



ERA2

ESLA (GB)



ESL1S

ET. POWER (NL)



EPK1P EPK1SP

ETAS (GB)



ETA1

EURO-LOCKS (B)



LF26



LF7 LF7S



LF85 LF85S

EURO-LOCKS (B)



LF16



EU13S



LF23R LF24 LF24S

41

CROSS REFERENCE :

EPK1P STH1P	-
EPK1SP STH1RP	-
ERA1 ER1	ER-1D
ERA2 ER2	ER-2D
ESL1S -	ESL-1
ETA1 ETA1	ETS-1D
EU13S EU13R	EU-8D
LF16 LF6R	LF-1I
LF23R LF23R	LF-29D
LF24 LF22	LF-8
LF24S LF22R	LF-8D
LF26 LF30R	LF-14D
LF7 EU4	EU-4D
LF7S EU4R	EU-5
LF85 LF4	LF-15
LF85S LF4R	LF-15D

TO FIT :

ERA (GB)
ESLA (GB)
ET. POWER (NL)
ETAS (GB)
EURO-LOCKS (B)
▶BASI (D)

Copyright by
KEYLINE

42

CROSS REFERENCE :

EU10	
EU10	EU-7
EU10S	
EU10R	EU-7D
EU11S	
EU11R	EU-10D
EU14S	
EU14	-
EU16S	
EU16R	LF-33D
EU18	
EU18R	-
EU8	
EU17	EU-15
LF19	
LF19	LF-7
LF1S	
EU1R	EU-1
LF25	
LF16	LF-12D
LF3S	
EU5R	EU-2
LF4S	
EU3	EU-6
LF5	
LF12	-
LF87	
LF2	LF-2
LF88	
EU19	-

TO FIT :

EURO-LOCKS (B)
▶BASI (D)

EURO-LOCKS (B)



EU10 EU10S



LF88



LF25 LF87

EURO-LOCKS (B)



EU18 LF3S



LF19



LF5



EU14S

EURO-LOCKS (B)



EU8

EU16S



EU11S LF1S LF4S

Copyright by
KEYLINE

EURO-LOCKS (B)



EU56

EUROSPEC (GB)



EUS1-F



EUS1

EUROSPEC (GB)



EUS2



NEW EUS3

EVERGOOD (RC)



EVD2



EVD3 EVD3S EVD4



EVD5

43

CROSS REFERENCE :

EU56	
LF57	LF-11
EUS1	
EUS1	TX-3D
EUS1-F	
-	-
EUS2	
-	-
EUS3	
-	-
EVD2	
ED4	EVE-1
EVD3	
-	-
EVD3S	
ED3R	EVE-2D
EVD4	
ED2	SSO-1
EVD5	
-	-

TO FIT :

EURO-LOCKS (B)
▶BASI (D)
EUROSPEC (GB)
EVERGOOD (RC)

Copyright by
KEYLINE

44

CROSS REFERENCE :

EV10-A	
EV10X	EV-6D
EV10-F	
EV10X	EV-6D
EV10-FJ	
EV10X	EV-6D
EV117S-A	
-	-
EV11-A	
-	-
EV12-A	
-	-
EV13-A	
-	-
EV15-A	
EV4X	EV-8D
EV22S-A	
-	-
EV35-A	
-	-
EV40S	
-	-
EV5-A	
EV3X	EV-2
EV5-F	
EV3X	EV-2
EV69-A	
EV69X	EV-9D
EV69-F	
-	-
EV8S	
EV8R	EV-11
EXT1	
-	-

TO FIT :

EVVA (A)
EXTRA (IL)

EVVA (A)



EV8S



EV5-A

EV22S-A

EV15-A

EV13-A

EV10-A EV11-A EV12-A EV69-A

EVVA (A)



EV10-F EV5-F EV69-F



EV10-FJ



EV40S

EVVA (A)



NEW EV117S-A NEW EV35-A

EXTRA (IL)



EXT1

Copyright by
KEYLINE

EZCURRA (E)



ER1S



ER4



ER5

FAB (CZ)





32 FB2-320

30 FB2-300

26 FB2-260

24 FB2-240

20 FB2-200

22 FB2-220

23 FB2-230

15 FB3-150

14 FB3-140

9 FB3-90

13 FB3-130

8 FB3-80

0 FB3-100

11 FB3-110

12 FB3-120

16 FB3-160

FAB (CZ)



23 FB1-230

22 FB1-220

32 FB1-320

20 FB1-200

30 FB1-300

14X FB1-140X

26 FB1-260

10X FB1-100X

11X FB1-110X

12X FB1-120X

24 FB1-240

45

CROSS REFERENCE :

ER1S	
EZ2R	EZ-1I
ER4	
EZ4X	EZ-DS10E
ER5	
EZ5X	EZ-DS15R
FB1-100X	
FB21R	FB-4
FB1-110X	
FB22R	FB-5
FB1-120X	
FB25R	FB-26
FB1-140X	
FB28R	FB-29
FB1-200	
FB13R	FB-6
FB1-220	
FB15R	FB-2I
FB1-230	
FB16R	FB-8
FB1-240	
FB17R	FB-9
FB1-260	
FB18R	FB-10
FB1-300	
FB19R	FB-11
FB1-320	
FB20R	FB-12
FB2-200	
FB13RX	FB-27
FB2-220	
FB15RX	FB-13
FB2-230	
FB16RX	FB-14
FB2-240	
FB17RX	FB-15
FB2-260	
FB18RX	FB-16
FB2-300	
FB19RX	FB-17
FB2-320	
FB20RX	FB-18
FB3-100	
FB2	FB-20
FB3-110	
FB1	FB-1
FB3-120	
FB4R	FB-21
FB3-130	
FB10R	FB-22
FB3-140	
FB3R	FB-23
FB3-150	
FB11R	FB-24
FB3-160	
FB12R	FB-25
FB3-80	
FB7R	FB-3
FB3-90	
FB6R	FB-19

TO FIT :

EZCURRA (E)

FAB (CZ)
- ▶GUARD (CZ)
- ▶LOB (PL)
- ▶YETI (RC)

Copyright by

KEYLINE

46

CROSS REFERENCE :

BAS4SM	
FM2	-
FAC12	
FAC12	FAC-18
FAC7	
FAC7	FAC-11D
FAC9	
FAC9	FAC-13D
FAN1	
FAN1	FAN-1D
FB1-100X-FJ	
FB21R	FB-4
FB1-110X-FJ	
FB22R	FB-5
FB1-120X-FJ	
FB25R	FB-26
FB1-320-FJ	
FB20R	FB-12
FB35S-A	
FB35R	FB-38
FB36	
FB36	-
FM4PD	
FM4	-
FM5PD	
FM5	-

TO FIT :

FAB (CZ)
▶GUARD (CZ)
▶LOB (PL)
▶YETI (RC)

FAC (E)

FANA (PL)

FASEM (I)
▶BERETTA (I)

FAB (CZ)



FAB (CZ)



FAC (E)



FANA (PL)



FASEM (I)



Copyright by
KEYLINE

FASEM (I)

FM4SM



FM5SM



FM50SM

FCV (D)



FV2



NEW FV5S NEW FV6S



FV4

FEB (I)



NEW FE2

FF-FACCHINETTI (I)



FF4 FF5



FF2



FF19

47

CROSS REFERENCE :

FE2	
FEB2	CF-1D
FF19	
FF19	FF-13
FF2	
FF1	FF-2D
FF4	
FF15	FF-3
FF5	
FF2	FF-1D
FM4SM	
FM1	JV-6
FM50SM	
FM6	JV-2
FM5SM	
FM090	-
FV2	
FV2	-
FV4	
FV4	-
FV5S	
-	-
FV6S	
-	-

TO FIT :

FASEM (I)
▶BERETTA (I)
FCV (D)
FEB (I)
FF-FACCHINETTI (I)

Copyright by
KEYLINE

48

CROSS REFERENCE :

FIA3S	
FI3R	-
FIA6	
FI232	-
FIA6S	
FI233	-
FIA7	
FI4R	-
FIC3	
FT510	FIC-4
FIC5	
FT5C	FIC-8
FIR1	
FID1	-
FIS3	
FIS3	FIS-1D

TO FIT :

FIAM (I)
▶MORI G. (I)
FICHET (F)
FIRMADOOR (AUS)
FIST (I)

FIAM (I)



FIA6 FIA6S



FIA7 FIA3S

FICHET (F)



FIC3



FIC5

FIRMADOOR (AUS)



FIR1

FIST (I)

FIS3

Copyright by
KEYLINE

FORT (USA)



FTH (F)



FTH (F)



FTH (F)



49

CROSS REFERENCE :

FOR1S	
FRT4R	FR-1D
FOR2S	
FRT5R	FR-2
FOR3	
CP1	FR-8
FTH10	
FH13	FTH-11D
FTH11	
FH11	FTH-5
FTH14	
-	FTH-14D
FTH15	
FH15	FTH-9
FTH23S	
FH23R	-
FTH4	
FH4	FTH-1
FTH5	
FH7	FTH-4
FTH6	
FH6	FTH-3
FTH7	
FH10R	FTH-10

TO FIT :

FORT (USA)

FTH (F)

- ▶ABUS (D)
- ▶CAS-CISMA (I)
- ▶CITY (F)
- ▶GLOBE (RC)
- ▶TITAN (SLO)

Copyright by
KEYLINE

50

CROSS REFERENCE :

FTH12	
FH12	FTH-7
FTH17	
FH17R	FTH-16
GG10-A	
GE52X	-
GG10-FJ	
GE52X	-
GG11-A	
-	-
GG18	
GE118	GE-10D
GG2	
GE1	GE-1D
GG2-A	
GE1X	GE-5D
GG2-F	
GE1	GE-1D
GG2-FJ	
GE1	GE-1D
GG2S	
GE1R	-
GG7S-A	
GE7RX	GE-9
GG8S	
-	-
GG9-T	
GE106	GE-3D

TO FIT :

FTH (F)
- ▶ABUS (D)
- ▶CAS-CISMA (I)
- ▶CITY (F)
- ▶GLOBE (RC)
- ▶TITAN (SLO)

GE-GE (A)

FTH (F)



FTH12



NEW FTH17

GE-GE (A)



GG8S



GG2 GG2S

GE-GE (A)



GG2-A



GG10-A GG11-A GG7S-A



GG10-FJ GG2-FJ

GE-GE (A)



GG2-F



GG9-T



GG18

Copyright by
KEYLINE

GE-GE (A)



NEW GG25S-14-A NEW GG25S-17-A NEW GG25S-8-A

GERA (D)



GR2S



GER3



GER15

GERDA EUROPROFIL (PL)



WK E1

GDAK1



GDAK2

GIANT (NL)



GNT1P

51

CROSS REFERENCE :

GDAK1	
-	-
GDAK2	
-	-
GER15	
GR15	GEA-5D
GER3	
GR3	GEA-4D
GG25S-14-A	
GE178RX-14	-
GG25S-17-A	
GE178RX-17	-
GG25S-8-A	
GE178RX-8	-
GNT1P	
GNT1P	-
GR2S	
GR2R	GEA-3

TO FIT :

GE-GE (A)
GERA (D)
GERDA EUROPROFIL (PL
GIANT (NL)

Copyright by
KEYLINE

52

CROSS REFERENCE :

CEM1	
CM2	CMA-1
CEM1S	
CM2R	CMA-1D
GB1S	
GT1	-
GIS12	
-	-
GIS17	
GS17	-
GIS1PD	
GS1	-
GIS2PD	
GS13	GIU-3D
GIS4	
GS4	GIU-2
GIS4PD	
GS2	-
GIS4PS	
GS2R	-
GIS4S	
GS4R	GIU-2D
GIS5PD	
SM1R	GIU-1D
GIS5PS	
SM1	GIU-1
GIS6PD	
-	-
GIS6PS	
GS3	-
GO1	
GL1	-
GO1S	
GL1R	-
GO6	
GL6	GLO-6

TO FIT :

GIOBERT (I)
▶CLAUSOR (E)

GIUSSANI (I)
▶BRETER (I)
▶OAL (I)
▶SIMECA (CH)

GLOBE (RC)
▶FTH (F)
▶IFAM (E)

GIOBERT (I)



GB1S



CEM1 CEM1S

GIUSSANI (I)



GIS2PD



GIS4 GIS4S

GIUSSANI (I)



GIS1PD GIS5PD GIS5PS



GIS4PD GIS4PS



GIS6PD GIS6PS

GIUSSANI (I)



GIS12



GIS17

GLOBE (RC)



NEW GO1 NEW GO1S



GO6

Copyright by
KEYLINE

GLOBE (RC)



GO3 GO3S

NEW GO17



GO8



GO9 GO9S

GLOBE (RC)



NEW GO13

GOAL (J)



KL109

GRIFO (RC)



GRI1S

GTV (D)



NEW GTV1-53-A

GUARD (CZ)



GUA6S

GUA6

GUA5S

GUA4 GUA4S GUA5

GUERVILLE (F)



GR6 GR6S



GR3 GR3S

53

CROSS REFERENCE :

GO13	
GL13R	-
GO17	
GL17R	GLO-9D
GO3	
GL7	GLO-2
GO3S	
GL7R	GLO-2D
GO8	
GL8	GLO-3
GO9	
GL9	GLO-4D
GO9S	
GL9R	GLO-4
GR3	
RIQ2	GR-2I
GR3S	
RIQ3	GR-2D
GR6	
RIQ11	GR-6D
GR6S	
RIQ11R	GR-6
GRI1S	
GF1	-
GTV1-53-A	
-	-
GUA4	
-	-
GUA4S	
-	-
GUA5	
-	-
GUA5S	
-	-
GUA6	
-	-
GUA6S	
-	-
KL109	
GO6	-

TO FIT :

GLOBE (RC)
▶FTH (F)
▶IFAM (E)

GOAL (J)

GRIFO (RC)

GTV (D)

GUARD (CZ)
▶ABUS (D)
▶FAB (CZ)

GUERVILLE (F)
▶ABUS (D)
▶BRICARD (F)

Copyright by
KEYLINE

54

CROSS REFERENCE :

GR1 RIQ1	GR-1I
GR1S RIQ1R	GR-1D
GR7 RIQ7R	GR-4I
GR7S RIQ7	GR-4D
HE1 HN3	HEK-4
HE2 HN1	HEK-1
HE4 HN4	HEK-2
HFL1 HF75R	HAF-2D
HFL1S HF75	HAF-2
HFL2S HF73R	HAF-4
HFL3 HF74R	HAF-1D
HFL3S HF74	HAF-1
HFL7 -	-
HN1S HEN1	HEN-1
HO1S HO2R	HOR-1
HOP1 HPP1R	BUR-10D
HOP1S HPP1	BUR-10

TO FIT :

GUERVILLE (F)
▶ABUS (D)
▶BRICARD (F)
HÄFELE (D)
HEKNA (D)
▶DOM (D)
▶HR (D)
HENDERSON (GB)
HOPPE (D)
▶BURG (D)
HORSE (RC)

GUERVILLE (F)



HÄFELE (D)



HÄFELE (D)



HEKNA (D)



HENDERSON (GB)



HOPPE (D)



HORSE (RC)



Copyright by
KEYLINE

HR (D)



HR1

HUDSON (USA)



HS1 HS1S

HUNIT (I)



HUN5

HUWIL (D)



HL3S



HL1



HL2S HL2

ICA (E)



NEW ICA1S

ICSA (I)



IC4



IC5



IC1



IC2

55

CROSS REFERENCE :

HL1	
HW1	HUW-N
HL2	
-	-
HL2S	
HW4R	HUW-1D
HL3S	
HW5	-
HR1	
HR1	OJ-9D
HS1	
HD1R	HUD-1D
HS1S	
HD1	HUD-1
HUN5	
HUT1	-
IC1	
LC14R	LIN-19D
IC2	
-	-
IC4	
ICS2	ICS-1D
IC5	
ICS1	ICS-2D
ICA1S	
ICA1R	ICA-1

TO FIT :

HR (D)
▶HEKNA (D)
▶OJMAR (E)

HUDSON (USA)

HUNIT (I)
▶FTH (F)

HUWIL (D)
▶DOM (D)

ICA (E)

ICSA (I)

Copyright by
KEYLINE

56

CROSS REFERENCE :

IC2P	
-	-
IF3	
IF3	IF-45/55
IF3S	
IF3R	IF-I50
IF6	
IF6	IF-1I
IL1S	
IL1	IL-1I
ING5	
ING5	ING-5
ISB1	
IB1	FAIN1I
ISE28	
IE28R	-
ISE3D	
IE8	-
ISE3S	
IE8R	-
ISE41D	
IE224	IS-2D
ISE41S	
IE225	IS-2I
ISE4D	
IE7	-
ISE4S	
IE7R	-
ISE50PD	
IE1	-
ISE5PD	
IE3	IS-1D
ISE5PS	
IE3R	IS-1I

TO FIT :

ICSA (I)
IFAM (E)
ILARGI (ES)
INGERSOLL (GB)
ISABEL FAINER`S (P)
ISEO (I)
▶IFAM (E)
▶VACHETTE (F)

ICSA (I)



IC2P

IFAM (E)

IF6



IF3 IF3S

ILARGI (ES)



IL1S

INGERSOLL (GB)



ING5

ISABEL FAINER`S (P)



ISB1

ISEO (I)



ISE3D ISE3S



ISE28 ISE50PD ISE5PD ISE5PS



ISE4S ISE41D ISE41S ISE4D

Copyright by
KEYLINE

ISEO (I)



F3
ISE27S



ISE2 ISE31 ISE51

ISE5SM
ISE5S
F5
ISE5D



ISE5D-T

ISEO (I)

ISE5D-FP



ISE5D-FJ



ISE5D-F

NEW ISE5D-RK

ISEO (I)



R11+R7
ISE14

R6
ISE15

ISE30
ISE17



R6
ISE20

CROSS REFERENCE :

ISE14	
IE14	-
ISE15	
IE15	IS-6D
ISE17	
IE26	IS-10
ISE2	
IE2	IS-8D
ISE20	
IE15	IS-6D
ISE27S	
IE27R	IS-15
ISE30	
IE30	IS-20
ISE31	
IE31	IS-21D
ISE51	
IE10	IS-19D
ISE5D	
IE6	IS-8D
ISE5D-F	
IE6	IS-8D
ISE5D-FJ	
IE6	IS-8D
ISE5D-FP	
IE6L	-
ISE5D-RK	
IE6DZ	-
ISE5D-T	
IE6	IS-8D
ISE5S	
IE6R	IS-3I
ISE5SM	
IE9	IS-4

TO FIT :

ISEO (I)
▶IFAM (E)
▶VACHETTE (F)

Copyright by
KEYLINE

58

CROSS REFERENCE :

ISE14P	
IE14	-
ISE15P	
IE15	IS-6D
ISE17P	
IE26P	IS-10.P
ISE29	
IE29	IS-17D
JI1	
JS2	JIS-1D
JI2S	
JS3R	JIS2I
JM1	
JM1	JPM-1D
JM1S	
JM1R	JPM-1I
JM2S	
JM2R	JPM-2I
JM2S-FJ	
JM2R	JPM-2I
JM3	
JM3	JPM-4D
JM3S	
JM3R	JPM-4
JM501S	
-	-

TO FIT :

ISEO (I)
- ▶IFAM (E)
- ▶VACHETTE (F)

JIS (E)

JPM (F)
- ▶ABUS (D)
- ▶KESO (CH)
- ▶SIMECA (CH)

ISEO (I)



ISE17P

R6
ISE15P

R11+R7
ISE14P



F6
ISE29

JIS (E)



JI2S



JI1

JPM (F)



JM501S



JM3S

JM3

JM1 JM1S JM2S



JM2S-FJ

Copyright by
KEYLINE

JPM (F)



JM6

JU (D)



JU1 JU1S JU2S

JU3

JUNGHEINRICH (D)



JG1S

JUNIE (D)



JUN1



JUN2

JUWEL (D)



JOW12-A

JVAL (P)



JV1 NEW JV1S NEW JV6S



JV5 JV5S

59

CROSS REFERENCE :

JG1S	
JR1R	JGH-1D
JM6	
JM6	JPM-10D
JOW12-A	
JOW12X	-
JU1	
JU11	JNG-1
JU1S	
JU11R	JNG-1D
JU2S	
JU13R	JNG-2D
JU3	
JU12	JNG-3
JUN1	
JU1	JUNI-1D
JUN2	
JU2	JUNI-2D
JV1	
-	-
JV1S	
VL2RE	JV-4I
JV5	
VL5E	JV-7D
JV5S	
VL5RE	JV-7
JV6S	
JL5	JV-5I

TO FIT :

JPM (F)
▶ABUS (D)
▶KESO (CH)
▶SIMECA (CH)

JU (D)
▶KIFERM (F)
▶VACHETTE (F)

JUNGHEINRICH (D)

JUNIE (D)

JUWEL (D)

JVAL (P)

Copyright by
KEYLINE

60

CROSS REFERENCE :

KA1	
KA1	KA-7
KA2	
KA2	KA-2
KA8	
KA8	KA-5
KAL1S	
KLG1R	KAL-1
KAL2S	
KLG2R	KAL-2D
KE1	
KLE1	KAE-1D
KE10S	
KLE10R	KAE-12D
KE11	
KLW9R	KAE-11D
KE4	
-	-
KE5	
KLE5X	KAE-6D
KE5S	
KLE5RX	KAE-6
KE7	
KLE7X	KAE-8D
KE7S	
KLE7RX	KAE-8L
KE8	
KLE8R	KAE-10D

TO FIT :

KABA (CH)

KALE (TR)

KALUGA (RUS)

KABA (CH)



KALE (TR)



KALE (TR)



KALUGA (RUS)



Copyright by
KEYLINE

KARWEI (NL)



BMC1

KAZAN (RUS)



KZN1S



KZN2 KZN2S



KZN7S

KESO (CH)



KS2



KS2X



KS13

KESO (CH)



KS13X



NEW KS13XL



KS1

61

CROSS REFERENCE :

BMC1	
MSF1	-
KS1	
KE1	KE-1
KS13	
KE13	KE-5
KS13X	
-	-
KS13XL	
-	-
KS2	
KE3	KE-3
KS2X	
KE19	-
KZN1S	
KAZ1R	KAZ-1
KZN2	
KAZ2	KAZ-5D
KZN2S	
KAZ2R	KAZ-5
KZN7S	
KAZ7R	KAZ-7

TO FIT :

KARWEI (NL)
KAZAN (RUS)
KESO (CH)
▶ALA (I)
▶JPM (F)

Copyright by
KEYLINE

62

CROSS REFERENCE :

ABS3	
KEY1	AB-8I
KM13	
KI13	LAS-P
KM2	
KI12	LAS-5
KM2S	
KI12R	LAS-5D
KM5	
KI5R	LAS-SX
KM5S	
KI5	LASXS
KM6	
KI6	LAS-TX
KM7	
KI7	LAS-XY
KS3	
KE9	KE-4
KV1	
KF1	KFV-1
KV1-F	
KF1	KFV-1
KV1-FJ	
KF1	KFV-1
KYA2S	
KEY2	AB-11

TO FIT :

KESO (CH)
▶ALA (I)
▶JPM (F)

KEYA (E)

KFV (D)
▶FCV (D)

KIFERM (F)
▶LAS (F)

KESO (CH)



KS3

KEYA (E)



ABS3



NEW KYA2S

KFV (D)



KV1

KV1-FJ



KV1-F

KIFERM (F)



KM2 KM2S



KM5 KM5S KM6

KM7



KM13

Copyright by
KEYLINE

KIROVSMACH (RUS)



KVR (D)



KWIKSET (USA)







LAPERCHE (F)









63

CROSS REFERENCE :

CY6	
CA9	CA-9I
K1	
KS1FT	KWI-1
K10	
KS1	KWI-1
K1-F	
-	-
KIR2	
SEM1	KIR-2
LR1	
LH1	LAP-1
LR10	
LH42	LAP-96D
LR7	
LH5	LAP-5D
LR9	
LH40	LAP-9D

TO FIT :

KIROVSMACH (RUS)

KVR (D)

KWIKSET (USA)
- BRICARD (F)
- MASTER (USA)
- VACHETTE (F)

LAPERCHE (F)
- CAS-CISMA (I)
- DOM (D)

Copyright by
KEYLINE

64

CROSS REFERENCE :

LAS1	
LS1	LAS-R
LAS11	
LS14	LAS-4
LAS11S	
LS14R	LAS-4D
LAS3	
LS11	LAS-KT
LAS3S	
LS11R	LAS-TK
LAS5	
LS7	LAS-3
LAS7	
LS9	LAS-6D
LAS7S	
LS9R	LAS-6
LAS9	
LS13	LAS-FH
LAS9S	
LS13R	LAS-2
LEA1	
LEA1	HB-1
LH5D	
LH2	LAP-2D
LR11	
LH41P	LAP-23P
LR2	
LH10	LAP-3D
LR2S	
LH10R	LAP-3D
LR4	
LH3	-
LR6S	
LH6R	-

TO FIT :

LAPERCHE (F)
▶CAS-CISMA (I)
▶DOM (D)

LAS (F)
▶RONIS (F)

LEGALLIAIS (F)

LAPERCHE (F)



LAS (F)



LAS (F)



LEGALLIAIS (F)



Copyright by
KEYLINE

LEGGE (GB)



LE1

LE1-FJ



LE1-F

LINCE (E)



LIN13



LIN12 LIN2

LIN3S

LIN3

LIN2S



LIN1

LINCE (E)



IC1



LIN15

65

CROSS REFERENCE :

IC1	
LC14R	LIN-19D
LE1	
LEG1	LEG-1D
LE1-F	
LEG1	LEG-1D
LE1-FJ	
LEG1	LEG-1D
LIN1	
-	LIN-21D
LIN12	
LC12	LIN-2
LIN13	
LC13	LIN-18D
LIN15	
LC15	LIN-16D
LIN2	
LC2	LIN-3D
LIN2S	
LC2R	LIN-3I
LIN3	
LC11	LIN-15D
LIN3S	
LC11R	LIN-15I

TO FIT :

LEGGE (GB)

LINCE (E)

Copyright by

KEYLINE

66

CROSS REFERENCE :

LI11	
LP11	KE-2
LI12	
LP12	-
LI12S	
LP12R	-
LI13	
LP13	-
LI13S	
LP13R	LIP-3
LI2	
-	-
LI21	
LP21	LIP-1D
LI21-F	
LP21	LIP-1D
LI21-FJ	
LP21	LIP-1D
LI21-FP	
LP21	LIP-1D
LI21S	
LP21R	-
LI2S	
-	-
LI3	
-	-
LI33	
LP3R	LIP-28D
LI33S	
LP3	LIP-33
LI3S	
-	-
LI6S	
LP57R	LIP-4
LI7	
LP7	-
LI7S	
LP7R	-
LI8	
LP8	-
LI8S	
LP8R	-

TO FIT :

LIPS (NL)

LIPS (NL)



LIPS (NL)



LIPS (NL)



Copyright by

KEYLINE

LITTO (B)



LIT4



LIT1S



LIT2

LITTO (B)



LIT1S-FJ LIT4-FJ

LIT1S-FP LIT4-FP



LIT1S-F LIT4-F

LITTO (B)



LIT6S

LOB (PL)



LOB1S YTM1R



YET17

67

CROSS REFERENCE :

LIT1S	
LT2	LIT-1I
LIT1S-F	
LT2	LIT-1I
LIT1S-FJ	
LT2	LIT-1I
LIT1S-FP	
LT2	LIT-1I
LIT2	
LT5	LIT-7D
LIT4	
LT4	LIT-2D
LIT4-F	
LT4	LIT-2D
LIT4-FJ	
LT4	LIT-2D
LIT4-FP	
LT4	LIT-2D
LIT6S	
-	-
LOB1S	
LOB1R	LB-1
YET17	
YT16	-
YTM1R	
-	-

TO FIT :

LITTO (B)
▶BKS (D)
▶CORBIN (I)
LOB (PL)

Copyright by
KEYLINE

68

CROSS REFERENCE :

LKW11	
LW14	LWO-7D
LKW15	
LW15	-
LKW160	
LW16	-
LKW17	
LW17	LWO-9
LKW2	
LW3	LWO-8
LKW3	
LW3	LWO-8
LKW4S	
LW12R	LWO-8
YET15	
YT15	LB-2D
YET15A	
YT15X	LB-RD
YET15-D	
YT15	LB-2D
YET16	
YT16	-
YET16A	
-	-
YET16-D	
YT16	-
YET17X	
YT16X	-

TO FIT :

LOB (PL)

LOCKWOOD (AUS)

▶AUSTRAL LOCK (AUS)

LOB (PL)



YET17X



YET15 YET16



YET15-D YET16-D

LOB (PL)



YET15A YET16A

LOCKWOOD (AUS)



LKW2 LKW3 LKW4S



NEW LKW11

LOCKWOOD (AUS)



LKW15



LKW17



LKW160

Copyright by

KEYLINE

LOCKWOOD (AUS)



LKW5PD



LKW5 LKW5S



LKW8

LOCKWOOD (AUS)



LKW9

LKW60

LKW29

LKW16 LKW9S

LKW100 LKW110 LKW12 LKW90



LKW21S

LOCKWOOD (AUS)



LKW5-F



LKW9-F

LOWE & FLETCHER (GB)



LF26



LF28S

69

CROSS REFERENCE :

LF26	
LF30R	LF-14D
LF28S	
LF59R	LF-38D
LKW100	
LW10	-
LKW110	
LW11	-
LKW12	
LW8	-
LKW16	
LW7	-
LKW21S	
LW21R	-
LKW29	
LW29	-
LKW5	
LW4	LWO-1D
LKW5-F	
-	-
LKW5PD	
AUS1	-
LKW5S	
LW4R	LWO-1
LKW60	
LW6	-
LKW8	
LW18	-
LKW9	
LW5	LWO-2D
LKW90	
LW9	-
LKW9-F	
-	-
LKW9S	
LW5R	-

TO FIT :

LOCKWOOD (AUS)
▶AUSTRAL LOCK (AUS)
LOWE & FLETCHER (GB)
▶BASI (D)

Copyright by
KEYLINE

70

CROSS REFERENCE :

LF11	
LF11	LF-5
LF11S	
LF11R	LF-5D
LF12S	
LF8	LF-22
LF14S	
LF45R	LF-21
LF16	
LF6R	LF-1I
LF20S	
LF31R	LF-45
LF27S	
LF58R	LF-37D
LF29S	
LF43R	LF-44
LF30	
LF25	LF-40
LF32	
LF27	LF-20
LF32S	
LF27R	LF-20D
LF33	
LF24	LF-25
LF61S	
LF61R	-
LF85	
LF4	LF-15
LF85S	
LF4R	LF-15D

TO FIT :

LOWE & FLETCHER (GB)
►BASI (D)

LOWE & FLETCHER (GB)



LOWE & FLETCHER (GB)



LOWE & FLETCHER (GB)



Copyright by
KEYLINE

LOWE & FLETCHER (GB)



LOWE & FLETCHER (GB)



LOWE & FLETCHER (GB)



71

CROSS REFERENCE :

EU10S	
EU10R	EU-7D
LF18	
LF36	-
LF19	
LF19	LF-7
LF19S	
LF19R	LF-7D
LF21	
LF37	-
LF23R	
LF23R	LF-29D
LF24	
LF22	LF-8
LF24S	
LF22R	LF-8D
LF25	
LF16	LF-12D
LF25S	
LF16R	LF-12
LF5	
LF12	-
LF56	
LF56	LF-26
LF6	
LF26	LF-24
LF87	
LF2	LF-2
LF88	
EU19	-

TO FIT :

LOWE & FLETCHER (GB)
▶BASI (D)

Copyright by
KEYLINE

72

CROSS REFERENCE :

LF31	
LF39	LF-30
LF60	
LF60	LF-36
LF8S	
LF28R	LF-28
LU2	
LU2	LUC-1D
MAR1	
MA1R	-
MAR1S	
MA1	-
MAR2	
MA2	MQ-1I
MAR2S	
MA2R	MQ-1D
MGN1SP	
MGN1RP	MAG-2DP
MST1	
-	-
MST20	
MS1	MAS-1
MST2S	
MS3	MAS-9

TO FIT :

LOWE & FLETCHER (GB)
▶BASI (D)
LUCKY (RC)
MAGNUM (CH)
MARX (PT)
MASTER (USA)
▶ABUS (D)
▶TOK-WINKHAUS (D)

LOWE & FLETCHER (GB)



LF31



LF60



LF8S

LUCKY (RC)



LU2

MAGNUM (CH)



MGN1SP

MARX (PT)



NEW MAR2 NEW MAR2S



NEW MAR1 NEW MAR1S

MASTER (USA)

MST1 MST20



MST2S

Copyright by
KEYLINE

MASTER (USA)



CA18

NEW MST10



MST19

MAUER (D)



MA4



MA1S



MA3S

MCM (E)



MC3



MC5S



MC1 MC1S



MC12

73

CROSS REFERENCE :

CA18	
MS6	MAS-3D
MA1S	
-	-
MA3S	
MAU1R	DEK-13
MA4	
-	-
MC1	
MC2	MCM-4D
MC12	
MC12	MCM-13D
MC1S	
MC2R	MCM-4I
MC3	
MC4	MCM-5D
MC5S	
MC5R	MCM-2I
MST10	
MS10	MAS-13D
MST19	
MS19	MAS-4D

TO FIT :

MASTER (USA)
▶ABUS (D)
▶TOK-WINKHAUS (D)

MAUER (D)
▶DEKABA (BG)

MCM (E)
▶LOB (PL)
▶RONIS (F)
▶YETI (RC)

Copyright by
KEYLINE

CROSS REFERENCE :

MC10S	
MC10R	MCM-10
MC14S	
MC14R	-
MC15S	
MC15R	MCM-16
MC17	
-	-
MC19S	
MC19R	MCM-C4C
ME19S	
MER19R	MER-10I
ME40PD	
MER2	MER-15
ME41PD	
MER1	MER-16D
ME42PD	
MER4	MER-17
ME42PS	
MER4R	-
MEF1S	
MF1R	BRA-1
MER1	
MLE1	MRL-1D
MER2	
MLE2	MRL-2D

TO FIT :

MCM (E)
▶LOB (PL)
▶RONIS (F)
▶YETI (RC)

ME-FA (RC)
▶BRABANTIA (E)

MERLE (RA)

MERONI (I)

MCM (E)



MC17 MC19S



MC15S



NEW MC14S

MCM (E)



MC10S

ME-FA (RC)



MEF1S

MERLE (RA)



MER2



MER1

MERONI (I)



ME40PD



ME41PD

ME42PD ME42PS



ME19S

Copyright by
KEYLINE

MERONI (I)



MERONI (I)



MERONI (I)



75

CROSS REFERENCE :

ME10S MER10R	MER-2I
ME11S MER11R	MER-3I
ME12S MER12R	MER-4I
ME13S MER13R	MER-14I
ME14S MER14R	MER-9I
ME15S MER15R	MER-13I
ME16S MER16R	MER-6I
ME17S MER17R	MER-7I
ME17T MER22T	MER-1T
ME18S MER18R	MER-8I
ME18T MER25T	MER-2T
ME20S MER20R	MER-11I
ME21S MER21R	MER-12I
ME34 MER34R	-
ME35 MER35R	-
ME38 MER38	-
ME4D -	-
ME50S MER13R	MER-14I
ME5D MER8	MER-1D
ME5D-F MER8	MER-1D
ME5D-FJ MER8	MER-1D
ME9S MER9R	MER-5I

TO FIT :

MERONI (I)

Copyright by

KEYLINE

76

CROSS REFERENCE :

CR4	
MG2	-
EVD4	
MER36	SSO-1
ME39	
MER39	-
MET1S	
MTA1R	MTL-1
MET2	
MTA2	-
MN1	
MN7	-
MN100	
-	-
MN1S	
MN7R	-
MN2S	
MG9	MGA-2
MN3	
MN9	-
MN3S	
MN9R	-
MN6	
-	-
MN7	
-	-
MN8	
MN3	-
MN9	
MG8	MGA-3

TO FIT :

MERONI (I)
METAL (BG)
MG MONTI (I)

MERONI (I)



METAL (BG)



MG MONTI (I)



MG MONTI (I)



Copyright by
KEYLINE

MICHEL-SEAT (I)



SE1 SE2



MCH7S OMR1S

POT2 POT2S



POT1 POT1S

MICHEL-SEAT (I)



MCH2S

MIWA (J)



KL760



KL248

MLM (F)



MLM1 MLM1S

MOIA (I)



MOI1P

MORI E. (I)



MO1D

77

CROSS REFERENCE :

KL248	
MIW2	MIW-2
KL760	
MIW14	MIW-4
MCH2S	
MH2	MCH-1D
MCH7S	
OMR1R	OM-1
MLM1	
MLM1	MLM-2
MLM1S	
MLM1R	MLM-5D
MO1D	
MIG2	-
MOI1P	
MOI1RP	-
OMR1S	
OMR1R	OM-1
POT1	
PT1R	MCH-1D
POT1S	
PT1	MCH-1
POT2	
MH4	-
POT2S	
MH4R	-
SE1	
SEA7	-
SE2	
SEA8	-

TO FIT :

MICHEL-SEAT (I)

MIWA (J)

MLM (F)
- ▶DOM (D)
- ▶OJMAR (E)
- ▶RONIS (F)
- ▶STUV (D)

MOIA (I)

MORI E. (I)
- ▶FEB (I)
- ▶FIAM (I)
- ▶TAMPALINI (I)

Copyright by
KEYLINE

78

CROSS REFERENCE :

ML13P	
MTK13RAP	MUL-T10P
ML4P	
MTK4RP	MUL-T3P
ML6P	
MTK9RP	MUL-T5P
ML7P	
MTK12RP	-
ML8P	
MTK8RP	MUL-T8DP
ML9	
MTK5	MUL-T6D
MRI1	
GVY1R	MT-2D
MRI4D	
MI2	-
MRI4S	
MI2R	-
MRI5D	
MI1	-
MRI5S	
MI1R	-
MSM2	
-	MSM-2D
MSR1	
MST1	MR-1
TAL1S	
MTS1R	TAL-1

TO FIT :

MORI G. (I)
- FEB (I)
- FIAM (I)
- TAMPALINI (I)

MOSREENTGUEN (RUS)

MOTORSICH (RUS)

MSM (RUS)

MUL.T.LOCK (IL)

MORI G. (I)



MRI4D MRI4S



MRI5D MRI5S



MRI1

MOSREENTGUEN (RUS)



MSR1

MOTORSICH (RUS)



TAL1S

MSM (RUS)



MSM2

MUL.T.LOCK (IL)



ML9



ML13P ML4P

ML8P

ML7P

ML6P

Copyright by
KEYLINE

MUL.T.LOCK (IL)



ML41P

NABOB (IL)



NAB7



NAB6

NABOB (IL)



NAB3 NAB4S NAB5



NAB1

NEMEF (NL)



NF20S NF1 NF21S NF3 NF22S

NOORI (D)



FIA7

O.M.R. (I)



SE1 SE2



MCH7S OMR1S



POT1 POT1S

79

CROSS REFERENCE :

FIA7	
FI4R	-
MCH7S	
OMR1R	OM-1
ML41P	
MTK4RPX	MUL-T3P1
NAB1	
NAB1	-
NAB3	
NAB5	-
NAB4S	
-	-
NAB5	
NAB6	-
NAB6	
-	-
NAB7	
-	-
NF20S	
NME1R	-
NF21S	
NME2R	-
NF22S	
-	-
OMR1S	
OMR1R	OM-1
POT1	
PT1R	MCH-1D
POT1S	
PT1	MCH-1
SE1	
SEA7	-
SE2	
SEA8	-

TO FIT :

MUL.T.LOCK (IL)
NABOB (IL)
NEMEF (NL)
NOORI (D)
O.M.R. (I)

Copyright by
KEYLINE

80

CROSS REFERENCE :

COR50D CB1	COR-50/60
COR50S CB1R	COR-50/60I
COR5PD CB3	COR-40
MCH2S MH2	MCH-1D
OJ12 OJ12R	OJ-14
OJ17S OJ17R	OJ-19
OJ6 OJ6R	OJ-12
OJ7 OJ7R	OJ-16
OMC10 OC5	OMC-6D
OMC4 OC236	-
OMC5PD OC074	OMC-2D
OMC5PS OC075	-

TO FIT :

O.M.R. (I)
OAL (I)
OJMAR (E)
OMEC (I)

O.M.R. (I)



MCH2S

OAL (I)



COR5PD



COR50D COR50S

OJMAR (E)



OJ6 NEW OJ7



NEW OJ12

OJ17S

OMEC (I)



OMC10



OMC4



OMC5PD OMC5PS

Copyright by
KEYLINE

OMEC (I)



OMC5



OMC5PD-T



OMC5PD-FJ



OMC5PD-FP

OMEC (I)



OMC5PD-F

NEW OMC5PD-RK



OMC13 OMC14

OMEC (I)



OMC6

ORO (IL)



ORO2

P.C.CORTELLEZZI (I)

PC9



PC8

81

CROSS REFERENCE :

OMC13	
OC3	OMC-7
OMC14	
OC4	OMC-3
OMC5	
OC238	OMC-1D
OMC5PD-F	
OC074	OMC-2D
OMC5PD-FJ	
OC074	OMC-2D
OMC5PD-FP	
OC074	OMC-2D
OMC5PD-RK	
OC074DZ	OMC-2D
OMC5PD-T	
OC074	OMC-2D
OMC6	
OC6	OMC-4
ORO2	
ORO2	-
PC8	
PC2	-
PC9	
PC3	PC-2D

TO FIT :

OMEC (I)

ORO (IL)

P.C.CORTELLEZZI (I)

Copyright by

KEYLINE

82

CROSS REFERENCE :

PC1	
PC1	PC-1D
PC10	
-	-
PC10S	
-	-
PC11S	
-	-
PC12S	
-	-
PC2T	
PC15T	PCI-3T
PFA1S	
PHF2R	PFA-4
PFA28S	
PHF28R	-
PFA29S	
PHF29	-
PFA2S	
PHF6	PFA-13D
PFA3S	
PHF1R	PFA-5
PFA4S	
PHF17	-
PFA5S	
-	-
PFA6S	
PHF16R	-
PFA7S	
PHF18R	-
PNZ1	
BZ2	PEN-1D
PNZ1S	
BZ2R	PEN-1
PP1	
PZ1	PAP-1
PTR1S	
PTZ1R	PET-1

TO FIT :

P.C.CORTELLEZZI (I)
PAPAIZ (BR)
PENZA (RUS)
PETROZADOVSK (RUS)
PFAFFENHAIN (D)

P.C.CORTELLEZZI (I)



PAPAIZ (BR)



PENZA (RUS)



PETROZADOVSK (RUS)



PFAFFENHAIN (D)



Copyright by
KEYLINE

PFAFFENHAIN (D)



PFA30 PFA30S



PFA22S PFA31 PFA31S



NEW PFA32

PICARDIE (F)



PI1S

POTENT (I)

POT2 POT2S



POT1 POT1S

POTENT (I)



MCH2S



POT4

83

CROSS REFERENCE :

MCH2S	
MH2	MCH-1D
PFA22S	
PHF22R	PFA-21
PFA30	
-	PFA-22D
PFA30S	
-	PFA-22
PFA31	
-	PFA-6D
PFA31S	
-	PFA-6
PFA32	
-	PFA-25D
PI1S	
TN19R	TIT-13
POT1	
PT1R	MCH-1D
POT1S	
PT1	MCH-1
POT2	
MH4	-
POT2S	
MH4R	-
POT4	
PT4R	PTN-1D

TO FIT :

PFAFFENHAIN (D)
PICARDIE (F)
POTENT (I)

Copyright by
KEYLINE

84

CROSS REFERENCE :

POT5P	
PT6RP	-
POT6	
-	-
POT7S	
-	-
PR1D	
PF1	PR-9
PR3D	
PF208	PR-1D
PR3S	
PF209	PR-1
PR3SM	
PF5	PR-3
PR3SS	
PF5S	PR-2
PR4PD	
PF070	PR-15D
PR4PS	
PF071	-
PR5PD	
PF072	PR-16D
PR5PS	
PF073	PR-16
PR8	
PF18	-

TO FIT :

POTENT (I)
PREFER (I)

POTENT (I)



POT5P



POT6

POTENT (I)



NEW POT7S

PREFER (I)



PR1D



PR4PD PR4PS

PREFER (I)



PR3SS





PR3D PR3S PR3SM PR5PD PR5PS PR8

Copyright by
KEYLINE

PREFER (I)



PR4D

PR4S

PR4SS

PR4SM



PR4SS-T



PR4SS-FJ

PREFER (I)



PR4SS-F

PR5SS-FJ



PR5SS-F

PREFER (I)



PR5D

PR5S

PR5SS

PR5SM



PR5SS-T



PR16

85

CROSS REFERENCE :

PR16	
PF20	-
PR4D	
PF212	PR-4D
PR4S	
PF213	PR-4I
PR4SM	
PF2	PR-11
PR4SS	
PF2S	PR-10
PR4SS-F	
PF2S	PR-10
PR4SS-FJ	
PF2S	PR-10
PR4SS-T	
PF2S	PR-10
PR5D	
PF210	PR-5D
PR5S	
PF211	PR-5I
PR5SM	
PF092	PR-7
PR5SS	
PF092S	PR-6
PR5SS-F	
PF092S	PR-6
PR5SS-FJ	
PF092S	PR-6
PR5SS-T	
PF092S	PR-6

TO FIT :

PREFER (I)

Copyright by

KEYLINE

86

CROSS REFERENCE :

PR17	
PF21	PR-21
PR18	
PF22	-
PRL1	
PRL1	-
RD1	
RD1	-
RD2	
RD2	BD1
RIQ9	
RIQ9R	BRI-1D
RZ1	
REN1	RE-1
RZ10	
REN5R	RE-5D
RZ1S	
REN1R	RE-1D
RZ2	
REN2	RE-2
RZ2S	
REN2R	RE-2D
RZ3S	
REN3R	RE-3D
RZ4S	
REN4R	RE-4D
SQ1	
-	-
SQ4	
-	-

TO FIT :

PREFER (I)
PROFILMAR (FR)
REAL (CN)
RENZ (D)
▶KIFERM (F)
▶LAS (F)
REX (CN)
RIQUIER (GR)
ROLL-A-DOOR (GB)

PREFER (I)



PROFILMAR (FR)



REAL (CN)



RENZ (D)



REX (CN)



RIQUIER (GR)



ROLL-A-DOOR (GB)



Copyright by
KEYLINE

RONIS (F)



RONIS (F)



RONIS (F)



87

CROSS REFERENCE :

RI1	
RO24	RO-20I
RI10	
RO4	LUMA-3I
RI10S	
RO4R	RO-7I
RI11	
RO21	RO-16D
RI11S	
RO21R	RO-16I
RI17S	
RO69	RO-39
RI18	
RO41	RO-29D
RI18-FJ	
RO41	RO-29D
RI19	
RO67R	RO-38D
RI19S	
RO67	RO-38
RI2	
RO20	RO-8D
RI20	
RO68	RO-37
RI20S	
RO68R	RO-37D
RI21	
RO77	RO-41
RI2S	
RO20R	RO-8I
RI3	
RO8	RO-10D
RI30	
RO30	RO-30
RI3-FJ	
RO8	RO-10D
RI8	
RO25	RO-27I

TO FIT :

RONIS (F)
▶BURG (D)
▶LAPERCHE (F)
▶NEMEF (NL)

Copyright by
KEYLINE

88

CROSS REFERENCE :

RK1	
RU1	RU-1D
RK14	
RU14	RU-5D
RK14-POP	
RU14	RU-5D
RK20	
RU20	RU-16D
RK21	
RU21	-
SAT1-A	
STU1	SAT-1D
SAT6	
STU6R	BAI-8D
SC20	
SH20	SLG-16
SC4	
SH4	SLG-6
SC40	
SH5	SLG-4
SC43	
SH3	SLG-3
SC43P	
SH3	SLG-3

TO FIT :

RUKO (DK)
▶ASSA (S)
SATURN (SLO)
▶GERA (D)
SCHLAGE (USA)

RUKO (DK)



RK1 RK20 RK21



RK14



RK14-POP

SATURN (SLO)



SAT1-A



NEW SAT6

SCHLAGE (USA)



C
SC43



C
SC43P



H
SC20
SC4
C
SC40

Copyright by
KEYLINE

SCHLAGE (USA)



SC40S



SC10



SC2



SC40-F

SCHLECHTENDAHL (D)



SLT1

SEAT (I)



SE1 SE2

SECUREMME (I)



SEC10 SEC9



K2
SEC11P

SECURITAL (I)



KYR1

89

CROSS REFERENCE :

KYR1	
SCU1	SCR-1
SC10	
SH1	SLG-1
SC2	
SH2	SLG-2
SC40-F	
-	-
SC40S	
-	-
SE1	
SEA7	-
SE2	
SEA8	-
SEC10	
-	SEC-1
SEC11P	
SCM3RP	-
SEC9	
SCM2	SEC-2
SLT1	
ST1	SCH-1D

TO FIT :

SCHLAGE (USA)
SCHLECHTENDAHL (D)
SEAT (I)
SECUREMME (I)
SECURITAL (I)
▶FORT (USA)

Copyright by
KEYLINE

90

CROSS REFERENCE :

GIS5PD	
SM1R	GIU-1D
GIS5PS	
SM1	GIU-1
SEI1	
SEI10	606-1D
SEK1	
SKR1	SEK-1D
SEK2	
-	-
SEK3	
-	SEK-3D
SEK4	
-	-
SI10PD	
SS10	SIS-2
SI12	
SS12	-
SI4	
SS3	SIS-6
SIO1	
-	-
SIO2	
SSO2	SSO-2
SL1	
SL1	-

TO FIT :

SEGAL (USA)
SEI (I)
SEKUR (I)
SIMECA (CH)
SIS (I)
▶ZENITH (F)
SISO (DK)

SEGAL (USA)



SL1

SEI (I)



SEI1

SEKUR (I)



SEK4



SEK3

SEKUR (I)



SEK2



SEK1

SIMECA (CH)



GIS5PD GIS5PS

SIS (I)



SI10PD SI4



NEW SI12

SISO (DK)



SIO1 NEW SIO2

Copyright by
KEYLINE

SOBINCO (B)



CAS18



NEW SBN2 NEW SBN2S

SOFER (P)



SF1 SF1S

SOFI-SONAFI (P)



S2S



NEW S1 S1S



NEW S4 S4S



NEW S6S

SONICO (BG)



NEW SNC2 NEW SNC2S

SP (RC)



SP1 SP1S

SPIDER (IL)



SPD1 SPD1S

91

CROSS REFERENCE :

CAS18	
SN5R	SOFI-1D
S1	
SI1	SOFI-2D
S1S	
SI1R	SOFI-2I
S2S	
SI2R	-
S4	
SI4	-
S4S	
SI4R	-
S6S	
SI6R	-
SBN2	
SN2	SOFI-1D
SBN2S	
SN2R	SOFI-1I
SF1	
SOF1	SOF-2
SF1S	
SOF1R	SOF-1
SNC2	
SNC2	COH-2D
SNC2S	
SNC2R	COH-2
SP1	
-	-
SP1S	
FH32	-
SPD1	
-	-
SPD1S	
SPR2	SPI-1

TO FIT :

SOBINCO (B)
▶CAS-CISMA (I)
▶SOFI-SONAFI (P)
SOFER (P)
SOFI-SONAFI (P)
SONICO (BG)
SP (RC)
SPIDER (IL)

Copyright by
KEYLINE

92

CROSS REFERENCE :

SQR1	
SQ1	SQ-1
ST1S	
STL1R	ST-1
ST1S-A	
STL1RX	ST-1I
ST2S	
STL2R	ST-2
STA10	
STA10	STA-3D
STA10S	
STA10R	STA-3
STR1SP	
-	-
STS1	
STS1	STS-1D
STS6S	
STS6	STS-X6
STW1	
SWL1	-

TO FIT :

SQUIRE & SONS (GB)
STAR (JP)
STARLET (D)
▶GERA (D)
STARRY (NL)
STORWALL (GB)
STS (E)

SQUIRE & SONS (GB)



STAR (JP)



STARLET (D)



STARRY (NL)



STORWALL (GB)



STS (E)



Copyright by
KEYLINE

STS (E)



NEW STS2

STUV (D)



STU8

STU1S

SUDMETALL (D)



SDM1

TALLINN (EST)



TAL1S



TAL2S

TAMPALINI (I)



BAS5

TARONI (I)



TAR3D TAR3S



TAR4D TAR4S



TAR5D TAR5S



TAR7 TAR7S

93

CROSS REFERENCE :

BAS5	
TP1	-
SDM1	
-	-
STS2	
STS2	STS-3D
STU1S	
SV1R	STUV-1I
STU8	
SV8	STUV-1D
TAL1S	
MTS1R	TAL-1
TAL2S	
VSR2R	TAL-2
TAR3D	
-	-
TAR3S	
-	-
TAR4D	
TAR5	-
TAR4S	
TAR5R	-
TAR5D	
TAR4	-
TAR5S	
TAR4R	-
TAR7	
-	TRO-1D
TAR7S	
-	TRO-1

TO FIT :

STS (E)
STUV (D)
▶CES (D)
▶DOM (D)
▶MLM (F)
SUDMETALL (D)
TALLINN (EST)
▶MOTORSICH (RUS)
TAMPALINI (I)
TARONI (I)

Copyright by
KEYLINE

94

CROSS REFERENCE :

TAR16	
TAR16	TRO-1D
TEI1	
TCL1	TEI-1D
TES10	
TES6	-
TES3	
TE3	TE-7D
TES5	
TE2	TE-8I
TES5-F	
TE2	TE-8I
TES5-FJ	
TE2	TE-8I
TES5X	
TE2X	TE-8I
TES6	
TE6	TE-8DKT1
TES8	
EC5	TE-T10

TO FIT :

TARONI (I)

TEICOCIL (PT)

TESA (E)
▶KALE (TR)

TARONI (I)



TAR16

TEICOCIL (PT)



NEW TEI1

TESA (E)



NEW TES10



TES3 TES5 TES6

TES5-FJ

TESA (E)



TES5-F



NEW TES5X



TES8

Copyright by
KEYLINE

TESA (E)



TES7



TES4



TES2



NEW TES18X-FA

TESA (E)



T60

TES17



TES19

THIRARD (F)



THR1

TIGRIS (GB)



TIG1

TITAN (SLO)



TIN5



TIN3



TIN2



TIN2-FJ

95

CROSS REFERENCE :

TES17	
TE19	TE-T62
TES18X-FA	
TE8XFA	TE-3
TES19	
TE19	TE-T62
TES2	
TE2X	TE-8I
TES4	
TE5	TE-T80
TES7	
TE7	TE-T60
THR1	
THR1	FTH-30
TIG1	
TG1	TIG-1D
TIN2	
TN2	TIT-2D
TIN2-FJ	
TN2	TIT-2D
TIN3	
TN7	TIT-1D
TIN5	
TN9	TIT-11D

TO FIT :

TESA (E)
▶KALE (TR)
THIRARD (F)
TIGRIS (GB)
TITAN (SLO)
▶CR (I)
▶FTH (F)
▶VACHETTE (F)

Copyright by
KEYLINE

96

CROSS REFERENCE :

TIN2-F	
TN2	TIT-2D
TIN6-B	
TN16XA	TIT-8D
TIN6B-F	
TN16XA	TIT-8D
TIN6B-FJ	
TN16XA	TIT-8D
TIN7	
-	-
TK1	
TO1	TOK-5D
TK10	
-	WIN-5D
TK10S	
TO114RX	WIN-5
TK10SL	
TK120RX	WIN-22
TK11S	
-	-
TK1S	
-	-

TO FIT :

TITAN (SLO)
- ▶CR (I)
- ▶FTH (F)
- ▶VACHETTE (F)

TOK-WINKHAUS (D)
- ▶FICHET (F)
- ▶MASTER (USA)
- ▶VACHETTE (F)

TITAN (SLO)



TIN2-F



TIN6-B



TIN6B-FJ

TITAN (SLO)



TIN6B-F



TIN7

TOK-WINKHAUS (D)



TK1 TK1S



TK10 TK10S TK11S



TK10SL

Copyright by
KEYLINE

TOK-WINKHAUS (D)



TK10S-A



TK10S-F



TK12S TK13 TK14S

TOK-WINKHAUS (D)



TK1-A

TK1-FJ



TK1-F

TOK-WINKHAUS (D)



NEW TK15S



TK20S



NEW TK30-A NEW TK30S-A

97

CROSS REFERENCE :

TK10S-A	
TO30RX	-
TK10S-F	
TO114RX	-
TK12S	
-	-
TK13	
TO127	-
TK14S	
TO100	TOK-23
TK15S	
-	-
TK1-A	
TO1X	TOK-6D
TK1-F	
TO1X	TOK-6D
TK1-FJ	
TO1	TOK-5D
TK20S	
TO124RX	WIN-21
TK30-A	
-	-
TK30S-A	
-	-

TO FIT :

TOK-WINKHAUS (D)

- ▶FICHET (F)
- ▶MASTER (USA)
- ▶VACHETTE (F)

Copyright by

KEYLINE

98

CROSS REFERENCE :

TCH2	
TOU2R	-
TOP1S	
TOP1R	ABU-14
TOP1S-A	
TOP1RX	TOP-1
TOP1S-F	
TOP1RX	TOP-1
TOP1S-FJ	
TOP1RX	TOP-1
TPX1	
-	-
TRK1P	
TRK1P	TRL-1.P
TRK2P	
TRK5P	-
TRK3P	
-	-

TO FIT :

TOP (D)
▶ABUS (D)
▶WILKA (D)
TOPEX
TOUCH (GB)
TRELOK (D)

TOP (D)



TOP1S



TOP1S-A

TOP1S-FJ

TOP (D)



TOP1S-F

TOPEX



TPX1

TOUCH (GB)



TCH2

TRELOK (D)



TRK1P

TRK2P



TRK3P

Copyright by
KEYLINE

TRELOK (D)

TRK4P



TRK5P
RS430

TRI CIRCLE (RC)

TC10D TC9D TC9S

TC21D TC21S



TC3S

TC2D TC2S TC3D

TRI CIRCLE (RC)



TC5S

TC1D TC1S TC5D



TC62S

TC60D TC60S TC62D



TC6S

TC61D TC61S TC6D

99

CROSS REFERENCE :

TC10D	
TL10	TRI-4D
TC1D	
TL4	TRI-8D
TC1S	
TL4R	TRI-8I
TC21D	
-	TRI-21D
TC21S	
-	TRI-21
TC2D	
TL7	TRI-6D
TC2S	
TL7R	TRI-6I
TC3D	
TL6	TRI-5D
TC3S	
TL6R	TRI-5I
TC5D	
TL1	TRI-7D
TC5S	
TL1R	TRI-7I
TC60D	
TL2	TRI-10D
TC60S	
TL2R	TRI-10I
TC61D	
TL3	TRI-11D
TC61S	
TL3R	TRI-11I
TC62D	
TL5	TRI-9D
TC62S	
TL5R	TRI-9I
TC6D	
TL8	TRI-12D
TC6S	
TL8R	TRI-12I
TC9D	
TL9	TRI-3D
TC9S	
TL9R	TRI-3I
TRK4P	
-	-
TRK5P	
TRK11DP	-

TO FIT :

TRELOK (D)

TRI CIRCLE (RC)
▶ABUS (D)

Copyright by
KEYLINE

100

CROSS REFERENCE :

TSH1	
TU1	TUS-1D
TV1	
TR4	TV-3D
TV10	
TR10	TV-23D
TV10S	
TR10R	TV-23
TV12	
TR12	TV-17D
TV13S	
TR13R	TV-30
TV1S	
-	-
TV2	
TR2	TV-11
TV24	
-	-
TV3	
TR3	TV-15D
TV31	
-	TV-13
TV32S	
-	TV-32
TV4	
TR1	TV-12
TV5	
TR5	TV-16D
TV8	
TR8	TV-2D
UM1S	
UC1R	UCEM-1I
UM5	
UC5R	UCEM-8D
UM6S	
UC6R	UCEM-12

TO FIT :

TRIOVING (N)

TUSHINO (RUS)

UCEM (E)

TRIOVING (N)



TRIOVING (N)



TUSHINO (RUS)



UCEM (E)



Copyright by

KEYLINE

UCEM (E)



NEW UM4

ULIANOVSK (RUS)



ULK1S

UNION (GB)



UNI27



UNI2



UNI1



UNKB2

UNION (GB)

UNKB2-FJ



UNKB2-F



UNI32 UNI32S

101

CROSS REFERENCE :

ULK1S	
RUS3R	UL-1
UM4	
UC4R	UCEM-13D
UNI1	
UNI8	UNFT
UNI2	
UNI11A	UN-FS
UNI27	
UNI27	UN5D
UNI32	
UNI32	UN-8D
UNI32S	
UNI32R	UN-8I
UNKB2	
UNI3	UN-11
UNKB2-F	
UNI3	UN-11
UNKB2-FJ	
UNI3	UN-11

TO FIT :

UCEM (E)

ULIANOVSK (RUS)
►DIMITROVGRAD (RUS)

UNION (GB)

Copyright by
KEYLINE

102

CROSS REFERENCE :

UN103D	
-	-
UN3D	
UL048	U-19D
UN3PD	
UL056	U-1D
UN3S	
UL049	U-19
UN4D	
UL052	U-4D
UN4PD	
UL060	U-2D
UN4PS	
UL061	U-2I
UN4S	
UL053	U-4I
UN5D	
UL050	U-5D
UN5D-HE	
UL050	U-5D
UN5PD	
UL058	U-3D
UN5PS	
UL059	U-13I
UN5S	
UL051	U-5I
UN6D	
UL054	U-6D
UN6S	
UL055	U-6I
UN7D	
UL046	U-9D
UN7S	
UL047	U-9
UNI36S	
UNI36R	UN-22I

TO FIT :

UNION (GB)

UNIVERSAL

UNION (GB)



UNI36S

UNIVERSAL

UN3PD



UN4PD UN4PS



UN5PD UN5PS

UNIVERSAL



UN3D UN3S



UN4D UN4S



UN5D UN5S



UN6D UN6S

UNIVERSAL



NEW UN7D NEW UN7S



UN103D



UN5D-HE

Copyright by

KEYLINE

UNIVERSAL



NEW UN61D NEW UN61S



NEW UN5D-FHE



NEW UN5D-FDI



NEW UN5D-FSP

UNIVERSAL



NEW UN5D-FCL

UNIVERSAL (GB)



UN50D



UN50D-F



UN60D

UNIVERSAL (GB)



NEW UN60D-C



UN60D-F

UNIVERSAL-A



UN5D-A UN5S-A

103

CROSS REFERENCE :

UN50D	
-	-
UN50D-F	
-	-
UN5D-A	
UL050X	U-5D
UN5D-FCL	
-	-
UN5D-FDI	
-	-
UN5D-FHE	
-	-
UN5D-FSP	
-	-
UN5S-A	
UL051	U-5I
UN60D	
-	-
UN60D-C	
-	-
UN60D-F	
-	-
UN61D	
UL062	U-7D
UN61S	
UL063	-

TO FIT :

UNIVERSAL
UNIVERSAL (GB)
UNIVERSAL-A

Copyright by
KEYLINE

104

CROSS REFERENCE :

UN4D-D	
UL052L	-
UN4D-F	
UL052	U-4D
UN4S-D	
UL053L	-
UN4S-F	
UL053	U-4I
UN5D-B	
UL050B	-
UN5D-CB	
-	-
UN5D-D	
UL050L	U-5DD
UN5D-DX	
-	-
UN5D-F	
UL050	U-5D
UN5PD-F	
UL058	U-17D
UN5PS-F	
UL059	U-13I
UN5S-B	
UL051B	-
UN5S-CB	
-	-
UN5S-D	
UL051L	U-5DI
UN5S-DX	
-	-
UN5S-F	
UL051	U-5I

TO FIT :

UNIVERSAL-B
UNIVERSAL-CB
UNIVERSAL-D
UNIVERSAL-F

UNIVERSAL-B



UN5D-B UN5S-B

UNIVERSAL-CB



UN5D-CB UN5S-CB

UNIVERSAL-D



UN4D-D UN4S-D



UN5D-D UN5S-D



UN5D-DX UN5S-DX

UNIVERSAL-F



UN5PD-F UN5PS-F



UN4D-F UN4S-F



UN5D-F UN5S-F

Copyright by
KEYLINE

UNIVERSAL-F



UN5D-L UN5S-L



UN6D-F UN6S-F

UNIVERSAL-FA



UN5D-FA UN5S-FA

UNIVERSAL-FJ

UN5PD-FJ UN5PS-FJ



UN4D-FJ UN4S-FJ



UN5D-FJ UN5S-FJ

UNIVERSAL-FJ

UN6D-FJ

UNIVERSAL-FP



UN5PD-FP UN5PS-FP



UN4D-FP UN4S-FP

105

CROSS REFERENCE :

UN4D-FJ UL052	U-4D
UN4D-FP UL052	U-4D
UN4S-FJ UL053	U-4I
UN4S-FP UL053	U-4I
UN5D-FA UL050FA	-
UN5D-FJ UL050	U-5D
UN5D-L UL050L	U-5DD
UN5PD-FJ UL058	U-17D
UN5PD-FP UL058	U-3D
UN5PS-FJ UL059	U-13I
UN5PS-FP UL059	U-13I
UN5S-FA UL051FA	-
UN5S-FJ UL051	U-5I
UN5S-L UL051L	U-5DI
UN6D-F UL054	U-6D
UN6D-FJ UL054	U-6D
UN6S-F UL055	U-6I

TO FIT :

UNIVERSAL-F
UNIVERSAL-FA
UNIVERSAL-FJ
UNIVERSAL-FP

Copyright by
KEYLINE

106

CROSS REFERENCE :

UN4D-M UL052M	U-4AD
UN4D-RK UL052DZ	U-4D
UN4S-M UL053M	U-4AI
UN4S-RK UL053DZ	U-4I
UN5D-FP UL050	U-5D
UN5D-L UL050L	U-5DD
UN5D-M UL050M	U-5AD
UN5D-Q UL050Q	-
UN5D-R UL050E	U-55D
UN5PD-RK UL058DZ	U-3D
UN5PS-RK UL059DZ	U-13I
UN5S-FP UL051	U-5I
UN5S-L UL051L	U-5DI
UN5S-M UL051M	U-5AI
UN5S-Q UL051Q	-
UN5S-R UL051E	-
UN6D-FP UL054L	-

TO FIT :

UNIVERSAL-FP
UNIVERSAL-L
UNIVERSAL-M
UNIVERSAL-Q
UNIVERSAL-R
UNIVERSAL-RK

UNIVERSAL-FP



UN5D-FP UN5S-FP



UN6D-FP

UNIVERSAL-L



UN5D-L UN5S-L

UNIVERSAL-M



UN5D-M UN5S-M



UN4D-M UN4S-M

UNIVERSAL-Q



UN5D-Q UN5S-Q

UNIVERSAL-R



UN5D-R UN5S-R

UNIVERSAL-RK

NEW UN5PD-RK NEW UN5PS-RK

NEW UN4D-RK NEW UN4S-RK

Copyright by
KEYLINE

UNIVERSAL-RK



UNIVERSAL-S



UNIVERSAL-T



UNIVERSAL-V



UNIVERSAL-Y



107

CROSS REFERENCE :

UN4D-T UL052	U-4D
UN4S-T UL053	U-4I
UN5D-RK UL050DZ	U-5D
UN5D-S UL050C	-
UN5D-T UL050	U-5D
UN5D-V -	U-5MD
UN5D-Y UL050Y	U-5YD
UN5PD-T UL058	U-17D
UN5S-RK UL051DZ	U-5I
UN5S-S UL051C	-
UN5S-T UL051	U-5I
UN5S-V -	U-5MS
UN5S-Y UL051Y	U-5YI
UN6D-RK UL054DZ	U-6D
UN6D-T UL054	U-6D

TO FIT :

UNIVERSAL-RK
UNIVERSAL-S
UNIVERSAL-T
UNIVERSAL-V
UNIVERSAL-Y

Copyright by
KEYLINE

108

CROSS REFERENCE :

URB1S	
UB2R	URB-1
UTL2	
-	-
VC1	
VAC1	VA-3
VC11	
VAC46	VA-31D
VC14	
VAC25R	VA-4D
VC14S	
VAC25	VA-4
VC1S	
VAC1R	VA-3I
VC25	
VAC29	VA-1
VC26	
VAC151	VA-75D
VC4	
VAC14	VA-12D
VC5	
VAC42	VA-35D
VC6	
VAC33R	VA-13D
VC6S	
VAC33	VA-13I
YE101	
-	-
YE102	
-	-
YE102S	
-	-

TO FIT :

UNIVERSAL-YALE
URBIS (R)
U-T LOCK
VACHETTE (F)
- ISEO (I)
- RONIS (F)
- TITAN (SLO)
- TOK-WINKHAUS (D)

UNIVERSAL-YALE



YE101



YE102 YE102S

URBIS (R)



URB1S

U-T LOCK



UTL2

VACHETTE (F)



VC5



VC1 VC1S



VC14 VC14S VC6

VC6S

VACHETTE (F)



VC11



VC4



VC25 VC26

Copyright by
KEYLINE

VACHETTE (F)



VC39



VC30S



VC17S

VACHETTE (F)



VC100 VC100S



VC2 VC8



VC2-FJ

VACHETTE (F)



VC8-FJ



VC2-F



VC3

109

CROSS REFERENCE :

VC100	
VAC100	VA-62
VC100S	
VAC100R	VA-62D
VC17S	
VAC44R	VA-30
VC2	
VAC2	VA-8D
VC2-F	
VAC2	VA-8D
VC2-FJ	
VAC2	VA-8D
VC3	
VAC3	VA-2
VC30S	
VAC150	VA-70
VC39	
VAC61	VA-14D
VC8	
VAC48	VA-36
VC8-FJ	
VAC48	VA-36

TO FIT :

VACHETTE (F)
- ▶ISEO (I)
- ▶RONIS (F)
- ▶TITAN (SLO)
- ▶TOK-WINKHAUS (D)

Copyright by
KEYLINE

110

CROSS REFERENCE :

VBH1	
VBH1R	-
VC15	
VAC105	VA-28
VC20	
VAC104	VA27
VR14	
VI14	VI-16D
VR20	
VI4	VI-10
VR4PD	
VI084	VI-4IP
VR4PD-FP	
VI084	VI-4IP
VR4PD-T	
VI084	VI-4IP
VR4PS	
VI085	VI-4DP
VR5PD	
VI086	VI-2I
VR5PD-T	
VI086	VI-2I
VR5PS	
VI087	VI-2D
VR7S	
VI7R	VI-15
VRS3	
VAR4	JMA-3D

TO FIT :

VACHETTE (F)
- ISEO (I)
- RONIS (F)
- TITAN (SLO)
- TOK-WINKHAUS (D)

VARIOS (E)

VBH (I)

VIRO (I)
- ABUS (D)
- BURG (D)

VACHETTE (F)



VARIOS (E)



VBH (I)



VIRO (I)



VIRO (I)



Copyright by
KEYLINE

VIRO (I)

VR5PD-FJ



VR5PD-FP

NEW VR5PD-RK



VR5PD-F

VIRO (I)



VR4D VR4S

VR4D-FJ



VR4D-F



VR4D-T

VIRO (I)



VR11 VR11S VR5SS



VR17



VR5D VR5S

111

CROSS REFERENCE :

VR11	
VI1	-
VR11S	
VI1R	VI-12
VR17	
VI17	-
VR4D	
VI082	VI-4I
VR4D-F	
VI082	VI-4I
VR4D-FJ	
VI082	VI-4I
VR4D-T	
VI082	VI-4I
VR4S	
VI083	VI-4D
VR5D	
VI080	VI-1I
VR5PD-F	
VI086	VI-2I
VR5PD-FJ	
VI086	VI-2I
VR5PD-FP	
VI086	VI-2I
VR5PD-RK	
VI086	VI-2I
VR5S	
VI081	VI-1D
VR5SS	
VI13	VI-7

TO FIT :

VIRO (I)
▶ABUS (D)
▶BURG (D)

Copyright by
KEYLINE

112

CROSS REFERENCE :

VR15	
VI11	VI-5D
VR19	
VI19	VI-14
VR25S	
-	-
VR50D	
VI3	VI-8D
VR50S	
VI3R	VI-8
VR51D	
VI5	VI-11D
VR51S	
VI5R	VI-11
VR5D-F	
VI080	VI-1I
VR5D-FJ	
VI080	VI-1I
VR5D-FP	
VI080	VI-1I
VR5D-RK	
VI080DZ	VI-1I
VR5D-T	
VI080	VI-1I
VR8	
VI8	-
VR8S	
VI8R	-

TO FIT :

VIRO (I)
- ABUS (D)
- BURG (D)

VIRO (I)



VR5D-T



VR5D-FP

NEW VR5D-RK

VIRO (I)

VR5D-FJ



VR5D-F



VR19

VIRO (I)



VR8S

VR8

VR51S

VR50D VR50S VR51D



VR15



VR25S

Copyright by
KEYLINE

VIS (IT)



VOLKOVYSK (RUS)



WAGNER (D)



WALLY (I)



WY5PD WY5PS



WY4D WY4S



WY4S-T

WY4S-FJ

WALLY (I)



WY4S-F



WY5D WY5S



WY5S-T

113

CROSS REFERENCE :

VLK2S	
VLK2R	VLK-1
VS9	
VS090V	-
WAG1	
-	-
WY4D	
WA2	WA-4D
WY4S	
WA2R	WA-4I
WY4S-F	
WA2R	WA-4I
WY4S-FJ	
WA2R	WA-4I
WY4S-T	
WA2R	WA-4I
WY5D	
WA1	WA-5D
WY5PD	
WA3	WA-5DP
WY5PS	
WA3R	WA-5IP
WY5S	
WA1R	WA-5I
WY5S-T	
WA1R	WA-5I

TO FIT :

VIS (IT)
VOLKOVYSK (RUS)
WAGNER (D)
WALLY (I)

Copyright by
KEYLINE

114

CROSS REFERENCE :

WA1	
WU1R	-
WAN1	
WGU1	-
WEB1	
WEB1	WEB-1
WK4D	
WE2	WE-4D
WK4S	
WE2R	WE-4I
WK5PD	
WE3	-
WK5PS	
WE3R	-
WR2-T	
WEI2	WEI-2
WR7	
WEI1	WEI-1
WS2	
WEI5	WEI-3
WY5S-F	
WA1R	WA-5I
WY5S-FJ	
WA1R	WA-5I

TO FIT :

WALLY (I)
WANGGUAN (TW)
WAUS (PT)
WEBER (D)
WEISER (USA)
▶FICHET (F)
WELKA (I)

WALLY (I)

WY5S-FJ



WY5S-F

WANGGUAN (TW



NEW WAN1

WAUS (PT)



NEW WA1

WEBER (D)



WEB1

WEISER (USA)



WR7



WS2

WEISER (USA)



WR2-T

WELKA (I)



WK5PD WK5PS



WK4D WK4S

Copyright by
KEYLINE

WELKA (I)



WK4D-T WK4S-T



WK4D-FJ WK4S-FJ



WK4D-F WK4S-F

WELKA (I)



WK5D WK5S



WK5D-T WK5S-T



WK5D-FJ WK5S-FJ

WELKA (I)



WK5D-F WK5S-F

WHITCO (AUS)



WT1



WT2

115

CROSS REFERENCE :

WK4D-F	
WE2	WE-4D
WK4D-FJ	
WE2	WE-4D
WK4D-T	
WE2	WE-4D
WK4S-F	
WE2R	WE-4I
WK4S-FJ	
WE2R	WE-4I
WK4S-T	
WE2R	WE-4I
WK5D	
WE1	WE-5D
WK5D-F	
WE1	WE-5D
WK5D-FJ	
WE1	WE-4D
WK5D-T	
WE1	WE-4D
WK5S	
WE1R	WE-5I
WK5S-F	
WE1R	WE-5I
WK5S-FJ	
WE1R	WE-5I
WK5S-T	
WE1R	WE-5I
WT1	
WC1	WC1
WT2	
WC2	WHI-1D

TO FIT :

WELKA (I)

WHITCO (AUS)

Copyright by

KEYLINE

116

CROSS REFERENCE :

WI1A	
WK1X	WIL-4D
WI1-F	
WK1X	WIL-4D
WI1-FJ	
WK1	WIL-4D
WI1-FP	
WK1X	WIL-4D
WI2	
WK55	WIL-5D
WI48S	
-	-
WI50	
-	-
WI51S-A	
WK51R	-
WI59S-A	
WK59R	-
WT3	
WC3	-

TO FIT :

WHITCO (AUS)

WILKA (D)
►TOP (D)

WHITCO (AUS)



WT3

WILKA (D)



WI51S-A WI59S-A



WI2

WILKA (D)



WI1A



WI1-FJ



WI1-FP

WILKA (D)



WI1-F



NEW WI50



NEW WI48S

Copyright by
KEYLINE

WINNER (CN)



SQ4

YALE (D)

YE51-FJ



YE51-F

YALE (D)



YE50



YE70 YE70S

YALE (GB)



YE17 YE17S

YE15

YALE (GB)



YE8



YE14 YE14S YE7

YE7S



YE64S

117

CROSS REFERENCE :

SQ4	
-	-
YE14	
YA18	YA-27D
YE14S	
YA18R	YA-27
YE15	
YA8	YA-7D
YE17	
YA17	YA-8D
YE17S	
YA17R	YA-8I
YE50	
YA5	YA-17D
YE51-F	
YA1	YA-6D
YE51-FJ	
YA1	YA-6D
YE64S	
-	-
YE7	
YA4	YA-11D
YE70	
YA70R	YA-53
YE70S	
YA70	YA-53D
YE7S	
YA4R	YA-11I
YE8	
YA3	BK-2D

TO FIT :

WINNER (CN)
▶REX (CN)

YALE (D)
▶ABUS (D)
▶BKS (D)
▶CAB (I)
▶KALE (TR)
▶WELKA (I)
▶YALE (GB)
▶YALE (I)

YALE (GB)
▶ABUS (D)
▶BKS (D)
▶CAB (I)
▶KALE (TR)
▶WELKA (I)
▶YALE (D)
▶YALE (I)

Copyright by
KEYLINE

118

CROSS REFERENCE :

Y1	
YA1E	1A
Y1-F	
YA1E	-
Y1-FJ	
YA1E	-
Y1-T	
YA1E	-
YE101	
-	-
YE102	
-	-
YE102S	
-	-
YE11	
YA86R	YA-39
YE12	
YA1E	-
YE32	
YA32	YA-25D
YE50	
YA5	YA-17D
YE51	
YA1	YA-6D
YE51S	
YA1R	YA-6I

TO FIT :

YALE (GB)
- ▶ABUS (D)
- ▶BKS (D)
- ▶CAB (I)
- ▶KALE (TR)
- ▶WELKA (I)
- ▶YALE (D)
- ▶YALE (I)

YALE (GB)



YE32



Y1 YE51 YE51S



Y1-T

YALE (GB)



Y1-FJ



Y1-F



YE12

YALE (GB)



YE50



YE101



YE102 YE102S



YE11

Copyright by
KEYLINE

YALE (GB)



YE10



YE3S-T YE3-T



YE10-F

YALE (GB)



YE12-F



YE69



YE80



NEW YE21

YALE (GB)



YE71L



YE71



YE81



YE75

119

CROSS REFERENCE :

YE10	
YA88	YA-46D
YE10-F	
-	-
YE12-F	
-	-
YE21	
-	-
YE3S-T	
YA2R	YA-28
YE3-T	
YA2	YA-28D
YE69	
-	-
YE71	
-	-
YE71L	
YA90	YA-81
YE75	
-	-
YE80	
-	-
YE81	
-	-

TO FIT :

YALE (GB)
- ▶ABUS (D)
- ▶BKS (D)
- ▶CAB (I)
- ▶KALE (TR)
- ▶WELKA (I)
- ▶YALE (D)
- ▶YALE (I)

Copyright by
KEYLINE

120

CROSS REFERENCE :

YE2	
YA14	YA-5I
YE2S	
YA14R	YA-5D
YE41	
YA41	-
YE4D	
YA6	YA-2D
YE4D-F	
YA6	YA-2D
YE4PD	
YA13	YA-33D
YE4PS	
YA13R	-
YE4S	
YA6R	YA-2I
YE5D	
YA226	YA-1D
YE5D-F	
YA226	YA-1D
YE5D-T	
YA226	YA-1D
YE5PD	
YA7	YA-3D
YE5PS	
YA7R	YA-3I
YE5S	
YA227	YA-1I
YE63	
YA63	YA-32D
YE6D	
YA31	YA-22D
YE6D-F	
YA31	YA-22D
YE6D-T	
YA31	YA-22D
YE6S	
YA31R	YA-22I

TO FIT :

YALE (I)
- ABUS (D)
- BKS (D)
- CAB (I)
- KALE (TR)
- WELKA (I)
- YALE (D)
- YALE (GB)

YALE (I)



YALE (I)



YALE (I)



Copyright by
KEYLINE

YALE (I)

YE5D-FJ



YE5D-FP

NEW YE5D-RK

YALE (I)

YE6D-FJ



YE6D-FP



NEW YE6D-RK

YALE (I)



YE91



KTM

YE87

YARDENI (IL)



YY1



YY3P YY5P

121

CROSS REFERENCE :

YE5D-FJ	
YA226	YA-1D
YE5D-FP	
-	-
YE5D-RK	
YA226	YA-1D
YE6D-FJ	
YA31	YA-22D
YE6D-FP	
YA31	YA-22D
YE6D-RK	
YA31DZ	YA-22D
YE87	
YA87	YA-273D
YE91	
YA91	YA-85D
YY1	
YD4	-
YY3P	
YD7R	YAR-2
YY5P	
YD6R	YAR-1

TO FIT :

YALE (I)
- ▶ABUS (D)
- ▶BKS (D)
- ▶CAB (I)
- ▶KALE (TR)
- ▶WELKA (I)
- ▶YALE (D)
- ▶YALE (GB)

YARDENI (IL)

Copyright by
KEYLINE

122

CROSS REFERENCE :

YET1	
YT1R	YET-6D
YET15	
YT15	LB-2D
YET15A	
YT15X	LB-RD
YET15-D	
YT15	LB-2D
YET16	
YT16	-
YET16-D	
YT16	-
YET1S	
YT1	YET-6
YET6	
YT6R	YET-2D
YET6S	
-	-
YMS1P	
-	-
YY10	
YD1	-
YY11	
YD12	-
YY12	
-	-
YY13P	
-	-
YY15	
-	-
YY8	
YD1	-
YY9	
YD12	-

TO FIT :

YARDENI (IL)
YETI (RC)
►LOB (PL)
YMS (S)

YARDENI (IL)



YARDENI (IL)



YETI (RC)



YETI (RC)



YMS (S)



Copyright by
KEYLINE

ZADI (I)



ZEISS-IKON (D)



ZEISS-IKON (D)



ZEISS-IKON (D)



123

CROSS REFERENCE :

ABU11-A	
AB10	ABU-2D
ABU11S-A	
AB10R	ABU-2I
ZAD25	
ZD25	-
ZI10-A	
ZE34X	ZE-2D
ZI10S-A	
ZE34RX	ZE-2
ZI11-A	
ZE39X	ZE-1D
ZI11S-A	
ZE39RX	ZE-1
ZI2	
ZE1	ZE-N1
ZI2-A	
ZE1X	BAB-4D
ZI2-F	
ZE1X	ZE-6D
ZI2-FJ	
ZE1	BAB-4D
ZI2S	
ZE1R	ZE-5I
ZI2S-A	
ZE1RX	ZE-6
ZI2S-F	
ZE1RX	ZE-6
ZI2S-FJ	
ZE1R	ZE-5I
ZI3	
ZE2	ZE-N1
ZI5S-A	
-	-

TO FIT :

ZADI (I)
▶BRETER (I)

ZEISS-IKON (D)
▶ABUS (D)
▶BURG (D)
▶CORONA (D)

Copyright by
KEYLINE

124

CROSS REFERENCE :

CY2S	
CA2	CA-4I
ZI14-A	
ZE12X	ZE-9D
ZI45	
ZE45	-
ZN1S	
CA13	CA-12I
ZN2	
CA14	CA-13D
ZN4	
CA8	CA-6D
ZN4-FJ	
CA8	CA-6D
ZN5S	
CA7	CA-5I

TO FIT :

ZEISS-IKON (D)
- ABUS (D)
- BURG (D)
- CORONA (D)

ZENICA (F)

ZENITH (F)
- CITY (F)

ZEISS-IKON (D)



ZI14-A



ZI45

ZENICA (F)



ZN4



ZN1S



ZN2

ZENICA (F)



ZN4-FJ

ZENITH (F)



ZN5S



CY2S

Copyright by
KEYLINE

ZENITH (F)



ZN4-FJ



ZN3



ZN3-FJ

ZENITH (F)



ZN10

125

CROSS REFERENCE :

ZN10
CA10 CA-8D
ZN3
CA11 CA-7D
ZN3-FJ
CA11 CA-7D
ZN4-FJ
CA8 CA-6D

TO FIT :

ZENITH (F)
▶CITY (F)

Copyright by
KEYLINE

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI CILINDRO - SLIM SERIES

CYLINDER KEYS - SLIM SERIES

ZYLINDERSCHLÜSSEL - SLIM SERIES

CLÉS POUR SERRURES À CYLINDRE - SLIM SERIES

LLAVES PARA CERRADURAS A CILINDRO - SLIM SERIES

BIANCHI 1770 GROUP

Innovators by design | Since 1770

CROSS REFERENCE :

TC1D-SLM	
-	-
TC1S-SLM	
-	-
TC2D-SLM	
-	-
TC2S-SLM	
-	-
TC3D-SLM	
-	-
TC3S-SLM	
-	-
TC5D-SLM	
-	-
TC5S-SLM	
-	-
UN4D-SLM	
RUL052	-
UN4S-SLM	
-	-
UN5D-SLM	
RUL050	-
UN5S-SLM	
RUL051	-
UN5D-CB-SLM	
-	-
UN5S-CB-SLM	
-	-
UN5D-DX-SLM	
-	-
UN5S-DX-SLM	
-	-
UN5D-M-SLM	
-	-
UN5S-M-SLM	
-	

TO FIT :

TRI CIRCLE (RC)
ABUS (D)
UNIVERSAL SLIM

TRI CIRCLE (RC)

1,50 mm Thickness
TC1S-SLM

1,50 mm Thickness
TC5D-SLM

1,50 mm Thickness
TC1D-SLM

1,50 mm Thickness
TC5S-SLM

1,50 mm Thickness
TC2S-SLM

1,50 mm Thickness
TC3D-SLM

1,50 mm Thickness
TC2D-SLM

1,50 mm Thickness
TC3S-SLM

UNIVERSAL SLIM

1,80 mm Thickness
UN4D-SLM

1,80 mm Thickness
UN4S-SLM

1,80 mm Thickness
UN5D-SLM

1,80 mm Thickness
UN5S-SLM

1,80 mm Thickness
NEW UN5D-CB-SLM

1,80 mm Thickness
NEW UN5S-CB-SLM

UNIVERSAL SLIM

1,80 mm Thickness
NEW UN5D-DX-SLM

1,80 mm Thickness
NEW UN5S-DX-SLM



1,80 mm Thickness
NEW UN5D-M-SLM

1,80 mm Thickness
NEW UN5S-M-SLM

Copyright by
KEYLINE

UNIVERSAL SLIM

1,80 mm Thickness — NEW UN5D-V-SLM

1,80 mm Thickness — NEW UN5S-V-SLM



1,80 mm Thickness — UN6D-SLM

1,80 mm Thickness — UN6S-SLM

YALE SLIM

1,80 mm Thickness — YE4D-SLM

1,80 mm Thickness — YE4S-SLM



1,80 mm Thickness — YE5D-SLM

1,80 mm Thickness — YE5S-SLM



1,80 mm Thickness — YE6D-SLM

1,80 mm Thickness — YE6S-SLM

129

CROSS REFERENCE :

UN5D-V-SLM	
-	-
UN5S-V-SLM	
-	-
UN6D-SLM	
RUL054	-
UN6S-SLM	
-	-
YE4D-SLM	
-	-
YE4S-SLM	
-	-
YE5D-SLM	
-	-
YE5S-SLM	
-	-
YE6D-SLM	
-	-
YE6S-SLM	
-	-

TO FIT :

UNIVERSAL SLIM

YALE SLIM

- ABUS (D)
- BKS (D)
- CAB (I)
- KALE (TR)
- WELKA (I)
- YALE (D)
- YALE (GB)

Copyright by
KEYLINE

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI A CROCE

CRUCIFORM KEYS

KREUZBARTSCHLÜSSEL

CLÉS À CRUCIFORMES

LLAVES A CRUZ

BIANCHI 1770 GROUP

Innovators by design | Since 1770

132

CROSS REFERENCE :

XAGC1	
-	-
XBU1P	
XBW1P	BUR-1X
XBU2P	
XBW2	BUR-2X
XBU3P	
XBW3	BUR-3X
XCF1	
XCCF1	CCF-1X
XCF2	
XCCF2	CCF-5X
XCF3	
XCCF3	CIF-1X

TO FIT :

AGC (P)
BURG (D)
CCF (PT)

AGC (P)



BURG (D)





BURG (D)



CCF (PT)







Copyright by
KEYLINE

CCF (PT)



133

CROSS REFERENCE :

XCF10 XCCF10	CCF-10X
XCF6 XCCF6	-
XCF7 XCCF7	MM-1X
XCF9 XCCF9	CCF-9X
XCRX1 XC1	CRC-1X
XFIA1P XF1P	FM-1X
XFIA2P XF2	FM-2X

TO FIT :

CCF (PT)

CRC CAMBOA (PT)

FIAM (I)

►MORI G. (I)

CRC CAMBOA (PT)



FIAM (I)



Copyright by
KEYLINE

134

CROSS REFERENCE :

XISE3P	
XIE3	-
XNF1P	
XN1P	-
XNF2P	
-	-
XYE1P	
XY4	YA-4X
XYE6P	
XY6P	YA-6X
XZA1P	
-	-

TO FIT :

ISEO (I)
- IFAM (E)
- VACHETTE (F)

NEMEF (NL)

YALE (GB)
- ABUS (D)
- BKS (D)
- CAB (I)
- KALE (TR)
- WELKA (I)
- YALE (D)
- YALE (I)

ZASO (RC)

ISEO (I)



XISE3P

NEMEF (NL)



XNF1P



XNF2P

YALE (GB)



XYE1P





XYE6P

ZASO (RC)



XZA1P

Copyright by
KEYLINE

ZEISS-IKON (D)



135

CROSS REFERENCE :

XZI1P
XZ1AP -
XZI2P
XZ2AP -
XZI3P
XZ3AP -

TO FIT :

ZEISS-IKON (D)
►ABUS (D)
►BURG (D)
►CORONA (D)

Copyright by
KEYLINE

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI PER CASELLARI POSTALI

MAIL BOX KEYS

POSTFACHSCHLÜSSEL

CLÉS POUR CASIERS POSTAUX

LLAVES PARA CASILLAS POSTALES

BIANCHI 1770 GROUP

Innovators by design | Since 1770

138

CROSS REFERENCE :

CP1
1003P1 -
SEC3
- -

TO FIT :

KUMAHIRA (USA)
Universal

KUMAHIRA (USA)



UNIVERSAL



Copyright by
KEYLINE

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI A DOPPIA MAPPA E POMPA

DOUBLE BIT AND PUMP KEYS

DOPPELBART - PUMPENSCHLÜSSEL

CLÉS À DOUBLE PANNETON ET À POMPE

LLAVES A DOBLE PALETÓN Y POMPA



BIANCHI 1770 GROUP

Innovators by design | Since 1770

140

CROSS REFERENCE :

1AN	
5A7	-
1AN1	
5AU1	-
1AN2	
5AU7	ANT-5G
1AN3	
APN	ANT-1G
2AN	
5AU3	ANT-4G
5AN	
5A4	-
F975ALD	
6975ALD	ALE-1G

TO FIT :

ALEDAL (S)

ANTONIOLI (I)

►AUNO (I)

ALEDAL (S)



ANTONIOLI (I)



ANTONIOLI (I)



Copyright by

KEYLINE

ANTONIOLI (I)



ASSA (S)





141

CROSS REFERENCE :

1AS12	
2AS1	-
1AS22	
2AS5	AS-1G
3AN	
ALLT	ANT-3G

TO FIT :

ANTONIOLI (I)
▶AUNO (I)
ASSA (S)

Copyright by
KEYLINE

142

CROSS REFERENCE :

1AT	
5AT1	ATR-2G
1AT7	
5AT3	-
1ATP	
5AT1P	-
2AT5	
5AT5	-
2AU13	
5AU13	-
2AU9	
5AU9	-
5AT	
5AT9	ATR-1G
9AT	
5AT7	-

TO FIT :

ATRA (I)

AUNO (I)

ATRA (I)



1AT7



2AT5



1AT



1ATP

ATRA (I)



9AT

5AT

AUNO (I)



2AU13



2AU9

Copyright by

KEYLINE

BETA (I)





BODA (S)





143

CROSS REFERENCE :

1BOD1P	
5BDA3	BOD-1G
1BOD2	
6BDA1	BOD-4G
2BE1	
BEL	BE-5G
2BE2	
BELC	BE-6G
2BE3	
BEA	-
2BE4	
BEAC	-

TO FIT :

BETA (I)
▶POTENT (I)
BODA (S)

Copyright by
KEYLINE

144

CROSS REFERENCE :

12CER 5C15	CRT-18G
1CER10 CPC	CRT-1G
1CER12 CPXN	CRT-13G
2CER16 5C4	CRT-12G
4CER CN	CRT-14G
4CERS CNC	CRT-15G
8CER C	CRT-5G

TO FIT :

CERUTTI (I)

CERUTTI (I)



CERUTTI (I)



Copyright by
KEYLINE

CERUTTI (I)



CHUBB (GB)



CIPIERRE (I)



145

CROSS REFERENCE :

10CER	
-	CRT-11G
1CER	
5C9	CRT-9G
1CER13	
5C14	-
1CHU1	
6CHU2	CHU-1G
1CHU2	
CHL	CHU-2G
2CIP3	
5CPR3	-

TO FIT :

CERUTTI (I)
CHUBB (GB)
CIPIERRE (I)

Copyright by
KEYLINE

146

CROSS REFERENCE :

11CAP CSP	CI-1PG
14CA CSC	CI2G
1CA CS	CI-1G
1CAP CSP	CI-1PG
2CA10P 5CS10P	CI-5PG
3CA CSM	CI-8G
4CA 5CS2	CI-6G
4CAP 5CS2P	CI-6PG
4CASP 5CS1P	-

TO FIT :

CISA (I)

CISA (I)



CISA (I)



Copyright by
KEYLINE

CISA (I)



CISA (I)



CLASS (RUS)



147

CROSS REFERENCE :

13CA	
CSL	CI4G
2CA	
CSLC	CI3G
2CA12P	
5CS12P	CI-9PG
2CA5	
CSMC	-
2CAP	
CSLCP	CI-3PG
2CLS1	
5CSS1	CLA-1G
2CLS2	
5CSS3	CLA-2G
2CLS3	
-	CLA-3G

TO FIT :

CISA (I)

CLASS (RUS)

Copyright by
KEYLINE

148

CROSS REFERENCE :

2C18	
5R3	CR-19G
2C20	
5R9	-
2CA	
5CC2	CI3G
4CA	
5CC4	CI-6G

TO FIT :

CORNI (I)
▶LINCE (E)
CR (I)
▶TITAN (SLO)

CORNI (I)





CR (I)





Copyright by
KEYLINE

CR (I)



2C15



2C17

CR (I)



7C



2C7

2C8



2C21

149

CROSS REFERENCE :

2C15	
5R14	CR-14G
2C17	
5R16	CR-4G
2C21	
RLN	-
2C7	
R	CR2G
2C8	
RM	CR-5G
7C	
5R7	CR-1G

TO FIT :

CR (I)
▶TITAN (SLO)

Copyright by
KEYLINE

150

CROSS REFERENCE :

2C10	
RL	-
2C6	
RN	CR-3G
2DS1	
-	-
2DV12	
5DVN21	DV-12G
2ELB1	
5EB1	ELB-1G
DRO250	
-	-

TO FIT :

CR (I)
▶TITAN (SLO)
DOMUS (GR)
DRO OFFICINE (I)
DVERNIAK (RUS)
ELBOR (RUS)

CR (I)



2C6



2C10

DOMUS (GR)



2DS1

DRO OFFICINE (I)

DRO250

DVERNIAK (RUS)



2DV12

ELBOR (RUS)



2ELB1

Copyright by
KEYLINE

ELZETT (H)



ESETY (I)



151

CROSS REFERENCE :

1ELZ1 5EL1	ELZ-1G
1ELZ2 7308E	ELZ-4G
1EY3 5EY3	-
20EY 5EY20	EST-6G
22EY 5EY22	EST-7G
2EY EL	EST-5G
2EY5 5EY5	-

TO FIT :

ELZETT (H)
▶CES (D)

ESETY (I)
▶TESIO (I)

ESETY (I)



Copyright by
KEYLINE

152

CROSS REFERENCE :

1FAS11	
2FY1	FA-1G
1FAS12	
2FY2	FA-3G
1FAS13	
2FY3	FA-5G
1FAS2	
2FY2	FA-3G
1FEB	
5FEB1	FEB-1G
2FAS1	
6FS2	FA-2PPG
2FAS2	
2FY5	FA-4G
3FEB	
5FEB5	FEB-2G

TO FIT :

FAS (S)

FEB (I)
▶VIRO (I)

FAS (S)



FAS (S)



FEB (I)



Copyright by
KEYLINE

FIAM (I)



2FIA1



5FIA



15FIA



1FIA17

FIAM (I)



1FIA19



1FIA7



2FIA27



1FIA5

153

CROSS REFERENCE :

15FIA	
5FI9	FM-8G
1FIA17	
5FI17	FM-17G
1FIA19	
5FI19	FM-16G
1FIA5	
5FI23P	FM-20G
1FIA7	
5FI7	FM-5G
2FIA1	
F	FM-1G
2FIA27	
5FI21	FM-14G
5FIA	
FQM	-

TO FIT :

FIAM (I)
▶IDM (I)

Copyright by
KEYLINE

154

CROSS REFERENCE :

2GM1	
GL	GMG2G
2IDM2	
5ID5	IDM-3G
2IDM3	
5ID3	IDM-5G
2IDM4	
IDM	IDM-1G
5IDM	
5ID7	IDM-2G
FIC7	
FT525P	-

TO FIT :

FICHET (F)

GMG (I)

IDM (I)

▶FIAM (I)

FICHET (F)



FIC7

GMG (I)



2GM1

IDM (I)



5IDM



2IDM2

IDM (I)



2IDM3



2IDM4

Copyright by

KEYLINE

ISEO (I)



4ISE



2ISE7



3ISE



1FIA5

ITAL (I)



4IT



3IT



2IT8

155

CROSS REFERENCE :

1FIA5	
5FI23P	FM-20G
2ISE7	
5IE7	IS-5G
2IT8	
5IT8	IT-1G
3ISE	
5OC1	IS-4G
3IT	
5IT3	IT-2G
4ISE	
5IE5	IS-1G
4IT	
-	-

TO FIT :

ISEO (I)
▶FIAM (I)
ITAL (I)

Copyright by
KEYLINE

156

CROSS REFERENCE :

10JW	
5JW1	JW-30G
2JW	
JW35	JW-40G
3JW	
JW50	JW-50G
6JW	
JW40	JW-40G
7JW	
JW70	JW-70G
8JW	
JW60	-
9JW	
JW90	JW-90G

TO FIT :

JUWEL (D)

JUWEL (D)



JUWEL (D)



Copyright by

KEYLINE

KASSEL (I)



4KEL



KEL



2KEL



6KEL

MAUER (D)



NEW 2MA1

MOIA (I)



1MOI1



NEW 2MOI1



NEW 2MOI2

157

CROSS REFERENCE :

1MOI1	
PP	MOI1G
2KEL	
5KY7	KAS-6G
2MA1	
-	-
2MOI1	
ML	MOI3G
2MOI2	
5MO2	-
4KEL	
5KY2	KAS-2G
6KEL	
KL	KAS4G
KEL	
5KY7	-

TO FIT :

KASSEL (I)
MAUER (D)
MOIA (I)

Copyright by
KEYLINE

158

CROSS REFERENCE :

15MOP	
5MT3BP	-
19MO	
5MT14	MT-16G
2MO14P	
5MT7BP	-
2MOI3	
5MO3	MOI-5G
5MO	
5MT5	MT-3G
MO-AP	
MT4P	MT-AGP
MO-CP	
MT3P	MT-CGP
MO-EP	
MT2P	MT-EGP
MO-FP	
MT3RP	MT-DGP
MO-GP	
MT4RP	MT-GGP

TO FIT :

MOIA (I)

MOTTURA (I)

MOIA (I)

MOTTURA (I)



MOTTURA (I)



Copyright by
KEYLINE

MOTTURA (I)



MOTTURA (I)



159

CROSS REFERENCE :

16MO MTN	MT-6G
17MO MTNC	MT-10G
18MOP 5MT9P	MT-9PG
2MO MTL	MT-2G
2MO10P 5MT21BP	-
2MO20 5MT16	MT-11G
5MOP 5MT5P	MT-3PG
6MOP -	-

TO FIT :

MOTTURA (I)

Copyright by
KEYLINE

160

CROSS REFERENCE :

16MOP	
MTNP	MT-6PG
17MOP	
MTNCP	MT-10PG
2MO12P	
5MT19BP	-
2MO13P	
5MT18AP	-
2MO15P	
-	-

TO FIT :

MOTTURA (I)

MOTTURA (I)



MOTTURA (I)

Copyright by
KEYLINE

MUEL (F)



9MU4

9MU5

9MU7



8MU1-7

8MU2-8

8MU4-10

8MU5



7MU1-7

7MU2-8

161

CROSS REFERENCE :

10PO 5PT11	PTN-5G
1PO POP	PTN-1G
1PO2 5PT18	-
3ISE 5OC1	IS-4G
7MU1-7 MU7-1	-
7MU2-8 MU7-2	-
8MU1-7 MU8-1	-
8MU2-8 MU8-2	-
8MU4-10 MU8-4	-
8MU5 MU8-5	-
9MU4 MU10-4	-
9MU5 MU10-5	-
9MU7 MU10-7	-

TO FIT :

MUEL (F)

OMEC (I)

POTENT (I)
▶BETA (I)

OMEC (I)



3ISE

POTENT (I)



1PO



1PO2



10PO

Copyright by
KEYLINE

162

CROSS REFERENCE :

12PO	
-	-
14PO	
5PT12	PTN-15G
2PO13	
5PT13	-
2PO2	
5PT2	PTN-7G
2PO7	
5PT7	PTN-13G
6PO	
5PT3	PTN-6G

TO FIT :

POTENT (I)
▶BETA (I)

POTENT (I)



POTENT (I)



Copyright by
KEYLINE

PREFER (I)



2PR3



2PR4

SAB (I)



NEW 2SAB4

SAFE (I)



3SAF



1SAF

163

CROSS REFERENCE :

1SAF	
5MS1	SAF-1G
2PR3	
5PF1	PR-3G
2PR4	
5PF3	PR-4G
2SAB4	
5SAB4	-
3SAF	
5MS3	SAF-2G

TO FIT :

PREFER (I)
▶POTENT (I)

SAB (I)

SAFE (I)

Copyright by
KEYLINE

164

CROSS REFERENCE :

2SEC1	
EM	SIB-5G
2SEC3	
5SCM12	SEC-3G
2SEC5	
SM	SIB-3G
2SEC8	
5SCM8	SEC-7G
2SIA5	
5SAS5	SIA-3G
3SEC	
SB	SIB-4G
5SEC	
S	SIB-2G

TO FIT :

SECUREMME (I)
- ▶CORNI (I)
- ▶MERONI (I)
- ▶SAB (I)

SIAS (I)

SECUREMME (I)



SECUREMME (I)



SIAS (I)



Copyright by
KEYLINE

TESIO (I)



2TE2



2TE1



2TE3

TRIOVING (N)



1TV2



1TV3



1TV1

165

CROSS REFERENCE :

1TV1	
-	-
1TV2	
-	-
1TV3	
-	-
2TE1	
5TSI1	TSI-1G
2TE2	
EN	EST-2G
2TE3	
5TSI3	-

TO FIT :

TESIO (I)

TRIOVING (N)

Copyright by

KEYLINE

166

CROSS REFERENCE :

1WK1
WM WE1G
2YE1
5YA1 YA-1G

TO FIT :

WELKA (I)

YALE (I)
- ▶ABUS (D)
- ▶BKS (D)
- ▶CAB (I)
- ▶KALE (TR)
- ▶WELKA (I)
- ▶YALE (D)
- ▶YALE (GB)

WELKA (I)



YALE (I)



Copyright by
KEYLINE

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI CADORINE

CADORINE KEYS

CADORINE BART UND DOPPELBARTSCHLÜSSEL

CLÉS CADORINE

LLAVES CADORINE

BIANCHI 1770 GROUP

Innovators by design | Since 1770

168

CROSS REFERENCE :

F106	
6106	1200G
F107	
6107	1201G
FCF107	
8107	1601G
FCF455	
7455	618G
MCF107	
7107	601G
MCF455	
8455	1618G

TO FIT :

CASSEFORTI - SAFES
FEMMINE con MAZZETTA

CASSEFORTI - SAFES



MCF455



FCF455



FCF107

CASSEFORTI - SAFE



MCF107

FEMMINE CON MAZZETTA



F106



F107

Copyright by
KEYLINE

FEMMINE CON MAZZETTA





FEMMINE CON MAZZETTA



169

CROSS REFERENCE :

F108	
6108	1202G
F109	
6109	1203G
F111	
6111	-

TO FIT :

FEMMINE con MAZZETTA

Copyright by
KEYLINE

170

CROSS REFERENCE :

F605	
6605	1241G
F606	
6606	1242G
F607	
6607	1243G
F608	
6608	1244G
F609	
6609	1245G
F610	
6610	1246G

TO FIT :

FEMMINE FIRENZE

FEMMINE FIRENZE







FEMMINE FIRENZE







Copyright by
KEYLINE

FEMMINE FIRENZE



GORGES ADAP.





171

CROSS REFERENCE :

F509	
6509	1215G
F611	
6611	1247G
G-M4	
6M4	-

TO FIT :

FEMMINE FIRENZE

GORGES ADAP.

Copyright by

KEYLINE

172

CROSS REFERENCE :

G-M13	
6M13	213G
G-M32	
6M32	AD-21
G-M7	
6M7	AD-10
M509	
5509	215G

TO FIT :

GORGES ADAP.

GORGES ADAP.



M509



G-M7

GORGES ADAP.



G-M32



G-M13

Copyright by
KEYLINE

GORGES ADAP.





G-M12



G-M25

GORGES ADAP.





F511

173

CROSS REFERENCE :

F511	
6511	1217G
G-M12	
6M12	AD-8
G-M25	
6M25	AD-23

TO FIT :

GORGES ADAP.

Copyright by
KEYLINE

174

CROSS REFERENCE :

F512
6512 1218G
F514
6514 -

TO FIT :

GORGES ADAP.

GORGES ADAP.



GORGES ADAP.



Copyright by
KEYLINE

JPM (F)



G-JM1



G-JM2



G-JM3

175

CROSS REFERENCE :

G-JM1	
6JM1	JP-4
G-JM2	
6JM2	JP-5
G-JM3	
6JM3	JP-6
G-JM5	
6JM5	JP-2
G-JM6	
6JM6	JP-3
G-MF1	
6MF1	MAF-1

TO FIT :

JPM (F)

MAFOR (F)

JPM (F)



G-JM5



G-JM6

MAFOR (F)



G-MF1

Copyright by
KEYLINE

176

CROSS REFERENCE :

M107	
5107	201G
M108	
5108	202G
M109	
5109	203G
M411	
5411	213G

TO FIT :

MASCHI alla LOMBARDA

MASCHI con MAZZETTA

MASCHI ALLA LOMBARDA



MASCHI CON MAZZETTA







Copyright by
KEYLINE

MASCHI CON MAZZETTA



MASCHI CON MAZZETTA



177

CROSS REFERENCE :

M112
5112 206G
M114
5114 208G

TO FIT :

MASCHI con MAZZETTA

Copyright by
KEYLINE

178

CROSS REFERENCE :

F206	
6206	1210G
F207	
5207	-
F507	
6507	-
MT600	
9600	-
MT601	
9601	-

TO FIT :

MASCHI tipo TRIESTE

MOBILI - CABINETS

MASCHI TIPO TRIESTE



MT600



MT601

MOBILI - CABINETS



F206



F207



F507

Copyright by

KEYLINE

VACHETTE (F)







179

CROSS REFERENCE :

G-VC1
6VAC1 VA-400
G-VC305
VAC305 VA-3T
G-VC306
VAC306 VA-5T

TO FIT :

VACHETTE (F)
▶ISEO (I)
▶RONIS (F)
▶TITAN (SLO)
▶TOK-WINKHAUS (D)

Copyright by
KEYLINE

KEYLINE

A BIANCHI 1770 GROUP COMPANY

CHIAVI PATENT & ITALIAN STYLE KEYS

COLD FORGED KEYS & ITALIAN STYLE KEYS

PATENTSCHLÜSSEL & ITALIAN STYLE MOEBELSCHLÜSSEL

CLÉS PATENT & ITALIAN STYLE KEYS

LLAVES PATENT & ITALIAN STYLE KEYS

BIANCHI 1770 GROUP

Innovators by design | Since 1770

182

CROSS REFERENCE :

OP2630BA	
3F2630	-
OP2630OR	
3F2630	-
OP2635BA	
3F2635	-
OP2635OR	
3F2635	-
OP2640BA	
3F2640	-
OP2640OR	
3F2640	-
OP2645BA	
-	-
OP2645OR	
-	-
OP3330BA	
-	-
OP3330OR	
-	-
OP3335BA	
3F3335	-
OP3335OR	
3F3335	-
OP3340BA	
3F3340	-
OP3340OR	
3F3340	-
OP3345BA	
-	-
OP3345OR	
-	-

TO FIT :

ITALIAN STYLE KEYS

ITALIAN STYLE KEYS



OP3330BA

OP3330OR

OP3335BA

OP3335OR

OP3340BA

OP3340OR

OP3345BA

OP3345OR

ITALIAN STYLE KEYS



OP2630BA

OP2630OR

OP2635BA

OP2635OR

OP2640BA

OP2640OR

OP2645BA

OP2645OR

Copyright by

KEYLINE

ITALIAN STYLE KEYS



OP3735BA



OP2830BA



OP2840BA

OP2840OR

ITALIAN STYLE KEYS

OP3033BA

OP3033OR

OP3042BA

OP3042OR

OP7330BA

CROSS REFERENCE :

OP2830BA	
3F2830	-
OP2840BA	
3F2840	-
OP2840OR	
3F2840	-
OP3033BA	
3F3032	O2G
OP3033OR	
3F3032	O2G
OP3042BA	
3F3042	O1G
OP3042OR	
3F3042	O1G
OP3735BA	
3F3735	-
OP7330BA	
3F7330	-

TO FIT :

ITALIAN STYLE KEYS

Copyright by

KEYLINE

184

CROSS REFERENCE :

OP1540NI
3F1540 -
OP1540OR
3F1540 -
OP4433BA
3F4433 -
OP4445BA
3F4445 -
OP4735BA
3F4735 -
OP4742BA
3F4742 -
OP4832BA
3F4832 -
OP4832OR
3F4832 -
OP4842BA
3F4842 -
OP4842OR
3F4842 -

TO FIT :

ITALIAN STYLE KEYS

ITALIAN STYLE KEYS



OP4832BA

OP4832OR



OP4842BA

OP4842OR

OP4433BA

OP4445BA

ITALIAN STYLE KEYS



OP4735BA



OP4742BA

OP1540NI

OP1540OR

Copyright by

KEYLINE

ITALIAN STYLE KEYS



OP4535OR

OP4542BA

OP5535OA

ITALIAN STYLE KEYS



OP5545OA

OP1730BA

OP1738BA

OP1738OR

185

CROSS REFERENCE :

OP1730BA	
3F1730	-
OP1738BA	
3F1738	Z1G
OP1738OR	
3F1738	Z1G
OP4535OR	
3F4535	-
OP4542BA	
3F4542	-
OP5535OA	
-	-
OP5545OA	
-	-

TO FIT :

ITALIAN STYLE KEYS

Copyright by

KEYLINE

186

CROSS REFERENCE :

OP1630BA	
3F1630	E-1G
OP1630OR	
3F1630	E-1G
OP1635BA	
-	-
OP1640BA	
-	-
OP1640OR	
-	-
OP2933BA	
3F2933	K1G
OP5233BA	
3F5233	-
OP5242BA	
3F5242	-

TO FIT :

ITALIAN STYLE KEYS

ITALIAN STYLE KEYS

OP2933BA

OP1630BA

OP1630OR

OP1635BA

ITALIAN STYLE KEYS

OP1640BA

OP1640OR

OP5233BA

OP5242BA

Copyright by

KEYLINE

ITALIAN STYLE KEYS

OP4342BA

OP2532BA

OP2542BA

187

CROSS REFERENCE :

NF1 1NFHL	NEF-2Z-1
NF10 10NFHL	NEF-2Z-10
NF2 2NFHL	NEF-2Z-2
NF3 3NFHL	NEF-2Z-3
NF4 4NFHL	NEF-2Z-4
NF5 5NFHL	NEF-2Z-5
NF6 6NFHL	NEF-2Z-6
NF7 7NFHL	NEF-2Z-7
NF8 8NFHL	NEF-2Z-8
NF9 9NFHL	NEF-2Z-9
OP2532BA 3F2532	-
OP2542BA 3F2542	-
OP4342BA 3F4342	-

TO FIT :

ITALIAN STYLE KEYS
NEMEF (NL)

NEMEF (NL)



Copyright by
KEYLINE

188

CROSS REFERENCE :

126D-55
- -

126D-60
- -

126D-65
- -

126D-70
- -

PAT1D
6P3D -

PAT1S
6P3S -

PAT2D
6P1D -

PAT2S
6P1S -

TO FIT :

NETHERLAND

Passepartout

NETHERLAND





126D-65



126D-70



126D-60



126D-55

PASSEPARTOUT



PASSEPARTOUT
per/for
BONATI
MPV
PERINO



PASSEPARTOUT
per/for
AGB
CORNI
MP

PAT1D

PAT1S

PAT2D

PAT2S

Copyright by
KEYLINE

PASSEPARTOUT



PASSEPARTOUT
per/for
BONATI
MAVE
OASA
PERINO
STIQUAM

PAT3D

PAT3S



PAT9

PASSEPARTOUT



PASSEPARTOUT
per/for
BONANTI
ISEO
MP



PASSEPARTOUT
per/for
AGB
MP
PERINO
SMET



PAT1



PAT2

189

CROSS REFERENCE :

PAT1
5012 -
PAT2
5011 -
PAT3D
6P2D -
PAT3S
6P2S -
PAT9
6P9MP -

TO FIT :

Passepartout

Copyright by
KEYLINE

190

CROSS REFERENCE :

PAT3	
5010	-
PAT4	
5005C	-
PAT5	
5006C	-
PAT6	
5009	-
PAT7	
5007EK	-
PAT8	
5008EK	-
Q7	
-	-
T7	
-	-

TO FIT :

Passepartout

X GAS

PASSEPARTOUT



PASSEPARTOUT



X GAS



Copyright by
KEYLINE

INDEX

REF.	PAG.
10CER	145
10JW	156
10PO	161
11CAP	146
126D-55	188
126D-60	188
126D-65	188
126D-70	188
12CER	144
12PO	162
13CA	147
14CA	146
14PO	162
15FIA	153
15MOP	158
16MO	159
16MOP	160
17MO	159
17MOP	160
18MOP	159
19MO	158
1AN	140
1AN1	140
1AN2	140
1AN3	140
1AS12	141
1AS22	141
1AT	142
1AT7	142
1ATP	142
1BOD1P	143
1BOD2	143
1CA	146
1CAP	146
1CER	145
1CER10	144
1CER12	144
1CER13	145
1CHU1	145
1CHU2	145
1ELZ1	151
1ELZ2	151
1EY3	151
1FAS11	152
1FAS12	152
1FAS13	152
1FAS2	152
1FEB	152
1FIA17	153
1FIA19	153
1FIA5	153 - 155
1FIA7	153
1MOI1	157
1PO	161
1PO2	161
1SAF	163
1TV1	165
1TV2	165
1TV3	165
1WK1	166
20EY	151
22EY	151
2AN	140
2AT5	142
2AU13	142
2AU9	142
2BE1	143
2BE2	143
2BE3	143
2BE4	143
2C10	150
2C15	149
2C17	149
2C18	148
2C20	148
2C21	149
2C6	150
2C7	149
2C8	149
2CA	147 - 148

REF.	PAG.
2CA10P	146
2CA12P	147
2CA5	147
2CAP	147
2CER16	145
2CIP3	145
2CLS1	147
2CLS2	147
2CLS3	147
2DS1	150
2DV12	150
2ELB1	150
2EY	151
2EY5	151
2FAS1	152
2FAS2	152
2FIA1	153
2FIA27	153
2GM1	154
2IDM2	154
2IDM3	154
2IDM4	154
2ISE7	155
2IT8	155
2JW	156
2KEL	157
2MA1	157
2MO	159
2MO10P	159
2MO12P	160
2MO13P	160
2MO14P	158
2MO15P	160
2MO20	159
2MOI1	157
2MOI2	157
2MOI3	157
2PO13	162
2PO2	162
2PO7	162
2PR3	163
2PR4	163
2SAB4	163
2SEC1	164
2SEC3	164
2SEC5	164
2SEC8	164
2SIA5	164
2TE1	165
2TE2	165
2TE3	165
2YE1	166
3AN	141
3CA	146
3FEB	152
3ISE	155 - 161
3IT	155
3JW	156
3SAF	163
3SEC	164
4CA	146 - 148
4CAP	146
4CASP	146
4CER	144
4CERS	144
4ISE	155
4IT	155
4KEL	157
5AN	140
5AT	142
5FIA	153
5IDM	154
5MO	158
5MOP	159
5SEC	164
6JW	156
6KEL	157
6MOP	159
6PO	162
7C	149

REF.	PAG.
7JW	156
7MU1-7	161
7MU2-8	161
8CER	144
8JW	156
8MU1-7	161
8MU2-8	161
8MU4-10	161
8MU5	161
9AT	142
9JW	156
9MU4	161
9MU5	161
9MU7	161
A	
AAA1	2
AB1	2
AB1P	2
AB3	2
ABS3	2 - 62
ABS3S	2
ABU1	4
ABU10	4
ABU11	4
ABU11-A	5 - 123
ABU11-F	5
ABU11S	4
ABU11S-A	5 - 123
ABU11S-F	5
ABU12P	6
ABU13	3
ABU14S	4
ABU163	4
ABU17	3
ABU17S	3
ABU18	3
ABU19	4
ABU19-A	6
ABU19S	4
ABU19S-A	6
ABU1-A	5 - 32
ABU1-F	5
ABU1-FJ	4
ABU1S	4
ABU1S-A	5
ABU2	3
ABU20	2
ABU21	2
ABU22-T	3
ABU26	4
ABU3	3
ABU30-A	6
ABU32	3
ABU34	3
ABU35S	6
ABU36	6
ABU39	4
ABU3S	3
ABU40	6
ABU41S	3
ABU43	3
ABU43S	3
ABU47	5
ABU48	5
ABU49	5
ABU52	2
ABU53	2
ABU57P	6
ABU57SP	6
ABU59S	4
ABU6	3
ABU60S	4
ABU61S	4
ABU63S	4
ABU65SP	6
ABU66SP	6
ABU67SP	6
ABU68SP	6

REF.	PAG.
ABU70D	4
ABU70S	4
ABU74	5
ABU77	5
ABU7P	5
ABU8	3
ABU89	4
ABU8S	3
ABU95	4
ABU96	4
ADG1S	9
ADG1S-F	9
ADG2S	9
ADG2S-F	9
AG1	8
AG1S	8
AGA6	6
AGB1	8
AGB4D	7
AGB4S	7
AGB5D	7
AGB5PD	7
AGB5PS	7
AGB5S	7
AGB5S-F	7
AGB5S-FJ	7
AGB5S-T	7
AGB6	7
AGB7	7
AGB8	7
AGB9	7
AGU2	8
AGU2S	8
AGU3	8
AGU3S	8
AGU4	8
AGU4S	8
AGU5	8
AGU5S	8
AKS10	10
AKS1S	9
AKS2	10
AKS4	9
AKS7	10
AKS8	9
AL5	8
AL5S	8
ALP2	9
ALP4	9
ALP4S	9
ALP9	9
ALP9S	9
AMG1	9
AMG3	9
APX4	10
ARM1	10
ARM1S	10
AS177	11
AS20	10
AS200S	12
AS20S	10
AS28N	10
AS29MG	10
AS29NN	10
AS29NN-FJ	11
AS29NN-FP	11
AS29W	10
AS3	11
AS31HH	11
AS31HH-FJ	11
AS31LF	11
AS34A	11
AS34E	11
AS34M	11
AS34N	11
AS34RA	11
AS34RB	11
AS34RC	11
AS34S	11
AS35DK	11

Copyright by Keyline S.p.A.

INDEX

REF.	PAG.
AS35GM	11
AS35NN	11
AS35W	11
AS37HH	12
AS37HH-FJ	12
AS37HH-FP	12
AS37KF	12
AS37LF	12
AS37MG	12
AS37PG	12
AS37PH	12
AS37PT	12
AS4	11
AS5	11
AS6	11
AS7	11
AST1	12
AV1	12
AV1S	12
AVO1	12
AXA1BP	13
AXA1P	13
AXA2P	13
AXA3P	13
AXA3SBLP	13
AXA3SBP	13
AXA3SP	13
AXA4P	13
AXA4SP	13
AXA5SP	13
AXA6P	13
AZ10	14
AZ10S	14
AZ2	14
AZ3	14
AZ6	14
AZ7	14
AZ9	14
B	
BA1	15
BA10	16
BA11	16
BA1-F	15
BA1-FJ	15
BA5S	15
BA6-A	15
BA7	15
BA8S	16
BAS3	16
BAS3SM	16
BAS4	16
BAS4SM	16 - 46
BAS5	16 - 93
BB1	14
BB10	15
BB10S	15
BB1-F	15
BB1-FJ	14
BB1S	14
BB20S	15
BB25S	15
BB26S-18	15
BB4S	14
BB6S	14
BD10	19
BD101	19
BD102	19
BD11	19
BD110	20
BD11S	19
BD13	20
BD14	20
BD16	20
BD20	19
BD21	20
BD5	19
BD5S	19
BD6	19

REF.	PAG.
BD6S	19
BD9S	19
BD9S-F	19
BD9S-FJ	19
BE4D	17
BE4S	17
BE5D	17
BE5S	17
BE5SM	17
BET1	16
BK1	17
BK10-01	18
BK10-05	18
BK10-X05	18
BK12S	18
BK13	17
BK15	18
BK1A	17
BK1-F	17
BK1-FJ	17
BK1S	17
BK1SA	17
BK2S	17
BK42-07	18
BK42-19	18
BK48S	18
BK49S	18
BMB3	18
BMB5	18
BMC1	61
BO2	18
BO2S	18
BP1S	18
BRA2S	18
BSS2	20
BSS4	20
BSS5S	20
BSS6S	20
BST12	16
BU1	21
BU10	21
BU10S	21
BU11	21
BU12	21
BU13	21
BU14S	22
BU15	21
BU16	22
BU17	22
BU1S	21
BU2	21
BU23	21
BU23S	21
BU26	21
BU28S	22
BU2S	21
BU3	21
BU31	22
BU31S	22
BU38	22
BU3S	21
BU4	22
BU4S	22
BU5S	21
BU6	22
BU61	22
BUL5	20
BUL6	20
BUL7	20
BUVA3	22
C	
CA10	28
CA12	28
CA121	32
CA12S	28
CA13D	28
CA13D-A	31
CA13S	28

REF.	PAG.
CA144	32
CA14S-F	31
CA15D	28
CA16	31
CA16S	31
CA17	30
CA17S	30
CA18	28 - 73
CA18S	28
CA19S	31
CA22	28
CA26	28
CA26S	28
CA2D	28
CA2S	28
CA31S	28
CA35	31
CA3D	28
CA3S	28
CA40D	30
CA41D	30
CA42D	30
CA43	31
CA44	30
CA48	32
CA4D	28
CA4D-F	29
CA4D-FJ	29
CA4D-FP	30
CA4D-M	32
CA4D-RK	30
CA4D-T	29
CA4PD	31
CA4PS	31
CA4S	28
CA4S-F	29
CA4S-FJ	29
CA4S-M	32
CA50D	31
CA50S	31
CA55	32
CA56	32
CA57	32
CA5D	28
CA5D-D	29
CA5D-F	29
CA5D-FA	32
CA5D-FJ	29
CA5D-FP	30
CA5D-M	32
CA5D-RK	30
CA5D-T	29
CA5PD	31
CA5PD-F	29
CA5PD-FJ	29
CA5PD-FP	30
CA5PD-RK	30
CA5PD-T	29
CA5PS	31
CA5S	28
CA5S-F	29
CA5S-FJ	29
CA5S-FP	30
CA5S-M	32
CA5S-RK	30
CA60	32
CA62	32
CA62P	32
CA65	32
CA68-FJ	29
CA6D	31
CA6S	31
CA70	32
CA70P	32
CA75P	32
CA8	28
CA83	31
CA85	31
CA86S	31
CA87	31

REF.	PAG.
CA8S	28
CA9	28
CA91	32
CA9S	28
CAB1	22
CAB2S	22
CAF2	23
CARL1-T	23
CAS10	23
CAS11	23
CAS18	24 - 91
CAS18-F	24
CAS18-FP	24
CAS1PD	23
CAS22D	24
CAS23D	24
CAS24D	24
CAS2PD	23
CAS30	24
CAS3D	23
CAS3PD	23
CAS4D	23
CAS4PD	23
CAS4PS	23
CAS50D	24
CAS5D	24
CAX1S	24
CAX2S	24
CAY1	24
CE1	25
CEE1S	24
CEM1	25 - 52
CEM1S	25 - 52
CHU6	27
CHV1	27
CHV1S	27
CHV2-A	27
CIF1	27
CIF1S	27
CIN1S	27
CIN3S	27
CIN5	28
CIN5S	28
CIN6	28
CIN6S	28
CL4	27
CLA2S	33
CLS1	33
CNT1	23
CNT1S	23
CNT2	23
CNT3	23
CNT3S	23
COB1	33
COR10S	35
COR11S	34
COR13	34
COR23S	34
COR27S	34
COR30	35
COR31	35
COR40D	34
COR43S	34
COR4PD	33
COR50D	34 - 80
COR50S	34 - 80
COR51PD	33
COR5D	34
COR5PD	33 - 80
COR61	36
COR61S	36
COR68	34
COR6D	35
COR6D-A	35
COR6D-F	35
COR6D-FJ	35
COR6D-FP	35
COR6D-RK	35
COR6D-T	35
COR6S	35

Copyright by Keyline S.p.A.

INDEX

REF.	PAG.
COR78S	34
COR7S	34
COR80	33
COR83	34
COR87	35
COR8S	34
COR97	36
COR97B	36
CP1	138
CR4	36 - 76
CR4S	36
CR5	36
CR5PD	36
CR5PD-T	36
CR5S	36
CR8	36
CRN1	36
CS10-A	26
CS11	25
CS114	26
CS12	25
CS129-77	27
CS13	25
CS14	25
CS15	25
CS16-T	25
CS17WPS	26
CS17XPS	26
CS18	25
CS2A	26
CS2-F	26
CS2-FJ	26
CS2-FP	26
CS3	26
CS35-A	27
CS4	25
CS41	25
CS41-F	25
CS42	26
CS42-F	26
CS42-FP	26
CS6-16	27
CTO4	23
CV3	37
CV3S	37
CVL5	37
CY1	33
CY2	33
CY2S	33 - 124
CY2S-FJ	33
CY6	63
D	
DE5D	37
DE5S	37
DF3	37
DF3S	37
DIA2	37
DK6	37
DK6B	37
DL1S	37
DL2	37
DO100	40
DO100X	40
DO11	38
DO110	39
DO12	22 - 39
DO120	40
DO12S	39
DO14	39
DO14-F	39
DO15	38
DO16	40
DO20	38
DO21	39
DO220	39
DO220-F	39
DO220-FJ	39

REF.	PAG.
DO220-FP	39
DO24	40
DO27	40
DO30	38
DO37	38
DO39S	38
DO5	39
DO50S	39
DO58	38
DO5A	39
DO5-F	39
DO5-FJ	39
DO60	40
DO60S	40
DO63	38
DO8	38
DO8S	38
DO9S	38
DR1	38
DRO250	150
DS1	40
DS2	40
E	
EF1	40
EF2S	40
ELZ1	40
EMK1	40
EPK1P	41
EPK1SP	41
ER1S	45
ER4	45
ER5	45
ERA1	41
ERA2	41
ESL1S	41
ETA1	41
EU10	42
EU10S	42 - 71
EU11S	42
EU13S	41
EU14S	42
EU16S	42
EU18	42
EU56	43
EU8	42
EUS1	43
EUS1-F	43
EUS2	43
EUS3	43
EV10-A	44
EV10-F	44
EV10-FJ	44
EV117S-A	44
EV11-A	44
EV12-A	44
EV13-A	44
EV15-A	44
EV22S-A	44
EV35-A	44
EV40S	44
EV5-A	44
EV5-F	44
EV69-A	44
EV69-F	44
EV8S	44
EVD2	43
EVD3	43
EVD3S	43
EVD4	43 - 76
EVD5	43
EXT1	44
F	
F106	168
F107	168
F108	169

REF.	PAG.
F109	169
F111	169
F206	178
F207	178
F507	178
F509	171
F511	173
F512	174
F514	174
F605	170
F606	170
F607	170
F608	170
F609	170
F610	170
F611	171
F975ALD	140
FAC12	46
FAC7	46
FAC9	46
FAN1	46
FB1-100X	45
FB1-100X-FJ	46
FB1-110X	45
FB1-110X-FJ	46
FB1-120X	45
FB1-120X-FJ	46
FB1-140X	45
FB1-200	45
FB1-220	45
FB1-230	45
FB1-240	45
FB1-260	45
FB1-300	45
FB1-320	45
FB1-320-FJ	46
FB2-200	45
FB2-220	45
FB2-230	45
FB2-240	45
FB2-260	45
FB2-300	45
FB2-320	45
FB3-100	45
FB3-110	45
FB3-120	45
FB3-130	45
FB3-140	45
FB3-150	45
FB3-160	45
FB35S-A	46
FB36	46
FB3-80	45
FB3-90	45
FCF107	168
FCF455	168
FE2	47
FF19	47
FF2	47
FF4	47
FF5	47
FIA3S	48
FIA6	48
FIA6S	48
FIA7	48 - 79
FIC3	48
FIC5	48
FIC7	154
FIR1	48
FIS3	48
FM4PD	46
FM4SM	47
FM50SM	47
FM5PD	46
FM5SM	47
FOR1S	49
FOR2S	49
FOR3	36 - 49
FTH10	49
FTH11	49

REF.	PAG.
FTH12	50
FTH14	49
FTH15	49
FTH17	50
FTH23S	49
FTH4	49
FTH5	49
FTH6	49
FTH7	49
FV2	47
FV4	47
FV5S	47
FV6S	47
G	
GB1S	52
GDAK1	51
GDAK2	51
GER15	51
GER3	51
GG10-A	50
GG10-FJ	50
GG11-A	50
GG18	50
GG2	50
GG25S-14-A	51
GG25S-17-A	51
GG25S-8-A	51
GG2-A	50
GG2-F	50
GG2-FJ	50
GG2S	50
GG7S-A	50
GG8S	50
GG9-T	50
GIS12	52
GIS17	52
GIS1PD	52
GIS2PD	52
GIS4	37 - 52
GIS4PD	52
GIS4PS	52
GIS4S	37 - 52
GIS5PD	19 - 52 - 90
GIS5PS	19 - 52 - 90
GIS6PD	52
GIS6PS	19 - 52
G-JM1	175
G-JM2	175
G-JM3	175
G-JM5	175
G-JM6	175
G-M12	173
G-M13	172
G-M25	173
G-M32	172
G-M4	171
G-M7	172
G-MF1	175
GNT1P	51
GO1	52
GO13	53
GO17	53
GO1S	52
GO3	53
GO3S	53
GO6	52
GO8	53
GO9	53
GO9S	53
GR1	54
GR1S	54
GR2S	51
GR3	53
GR3S	53
GR6	53
GR6S	53
GR7	54

Copyright by Keyline S.p.A.

INDEX

REF.	PAG.
GR7S	54
GRI1S	53
GTV1-53-A	53
GUA4	53
GUA4S	53
GUA5	53
GUA5S	53
GUA6	53
GUA6S	53
G-VC1	179
G-VC305	179
G-VC306	179
H	
HE1	54
HE2	54
HE4	54
HFL1	54
HFL1S	54
HFL2S	54
HFL3	54
HFL3S	54
HFL7	54
HL1	55
HL2	55
HL2S	55
HL3S	55
HN1S	54
HO1S	54
HOP1	54
HOP1S	54
HR1	55
HS1	55
HS1S	55
HUN5	55
I	
IC1	55 - 65
IC2	55
IC2P	56
IC4	55
IC5	55
ICA1S	55
IF3	56
IF3S	56
IF6	56
IL1S	56
ING5	56
ISB1	56
ISE14	57
ISE14P	58
ISE15	57
ISE15P	58
ISE17	57
ISE17P	58
ISE2	57
ISE20	57
ISE27S	57
ISE28	56
ISE29	58
ISE30	57
ISE31	57
ISE3D	56
ISE3S	56
ISE41D	56
ISE41S	56
ISE4D	56
ISE4S	56
ISE50PD	56
ISE51	57
ISE5D	57
ISE5D-F	57
ISE5D-FJ	57
ISE5D-FP	57
ISE5D-RK	57
ISE5D-T	57
ISE5PD	56
ISE5PS	56

REF.	PAG.
ISE5S	57
ISE5SM	57
J	
JG1S	59
JI1	58
JI2S	58
JM1	4 - 58
JM1S	4 - 58
JM2S	4 - 58
JM2S-FJ	58
JM3	4 - 58
JM3S	4 - 58
JM501S	58
JM6	59
JOW12-A	59
JU1	59
JU1S	59
JU2S	59
JU3	59
JUN1	59
JUN2	59
JV1	59
JV1S	59
JV5	59
JV5S	59
JV6S	59
K	
K1	63
K10	63
K1-F	63
KA1	60
KA2	60
KA8	60
KAL1S	60
KAL2S	60
KE1	60
KE10S	60
KE11	60
KE4	60
KE5	60
KE5S	60
KE7	60
KE7S	60
KE8	60
KEL	157
KIR2	63
KL109	53
KL248	77
KL760	77
KM13	62
KM2	62
KM2S	62
KM5	62
KM5S	62
KM6	62
KM7	62
KS1	61
KS13	61
KS13X	61
KS13XL	61
KS2	61
KS2X	61
KS3	62
KV1	62
KV1-F	62
KV1-FJ	62
KYA2S	62
KYR1	89
KZN1S	61
KZN2	61
KZN2S	61
KZN7S	61
L	
LAS1	64

REF.	PAG.
LAS11	64
LAS11S	64
LAS3	64
LAS3S	64
LAS5	64
LAS7	64
LAS7S	64
LAS9	64
LAS9S	64
LE1	65
LE1-F	65
LE1-FJ	65
LEA1	64
LF11	70
LF11S	70
LF12S	70
LF14S	70
LF16	41 - 70
LF18	71
LF19	42 - 71
LF19S	71
LF1S	42
LF20S	70
LF21	71
LF23R	41 - 71
LF24	41 - 71
LF24S	41 - 71
LF25 4	2 - 71
LF25S	71
LF26	41 - 69
LF27S	70
LF28S	69
LF29S	70
LF30	70
LF31	72
LF32	70
LF32S	70
LF33	70
LF3S	42
LF4S	42
LF5	42 - 71
LF56	71
LF6	71
LF60	72
LF61S	70
LF7	41
LF7S	41
LF85	41 - 70
LF85S	41 - 70
LF87	42 - 71
LF88	42 - 71
LF8S	72
LH5D	64
LI11	66
LI12	66
LI12S	66
LI13	66
LI13S	66
LI2	66
LI21	66
LI21-F	66
LI21-FJ	66
LI21-FP	66
LI21S	66
LI2S	66
LI3	66
LI33	66
LI33S	66
LI3S	66
LI6S	66
LI7	66
LI7S	66
LI8	66
LI8S	66
LIN1	65
LIN12	65
LIN13	65
LIN15	65
LIN2	65
LIN2S	65

REF.	PAG.
LIN3	65
LIN3S	65
LIT1S	67
LIT1S-F	67
LIT1S-FJ	67
LIT1S-FP	67
LIT2	67
LIT4	67
LIT4-F	67
LIT4-FJ	67
LIT4-FP	67
LIT6S	67
LKW100	69
LKW11	68
LKW110	69
LKW12	69
LKW15	68
LKW16	69
LKW160	68
LKW17	68
LKW2	68
LKW21S	69
LKW29	69
LKW3	68
LKW4S	68
LKW5	69
LKW5-F	69
LKW5PD	12 - 69
LKW5S	69
LKW60	69
LKW8	69
LKW9	69
LKW90	69
LKW9-F	69
LKW9S	69
LOB1S	67
LR1	63
LR10	63
LR11	64
LR2	64
LR2S	64
LR4	64
LR6S	64
LR7	63
LR9	63
LU2	72
M	
M107	176
M108	176
M109	176
M112	177
M114	177
M411	176
M509	172
MA1S	73
MA3S	73
MA4	73
MAR1	72
MAR1S	72
MAR2	72
MAR2S	72
MC1	73
MC10S	74
MC12	73
MC14S	74
MC15S	74
MC17	74
MC19S	74
MC1S	73
MC3	73
MC5S	73
MCF107	168
MCF455	168
MCH2S	77 - 80 - 83
MCH7S	77 - 79
ME10S	75
ME11S	75
ME12S	75

Copyright by Keyline S.p.A.

INDEX

REF.	PAG.
ME13S	75
ME14S	75
ME15S	75
ME16S	75
ME17S	75
ME17T	75
ME18S	75
ME18T	75
ME19S	74
ME20S	75
ME21S	75
ME34	75
ME35	75
ME38	75
ME39	76
ME40PD	74
ME41PD	74
ME42PD	74
ME42PS	74
ME4D	75
ME50S	75
ME5D	75
ME5D-F	75
ME5D-FJ	75
ME9S	75
MEF1S	74
MER1	74
MER2	74
MET1S	76
MET2	76
MGN1SP	72
ML13P	78
ML41P	79
ML4P	78
ML6P	78
ML7P	78
ML8P	78
ML9	78
MLM1	77
MLM1S	77
MN1	76
MN100	76
MN1S	76
MN2S	76
MN3	76
MN3S	76
MN6	76
MN7	76
MN8	76
MN9	76
MO1D	77
MO-AP	158
MO-CP	158
MO-EP	158
MO-FP	158
MO-GP	158
MOI1P	77
MRI1	78
MRI2	16
MRI4D	78
MRI4S	78
MRI5D	78
MRI5S	78
MSM2	78
MSR1	78
MST1	72
MST10	73
MST19	73
MST20	72
MST2S	72
MT600	178
MT601	178
N	
NAB1	79
NAB3	79
NAB4S	79
NAB5	79
NAB6	79
NAB7	79
NF1	183
NF10	183
NF2	183
NF20S	79
NF21S	79
NF22S	79
NF3	183
NF4	183
NF5	183
NF6	183
NF7	183
NF8	183
NF9	183
O	
OJ12	80
OJ17S	80
OJ6	80
OJ7	80
OMC10	80
OMC13	81
OMC14	81
OMC4	80
OMC5	81
OMC5PD	80
OMC5PD-F	81
OMC5PD-FJ	81
OMC5PD-FP	81
OMC5PD-RK	81
OMC5PD-T	81
OMC5PS	80
OMC6	81
OMR1S	77 - 79
OP1540NI	184
OP1540OR	184
OP1630BA	186
OP1630OR	186
OP1635BA	186
OP1640BA	186
OP1640OR	186
OP1730BA	185
OP1738BA	185
OP1738OR	185
OP2532BA	187
OP2542BA	187
OP2630BA	182
OP2630OR	182
OP2635BA	182
OP2635OR	182
OP2640BA	182
OP2640OR	182
OP2645BA	182
OP2645OR	182
OP2830BA	183
OP2840BA	183
OP2840OR	183
OP2933BA	186
OP3033BA	183
OP3033OR	183
OP3042BA	183
OP3042OR	183
OP3330BA	183
OP3330OR	182
OP3335BA	182
OP3335OR	182
OP3340BA	182
OP3340OR	182
OP3345BA	182
OP3345OR	182
OP3735BA	183
OP4342BA	187
OP4433BA	184
OP4445BA	184
OP4535OR	185
OP4542BA	185
OP4735BA	184
OP4742BA	184
OP4832BA	184
OP4832OR	184
OP4842BA	184
OP4842OR	184
OP5233BA	186
OP5242BA	186
OP5535OA	185
OP5545OA	185
OP7330BA	183
ORO2	81
P	
PAT1	189
PAT1D	188
PAT1S	188
PAT2	189
PAT2D	188
PAT2S	189
PAT3	190
PAT3D	189
PAT3S	189
PAT4	190
PAT5	190
PAT6	190
PAT7	190
PAT8	190
PAT9	189
PC1	82
PC10	82
PC10S	82
PC11S	82
PC12S	82
PC2T	82
PC8	81
PC9	81
PFA1S	82
PFA22S	83
PFA28S	82
PFA29S	82
PFA2S	82
PFA30	83
PFA30S	83
PFA31	83
PFA31S	83
PFA32	83
PFA3S	82
PFA4S	82
PFA5S	82
PFA6S	82
PFA7S	82
PI1S	83
PNZ1	82
PNZ1S	82
POT1	77 - 79 - 83
POT1S	77 - 79 - 83
POT2	77 - 83
POT2S	77 - 83
POT4	83
POT5P	84
POT6	84
POT7S	84
PP1	82
PR16	85
PR17	86
PR18	86
PR1D	84
PR3D	84
PR3S	84
PR3SM	84
PR3SS	84
PR4D	85
PR4PD	84
PR4PS	84
PR4S	85
PR4SM	85
PR4SS	85
PR4SS-F	85
PR4SS-FJ	85
PR4SS-T	85
PR5D	85
PR5PD	84
PR5PS	84
PR5S	85
PR5SM	85
PR5SS	85
PR5SS-F	85
PR5SS-FJ	85
PR5SS-T	85
PR8	84
PRL1	86
PTR1S	82
Q	
Q7	190
R	
RD1	86
RD2	86
RI1	87
RI10	87
RI10S	87
RI11	87
RI11S	87
RI17S	87
RI18	87
RI18-FJ	87
RI19	87
RI19S	87
RI2	87
RI20	87
RI20S	87
RI21	87
RI2S	87
RI3	87
RI30	87
RI3-FJ	87
RI8	87
RIQ9	86
RK1	88
RK14	88
RK14-POP	88
RK20	88
RK21	88
RZ1	86
RZ10	86
RZ1S	86
RZ2	86
RZ2S	86
RZ3S	86
RZ4S	86
S	
S1	91
S1S	91
S2S	91
S4	91
S4S	91
S6S	91
SAT1-A	88
SAT6	88
SBN2	91
SBN2S	91
SC10	89
SC2	89
SC20	88
SC4	88
SC40	88
SC40-F	89
SC40S	89
SC43	88
SC43P	88
SDM1	93
SE1	77 - 79 - 89
SE2	77 - 79 - 89
SEC10	89

Copyright by Keyline S.p.A.

INDEX

REF.	PAG.
SEC11P	89
SEC3	138
SEC9	89
SEI1	90
SEI5	2
SEK1	90
SEK2	90
SEK3	90
SEK4	90
SF1	91
SF1S	91
SI10PD	90
SI12	90
SI4	90
SIO1	90
SIO2	90
SL1	90
SLT1	89
SNC2	91
SNC2S	91
SP1	91
SP1S	91
SPD1	91
SPD1S	91
SQ1	86
SQ4	86 - 117
SQR1	92
ST1S	92
ST1S-A	92
ST2S	92
STA10	92
STA10S	92
STR1SP	92
STS1	92
STS2	93
STS6S	92
STU1S	93
STU8	93
STW1	92
T	
T7	190
TAL1S	78 - 93
TAL2S	93
TAR16	94
TAR3D	93
TAR3S	93
TAR4D	93
TAR4S	93
TAR5D	93
TAR5S	93
TAR7	93
TAR7S	93
TC10D	99
TC1D	99
TC1D-SLM 1	128
TC1S	99
TC1S-SLM	128
TC21D	99
TC21S	99
TC2D	99
TC2D-SLM 1	29
TC2S	99
TC2S-SLM 1	29
TC3D	99
TC3D-SLM	128
TC3S	99
TC3S-SLM	128
TC5D	99
TC5D-SLM	128
TC5S	99
TC5S-SLM 1	29
TC60D	99
TC60S	99
TC61D	99
TC61S	99
TC62D	99
TC62S	99

REF.	PAG.
TC6D	99
TC6S	99
TC9D	99
TC9S	99
TCH2	98
TEI1	94
TES10	94
TES17	95
TES18X-FA	95
TES19	95
TES2	95
TES3	94
TES4	95
TES5	94
TES5-F	94
TES5-FJ	94
TES5X	94
TES6	94
TES7	95
TES8	94
THR1	95
TIG1	95
TIN2	95
TIN2-F	96
TIN2-FJ	95
TIN3	95
TIN5	95
TIN6-B	96
TIN6B-F	96
TIN6B-FJ	96
TIN7	37 - 96
TK1	96
TK1-A	97
TK1-F	97
TK1-FJ	97
TK10	96
TK10S	96
TK10S-A	97
TK10S-F	97
TK10SL	96
TK11S	96
TK12S	97
TK13	97
TK14S	97
TK15S	97
TK1S	96
TK20S	97
TK30-A	97
TK30S-A	97
TOP1S	4 - 98
TOP1S-A	5 - 98
TOP1S-F	98
TOP1S-FJ	5 - 98
TPX1	98
TRE1	2
TRK1P	98
TRK2P	98
TRK3P	98
TRK4P	99
TRK5P	99
TSH1	100
TV1	100
TV10	100
TV10S	100
TV12	100
TV13S	100
TV1S	100
TV2	100
TV24	100
TV3	100
TV31	100
TV32S	100
TV4	100
TV5	100
TV8	100
U	
ULK1S	38 - 101

REF.	PAG.
UM1S	100
UM4	101
UM5	100
UN4D-D	104
UN4D-F	104
UN4D-FJ	105
UN4D-FP	105
UN4D-M	106
UN4D-RK	106
UN4D-SLM	128
UN4D-T	107
UN4PD	102
UN4PS	102
UN4S	102
UN4S-D	104
UN4S-F	104
UN4S-FJ	105
UN4S-FP	105
UN4S-M	106
UN4S-RK	106
UN4S-SLM	128
UN4S-T	107
UN50D	103
UN50D-F	103
UN5D	102
UN5D-A	103
UN5D-B	104
UN5D-CB	104
UN5D-CB-SLM	133
UN5D-D	104
UN5D-DX	104
UN5D-DX-SLM	128
UN5D-F	104
UN5D-FA	105
UN5D-FCL	103
UN5D-FDI	103
UN5D-FHE	103
UN5D-FJ	105
UN5D-FP	106
UN5D-FSP	103
UN5D-HE	102
UN5D-L	105 - 106
UN5D-M	106
UN5D-M-SLM	128
UN5D-Q	106
UN5D-R	106
UN5D-RK	107
UN5D-S	107
UN5D-SLM	128
UN5D-T	107
UN5D-V	107
UN5D-V-SLM	129
UN5D-Y	107
UN5PD	102
UN5PD-F	104
UN5PD-FJ	105
UN5PD-FP	105
UN5PD-RK	106
UN5PD-T	107
UN5PS	102
UN5PS-F	104
UN5PS-FJ	105
UN5PS-FP	105
UN5PS-RK	106
UN5S	102
UN5S-A	103
UN5S-B	104
UN5S-CB	104
UN5S-CB-SLM	128
UN5S-D	104
UN5S-DX	104
UN5S-DX-SLM	128
UN5S-F	104
UN5S-FA	105
UN5S-FJ	105
UN5S-FP	106
UN5S-L	105 - 106
UN5S-M	106
UN5S-M-SLM	128
UN5S-Q	106

REF.	PAG.
UN5S-R	106
UN5S-RK	107
UN5S-S	107
UN5S-SLM	128
UN5S-T	107
UN5S-V	107
UN5S-V-SLM	129
UN5S-Y	107
UN60D	103
UN60D-C	103
UN60D-F	103
UN61D	103
UN61S	103
UN6D	102
UN6D-F	105
UN6D-FJ	105
UN6D-FP	106
UN6D-RK	107
UN6D-SLM	129
UN6D-T	107
UN6S	102
UN6S-F	105
UN6S-SLM	129
UN7D	102
UN7S	102
UNI1	101
UNI2	101
UNI27	101
UNI32	101
UNI32S	101
UNI36S	102
UNKB2	101
UNKB2-F	101
UNKB2-FJ	101
URB1S	108
UTL2	108
V	
VBH1	110
VC1	108
VC100	109
VC100S	109
VC11	108
VC14	108
VC14S	108
VC15	110
VC17S	109
VC1S	108
VC2	109
VC20	110
VC25	108
VC26	108
VC2-F	109
VC2-FJ	109
VC3	109
VC30S	109
VC39	109
VC4	108
VC5	108
VC6	108
VC6S	108
VC8	109
VC8-FJ	109
VLK2S	113
VR11	111
VR11S	111
VR14	110
VR15	112
VR17	111
VR19	112
VR20	110
VR25S	112
VR4D	111
VR4D-F	111
VR4D-FJ	111
VR4D-T	111
VR4PD	110
VR4PD-FP	110
VR4PD-T	110

Copyright by Keyline S.p.A.

INDEX

REF.	PAG.
VR4PS	110
VR4S	111
VR50D	112
VR50S	112
VR51D	112
VR51S	112
VR5D	111
VR5D-F	112
VR5D-FJ	112
VR5D-FP	112
VR5D-RK	112
VR5D-T	112
VR5PD	110
VR5PD-F	111
VR5PD-FJ	111
VR5PD-FP	111
VR5PD-RK	111
VR5PD-T	110
VR5PS	110
VR5S	111
VR5SS	111
VR7S	110
VR8	112
VR8S	112
VRS3	110
VS9	113
W	
WA1	114
WAG1	113
WAN1	114
WEB1	114
WI1A	116
WI1-F	116
WI1-FJ	116
WI1-FP	116
WI2	116
WI48S	116
WI50	116
WI51S-A	116
WI59S-A	116
WK4D	114
WK4D-F	115
WK4D-FJ	115
WK4D-T	115
WK4S	114
WK4S-F	115
WK4S-FJ	115
WK4S-T	115
WK5D	115
WK5D-F	115
WK5D-FJ	115
WK5D-T	115
WK5PD	114
WK5PS	114
WK5S	115
WK5S-F	115
WK5S-FJ	115
WK5S-T	115
WR2-T	114
WR7	114
WS2	114
WT1	115
WT2	115
WT3	116
WY4D	113
WY4S	113
WY4S-F	113
WY4S-FJ	113
WY4S-T	113
WY5D	113
WY5PD	113
WY5PS	113
WY5S	113
WY5S-F	114
WY5S-FJ	114
WY5S-T	113

REF.	PAG.
X	
XAGC1	132
XBU1P	132
XBU2P	132
XBU3P	132
XCF1	132
XCF10	133
XCF2	132
XCF3	132
XCF6	133
XCF7	133
XCF9	133
XCRX1	133
XFIA1P	133
XFIA2P	133
XISE3P	134
XNF1P	134
XNF2P	134
XYE1P	134
XYE6P	134
XZA1P	134
XZI1P	135
XZI2P	135
XZI3P	135
Y	
Y1	118
Y1-F	118
Y1-FJ	118
Y1-T	118
YE10	119
YE10-F	119
YE101	108 - 118
YE102	108 - 118
YE102S	108 - 118
YE11	118
YE12	118
YE12-F	119
YE14	117
YE14S	117
YE15	117
YE17	117
YE17S	117
YE2	120
YE21	119
YE2S	120
YE3-T	119
YE32	118
YE3S-T	119
YE41	120
YE4D	120
YE4D-F	120
YE4D-SLM	129
YE4PD	120
YE4PS	120
YE4S	120
YE4S-SLM	129
YE50	117 - 118
YE51	118
YE51-F	117
YE51-FJ	117
YE51S	118
YE5D	120
YE5D-F	120
YE5D-FJ	121
YE5D-FP	121
YE5D-RK	121
YE5D-SLM	129
YE5D-T	120
YE5PD	120
YE5PS	120
YE5S	120
YE5S-SLM	129
YE63	120
YE64S	117
YE69	119
YE6D	120

REF.	PAG.
YE6D-F	120
YE6D-FJ	121
YE6D-FP	121
YE6D-RK	121
YE6D-SLM	129
YE6D-T	120
YE6S	120
YE6S-SLM	129
YE7	117
YE70	117
YE70S	117
YE71	119
YE71L	119
YE75	119
YE7S	117
YE8	117
YE80	119
YE81	119
YE87	121
YE91	121
YET1	122
YET15	68 - 122
YET15-D	68 - 122
YET15A	68 - 122
YET16	68 - 122
YET16-D	68 - 122
YET16A	68
YET17	67
YET17X	68
YET1S	122
YET6	122
YET6S	122
YMS1P	122
YTM1R	67
YY1	121
YY10	122
YY11	122
YY12	122
YY13P	122
YY15	122
YY3P	121
YY5P	121
YY8	122
YY9	122
Z	
ZAD25	123
ZI10-A	123
ZI10S-A	123
ZI11-A	123
ZI11S-A	123
ZI14-A	36 - 124
ZI2	123
ZI2-A	123
ZI2-F	123
ZI2-FJ	123
ZI2S	123
ZI2S-A	123
ZI2S-F	123
ZI2S-FJ	123
ZI3	123
ZI45	124
ZI5S-A	123
ZN10	125
ZN1S	124
ZN2	124
ZN3	125
ZN3-FJ	125
ZN4	124
ZN4-FJ	124 - 125
ZN5S	124

Copyright by Keyline S.p.A.

NOTE

NOTE

Copyright by

KEYLINE

Innovators by design | Since 1770

A BIANCHI 1770 GROUP COMPANY

Le illustrazioni e i dati tecnici dei prodotti contenuti nel catalogo debbono considerarsi indicativi.

Keyline si riserva di poter modificare i prodotti illustrati senza compromettere la loro funzionalità ed intercambiabilità al fine di migliorare la qualità del prodotto.

Tutti i disegni e le fotografie sono di proprietà di Keyline, ogni riproduzione anche parziale, senza autorizzazione scritta della Keyline è vietata secondo termini di legge.

Per qualsiasi controversia sono competenti gli Uffici Giudiziari dove ha sede l'Azienda, con espressa esclusione di qualsiasi altro foro.

All information and illustrations in this catalogue are for guidance only.

Keyline reserves the right to alter the illustrated products without compromising their functionality and interchangeability in order to improve the quality of the product itself.

The contents of this catalogue are fully protected by copyright and may not be copied or reproduced in any form without written permission from Keyline.

Any infringements will be dealt with under Italian law.

Die Abbildungen und technischen Daten des Katalogs sind nur zur Information.

Keyline behaelt sich vor, etwaige Aenderungen am Produkt vorzunehmen ohne der Zweckmaessigkeit und Auswechselbarkeit zu gefaehrden um zur Verbesserung des Produkt.

Alle Zeichnungen und Fotos sind Besitz der Firma Keyline, jede Reproduktion, auch teilweise, ist ohne schriftliche Erlaubnis der Firma Keyline gesetzlich untersagt.

Im Falle von Streitfragen ist der Gerichtshof des Firmensitzes zuständig; jeder andere Gerichtshof ist ausgeschlossen.

Les illustrations et les caractéristiques techniques des produits présentés dans ce catalogue sont données à titre indicatif.

Keyline se réserve le droit d'apporter toutes les modifications des produits illustrés sens compromettre leur caractère fonctionnel et interchangeabilité pour améliorer la qualité du produit.

Tous les dessins et photos sont propriété Keyline et toute reproduction, même partielle, sans l'autorisation écrite préalable de Keyline est interdite conformément aux prescriptions légales.

Tout litige est du ressort exclusif des Tribunaux de la circonscription où se trouve le Siége de la Société.

Las ilustraciones y los datos técnicos de los productos en este catàlogo son indicativos.

Keyline se reserva el derecho de modificar los productos ilustrados sin comprometer la funcionalidad e intercambiabilidad para mejorar la calidad del producto.

Todos los dibujos y las fotografias pertenecen a la Keyline; se prohibe toda reproducción aunque parcial, sin autorización por escrito de la Keyline.

En caso de disputas la competencia es de las autoridades juiciales donde está domiciliada la firma, excluyendo cualquier ontro fuero.

To find the distributor closest to your company, please send a request to:

Keyline
Keyline S.p.A.
Via Camillo Bianchi, 2 - P.O. Box 251
31015 Conegliano (TV) Italy
T +39 0438 202 511
F +39 0438 202 520
info@keyline.it
www.keyline.it

Bianchi 1770 Group Companies distributing Keyline products

Keyline USA
Bianchi USA, Inc.
31336 Industrial Pkwy - Suite 3
North Olmsted, Ohio 44070, USA
T +1 440 716 8006
F +1 216 803 0202
TF +1 800 891 2118
info@keyline-usa.com
www.keyline-usa.com

Keyline Italia
Keyline Italia S.r.l.
Via Zoe Fontana, 220 - Ed. C
Tecnocittà
00131 Roma, Italy
T +39 06 4122 9822
F +39 06 4120 0981
info@keyline-italia.it
www.keyline-italia.it

Keyline Portugal
Luso Chav Lda.
Rua António Carneiro, 302 - Armazém A
4300-025 Porto, Portugal
T +351 22 510 4702
F +351 22 536 1248
geral@lusochav.pt
www.lusochav.pt

Keyline Shanghai
Bianchi 1770 Hardware Technology (Shanghai) Co. Ltd
比安奇五金技术（上海）有限公司
中国上海市虹口区黄浦路99号
上海滩国际大厦1505室
Room 1505, Shanghai Bund International Tower
No.99 Huangpu Road, Hong Kou District 200080
Shanghai P.R. China
T +86 021 5031 0980
F +86 021 5031 0981
info@keyline-shanghai.com
www.keyline-shanghai.com

Keyline Germany
Keyline GmbH
Uhlandstraße 31b
42549 Velbert, Germany
T +49 (0) 2051 807 4444
F +49 (0) 2051 606 9922
info@keyline-germany.de
www.keyline-germany.de

Keyline Scandinavia
Kungsgatan 98
63221 Eskilstuna, Sweden
T +46 (0)16 510 700
F +46 (0)16 510 700
info@keyline-scandinavia.com
www.keyline-scandinavia.com

Bianchi 1770 Group Representative Offices coordinating onsite distributors

Keyline UK
18 Beeston Court - Stuart Road
Manor Park - Runcorn - Cheshire
WA7 1SS - UK
T +44 (0) 1928 597 755
info@keyline-uk.co.uk
www.keyline-uk.co.uk

Keyline Japan
〒532-0011
大阪府大阪市淀川区西中島4-7-20
日宝新大阪第1ビル4階1号
Room 4F-1 Nippo Shin-Osaka Daiich Building
4-7-20 Nishinakajima, Yodogawa-ku Osaka City
Osaka 532-0011, Japan
T +81 6 4805 6969
F +81 6 4805 6900
info@keyline-japan.jp
www.keyline-japan.jp

BIANCHI 1770 GROUP
Innovators by design | Since 1770

ICIM UNI EN ISO 9001:2015 CERTIFIED MANAGEMENT SYSTEM

CISQ AUTOMOTIVE
IATF 16949:2016
CERTIFICATE N. 0320186

workandfamily
CERTIFICATION

PROMO18-080 10/19